(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau

(43) International Publication Date
20 October 2005 (20.10.2005)

PCT

(10) International Publication Number
WO 2005/098047 A2

(51) International Patent Classification[7]: C12Q 1/68

(21) International Application Number:
PCT/US2005/005356

(22) International Filing Date: 18 February 2005 (18.02.2005)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:

60/545,425	18 February 2004 (18.02.2004)	US
60/559,754	5 April 2004 (05.04.2004)	US
60/632,862	3 December 2004 (03.12.2004)	US
60/639,068	22 December 2004 (22.12.2004)	US
60/648,188	28 January 2005 (28.01.2005)	US

(71) Applicants (*for all designated States except US*): **ISIS PHARMACEUTICALS, INC.** [US/US]; 1896 Rutherford Road, Carlsbad, CA 92008 (US). **SCIENCE APPLICATIONS INTERNATIONAL CORPORATION** [US/US]; 10260 Campus Point Drive, MSC4, San Diego, CA 92121 (US).

(72) Inventors; and

(75) Inventors/Applicants (*for US only*): **SAMPATH, Rangarajan** [US/US]; 12223 Mannix Road, San Diego, CA 92129 (US). **HALL, Thomas, A.** [US/US]; 5239 Wohlford Street, Oceanside, CA 92056 (US). **ECKER, David, J.** [US/US]; 1041 Saxony Road, Encinitas, CA 92024 (US). **ESCHOO, Mark, W.** [US/US]; 615 Glenmont Drive, Solana Beach, CA 92075 (US). **MASSIRE, Christian** [US/US]; 7498 Altiva Place, Carlsbad, CA 92009 (US). **LARSON, Brons, M.** [US/US]; 10657 Birch Bluff Avenue, San Diego, CA 92131 (US). **LEIGHTON, Terrance** [US/US]; Suite F, 3589 Walnut Street, Lafayette, CA 94549 (US).

(74) Agent: **LEGAARD, Paul, K.**; Cozen O'Connor, 1900 Market Street, Philadelphia, PA 19103 (US).

(81) Designated States (*unless otherwise indicated, for every kind of national protection available*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

(84) Designated States (*unless otherwise indicated, for every kind of regional protection available*): ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:
— *without international search report and to be republished upon receipt of that report*

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: COMPOSITIONS FOR USE IN IDENTIFICATION OF BACTERIA

(57) Abstract: The present invention provides oligonucleotide primers and compositions and kits containing the same for rapid identification of bacteria by amplification of a segment of bacterial nucleic acid followed by molecular mass analysis.

WO 2005/098047 A2

COMPOSITIONS FOR USE IN IDENTIFICATION OF BACTERIA

CROSS-REFERENCE TO RELATED APPLICATIONS

[0001] The present application claims the benefit of priority to: U.S. Provisional Application Serial No. 60/545,425 filed February 18, 2004, U.S. Provisional Application Serial No. 60/559,754, filed April 5, 2004, U.S. Provisional Application Serial No. 60/632,862, filed December 3, 2004, U.S. Provisional Application Serial No. 60/639,068, filed December 22, 2004, and U.S. Provisional Application Serial No. 60/648,188, filed January 28, 2005, each of which is incorporated herein by reference in its entirety.

STATEMENT OF GOVERNMENT SUPPORT

[0002] This invention was made with United States Government support under DARPA/SPO contract BAA00-09. The United States Government may have certain rights in the invention.

FIELD OF THE INVENTION

[0003] The present invention relates generally to the field of genetic identification of bacteria and provides nucleic acid compositions and kits useful for this purpose when combined with molecular mass analysis.

BACKGROUND OF THE INVENTION

[0004] A problem in determining the cause of a natural infectious outbreak or a bioterrorist attack is the sheer variety of organisms that can cause human disease. There are over 1400 organisms infectious to humans; many of these have the potential to emerge suddenly in a natural epidemic or to be used in a malicious attack by bioterrorists (Taylor et al. Philos. Trans. R. Soc. London B. Biol. Sci., 2001, 356, 983-989). This number does not include numerous strain variants, bioengineered versions, or pathogens that infect plants or animals.

[0005] Much of the new technology being developed for detection of biological weapons incorporates a polymerase chain reaction (PCR) step based upon the use of highly specific primers and probes designed to selectively detect certain pathogenic organisms. Although this approach is appropriate for the most obvious bioterrorist organisms, like smallpox and anthrax, experience has shown that it is very difficult to predict which of hundreds of possible pathogenic organisms might be employed in a terrorist attack. Likewise, naturally emerging human disease that has caused devastating consequence in public health has come from unexpected families of

bacteria, viruses, fungi, or protozoa. Plants and animals also have their natural burden of infectious disease agents and there are equally important biosafety and security concerns for agriculture.

[0006] A major conundrum in public health protection, biodefense, and agricultural safety and security is that these disciplines need to be able to rapidly identify and characterize infectious agents, while there is no existing technology with the breadth of function to meet this need. Currently used methods for identification of bacteria rely upon culturing the bacterium to effect isolation from other organisms and to obtain sufficient quantities of nucleic acid followed by sequencing of the nucleic acid, both processes which are time and labor intensive.

[0007] Mass spectrometry provides detailed information about the molecules being analyzed, including high mass accuracy. It is also a process that can be easily automated. DNA chips with specific probes can only determine the presence or absence of specifically anticipated organisms. Because there are hundreds of thousands of species of benign bacteria, some very similar in sequence to threat organisms, even arrays with 10,000 probes lack the breadth needed to identify a particular organism.

[0008] There is a need for a method for identification of bioagents which is both specific and rapid, and in which no culture or nucleic acid sequencing is required. Disclosed in U.S. Patent Application Serial Nos: 09/798,007, 09/891,793, 10/405,756, 10/418,514, 10/660,997, 10/660,122, 10/660,996, 10/728,486, 10/754,415 and 10/829,826, each of which is commonly owned and incorporated herein by reference in its entirety, are methods for identification of bioagents (any organism, cell, or virus, living or dead, or a nucleic acid derived from such an organism, cell or virus) in an unbiased manner by molecular mass and base composition analysis of "bioagent identifying amplicons" which are obtained by amplification of segments of essential and conserved genes which are involved in, for example, translation, replication, recombination and repair, transcription, nucleotide metabolism, amino acid metabolism, lipid metabolism, energy generation, uptake, secretion and the like. Examples of these proteins include, but are not limited to, ribosomal RNAs, ribosomal proteins, DNA and RNA polymerases, elongation factors, tRNA synthetases, protein chain initiation factors, heat shock protein groEL, phosphoglycerate kinase, NADH dehydrogenase, DNA ligases, DNA gyrases and DNA topoisomerases, metabolic enzymes, and the like.

[0009] To obtain bioagent identifying amplicons, primers are selected to hybridize to conserved sequence regions which bracket variable sequence regions to yield a segment of nucleic acid which can be amplified and which is amenable to methods of molecular mass analysis. The variable sequence regions provide the variability of molecular mass which is used for bioagent identification. Upon amplification by PCR or other amplification methods with the specifically chosen primers, an amplification product that represents a bioagent identifying amplicon is obtained. The molecular mass of the amplification product, obtained by mass spectrometry for example, provides the means to uniquely identify the bioagent without a requirement for prior knowledge of the possible identity of the bioagent. The molecular mass of the amplification product or the corresponding base composition (which can be calculated from the molecular mass of the amplification product) is compared with a database of molecular masses or base compositions and a match indicates the identity of the bioagent. Furthermore, the method can be applied to rapid parallel analyses (for example, in a multi-well plate format) the results of which can be employed in a triangulation identification strategy which is amenable to rapid throughput and does not require nucleic acid sequencing of the amplified target sequence for bioagent identification.

[0010] The result of determination of a previously unknown base composition of a previously unknown bioagent (for example, a newly evolved and heretofore unobserved bacterium or virus) has downstream utility by providing new bioagent indexing information with which to populate base composition databases. The process of subsequent bioagent identification analyses is thus greatly improved as more base composition data for bioagent identifying amplicons becomes available.

[0011] The present invention provides oligonucleotide primers and compositions and kits containing the oligonucleotide primers, which define bacterial bioagent identifying amplicons and, upon amplification, produce corresponding amplification products whose molecular masses provide the means to identify bacteria, for example, at and below the species taxonomic level.

SUMMARY OF THE INVENTION

[0012] The present invention provides primers and compositions comprising pairs of primers, and kits containing the same for use in identification of bacteria. The primers are designed to produce bacterial bioagent identifying amplicons of DNA encoding genes essential to life such as, for example, 16S and 23S rRNA, DNA-directed RNA polymerase subunits (rpoB and rpoC),

valyl-tRNA synthetase (valS), elongation factor EF-Tu (TufB), ribosomal protein L2 (rplB), protein chain initiation factor (infB), and spore protein (sspE). The invention further provides drill-down primers, compositions comprising pairs of primers and kits containing the same, which are designed to provide sub-species characterization of bacteria.

[0013] In particular, the present invention provides an oligonucleotide primer 16 to 35 nucleobases in length comprising 80% to 100% sequence identity with SEQ ID NO: 26, or a composition comprising the same; an oligonucleotide primer 20 to 27 nucleobases in length comprising at least a 20 nucleobase portion of SEQ ID NO: 388, or a composition comprising the same; a composition comprising both primers; and a composition comprising a first oligonucleotide primer 15 to 35 nucleobases in length comprising between 70% to 100% sequence identity of SEQ ID NO: 26, and a second oligonucleotide primer 16 to 35 nucleobases in length comprising between 70% to 100% sequence identity of SEQ ID NO: 388.

[0014] The present invention also provides an oligonucleotide primer 22 to 35 nucleobases in length comprising SEQ ID NO: 29, or a composition comprising the same; an oligonucleotide primer 18 to 35 nucleobases in length comprising SEQ ID NO: 391, or a composition comprising the same; a composition comprising both primers; and a composition comprising a first oligonucleotide primer 16 to 35 nucleobases in length comprising between 70% to 100% sequence identity of SEQ ID NO: 29, and a second oligonucleotide primer 13 to 35 nucleobases in length comprising between 70% to 100% sequence identity of SEQ ID NO: 391.

[0015] The present invention also provides an oligonucleotide primer 22 to 26 nucleobases in length comprising SEQ ID NO: 37, or a composition comprising the same; an oligonucleotide primer 20 to 30 nucleobases in length comprising SEQ ID NO: 362, or a composition comprising the same; a composition comprising both primers; and a composition comprising a first oligonucleotide primer 16 to 35 nucleobases in length comprising between 70% to 100% sequence identity of SEQ ID NO: 37, and a second oligonucleotide primer 14 to 35 nucleobases in length comprising between 70% to 100% sequence identity of SEQ ID NO: 362.

[0016] The present invention also provides an oligonucleotide primer 13 to 35 nucleobases in length comprising 70% to 100% sequence identity with SEQ ID NO: 48, or a composition comprising the same; an oligonucleotide primer 19 to 35 nucleobases in length comprising SEQ ID NO: 404, or a composition comprising the same; a composition comprising both primers; and

a composition comprising a first oligonucleotide primer 13 to 35 nucleobases in length comprising between 70% to 100% sequence identity of SEQ ID NO: 48, and a second oligonucleotide primer 14 to 35 nucleobases in length comprising between 70% to 100% sequence identity of SEQ ID NO: 404.

[0017] The present invention also provides an oligonucleotide primer 21 to 35 nucleobases in length comprising 70% to 100% sequence identity with SEQ ID NO: 160, or a composition comprising the same; an oligonucleotide primer 21 to 35 nucleobases in length comprising at least a 16 nucleobase portion of SEQ ID NO: 515, or a composition comprising the same; a composition comprising both primers; and a composition comprising a first oligonucleotide primer 21 to 35 nucleobases in length comprising between 70% to 100% sequence identity of SEQ ID NO: 160, and a second oligonucleotide primer 21 to 35 nucleobases in length comprising between 70% to 100% sequence identity of SEQ ID NO: 515.

[0018] The present invention also provides an oligonucleotide primer 17 to 35 nucleobases in length comprising 70% to 100% sequence identity with SEQ ID NO: 261, or a composition comprising the same; an oligonucleotide primer 18 to 35 nucleobases in length comprising at least a 16 nucleobase portion of SEQ ID NO: 624, or a composition comprising the same; a composition comprising both primers; and a composition comprising a first oligonucleotide primer 17 to 35 nucleobases in length comprising between 70% to 100% sequence identity of SEQ ID NO: 261, and a second oligonucleotide primer 18 to 35 nucleobases in length comprising between 70% to 100% sequence identity of SEQ ID NO: 624.

[0019] The present invention also provides an oligonucleotide primer 21 to 35 nucleobases in length comprising 70% to 100% sequence identity with SEQ ID NO: 231, or a composition comprising the same; an oligonucleotide primer 17 to 35 nucleobases in length comprising 70% to 100% sequence identity with SEQ ID NO: 591; , or a composition comprising the same; a composition comprising both primers; and a composition comprising a first oligonucleotide primer 21 to 35 nucleobases in length comprising between 70% to 100% sequence identity of SEQ ID NO: 231, and a second oligonucleotide primer 17 to 35 nucleobases in length comprising between 70% to 100% sequence identity of SEQ ID NO: 591.

[0020] The present invention also provides an oligonucleotide primer 14 to 35 nucleobases in length comprising 70% to 100% sequence identity with SEQ ID NO: 349, or a composition

comprising the same; an oligonucleotide primer 17 to 35 nucleobases in length comprising 70% to 100% sequence identity with SEQ ID NO: 711, or a composition comprising the same; a composition comprising both primers; and a composition comprising a first oligonucleotide primer 14 to 35 nucleobases in length comprising between 70% to 100% sequence identity of SEQ ID NO: 349, and a second oligonucleotide primer 17 to 35 nucleobases in length comprising between 70% to 100% sequence identity of SEQ ID NO: 711.

[0021] The present invention also provides an oligonucleotide primer 16 to 35 nucleobases in length comprising 70% to 100% sequence identity with SEQ ID NO: 240, or a composition comprising the same; an oligonucleotide primer 15 to 35 nucleobases in length comprising 70% to 100% sequence identity with SEQ ID NO: 596, or a composition comprising the same; a composition comprising both primers; and a composition comprising a first oligonucleotide primer 16 to 35 nucleobases in length comprising between 70% to 100% sequence identity of SEQ ID NO: 240, and a second oligonucleotide primer 15 to 35 nucleobases in length comprising between 70% to 100% sequence identity of SEQ ID NO: 596.

[0022] The present invention also provides an oligonucleotide primer 16 to 35 nucleobases in length comprising 70% to 100% sequence identity with SEQ ID NO: 58, or a composition comprising the same; an oligonucleotide primer 21 to 35 nucleobases in length comprising at least a 16 nucleobase portion of SEQ ID NO:414, or a composition comprising the same; a composition comprising both primers; and a composition comprising a first oligonucleotide primer 16 to 35 nucleobases in length comprising between 70% to 100% sequence identity of SEQ ID NO: 58, and a second oligonucleotide primer 15 to 35 nucleobases in length comprising between 70% to 100% sequence identity of SEQ ID NO: 414.

[0023] The present invention also provides an oligonucleotide primer 16 to 35 nucleobases in length comprising at least a 16 nucleobase portion of SEQ ID NO: 6, or a composition comprising the same; an oligonucleotide primer 16 to 35 nucleobases in length comprising at least a 16 nucleobase portion of SEQ ID NO:369, or a composition comprising the same; a composition comprising both primers; and a composition comprising a first oligonucleotide primer 16 to 35 nucleobases in length comprising between 70% to 100% sequence identity of SEQ ID NO: 6, and a second oligonucleotide primer 15 to 35 nucleobases in length comprising between 70% to 100% sequence identity of SEQ ID NO: 369.

[0024] The present invention also provides an oligonucleotide primer 16 to 35 nucleobases in length comprising 70% to 100% sequence identity with SEQ ID NO: 246, or a composition comprising the same; an oligonucleotide primer 19 to 35 nucleobases in length comprising 70% to 100% sequence identity with SEQ ID NO: 602, or a composition comprising the same; a composition comprising both primers; and a composition comprising a first oligonucleotide primer 16 to 35 nucleobases in length comprising between 70% to 100% sequence identity of SEQ ID NO: 246, and a second oligonucleotide primer 19 to 35 nucleobases in length comprising between 70% to 100% sequence identity of SEQ ID NO: 602.

[0025] The present invention also provides an oligonucleotide primer 21 to 35 nucleobases in length comprising 70% to 100% sequence identity with SEQ ID NO: 256, or a composition comprising the same; an oligonucleotide primer 14 to 35 nucleobases in length comprising 70% to 100% sequence identity with SEQ ID NO: 620, or a composition comprising the same; a composition comprising both primers; and a composition comprising a first oligonucleotide primer 21 to 35 nucleobases in length comprising between 70% to 100% sequence identity of SEQ ID NO: 256, and a second oligonucleotide primer 14 to 35 nucleobases in length comprising between 70% to 100% sequence identity of SEQ ID NO: 620.

[0026] The present invention also provides an oligonucleotide primer 16 to 35 nucleobases in length comprising 70% to 100% sequence identity with SEQ ID NO: 344, or a composition comprising the same; an oligonucleotide primer 18 to 35 nucleobases in length comprising 70% to 100% sequence identity with SEQ ID NO: 700, or a composition comprising the same; a composition comprising both primers; and a composition comprising a first oligonucleotide primer 16 to 35 nucleobases in length comprising between 70% to 100% sequence identity of SEQ ID NO: 344, and a second oligonucleotide primer 18 to 35 nucleobases in length comprising between 70% to 100% sequence identity of SEQ ID NO: 700.

[0027] The present invention also provides an oligonucleotide primer 16 to 35 nucleobases in length comprising 70% to 100% sequence identity with SEQ ID NO: 235, or a composition comprising the same; an oligonucleotide primer 16 to 35 nucleobases in length comprising 70% to 100% sequence identity with SEQ ID NO: 587, or a composition comprising the same; a composition comprising both primers; and a composition comprising a first oligonucleotide primer 16 to 35 nucleobases in length comprising between 70% to 100% sequence identity of

SEQ ID NO: 235, and a second oligonucleotide primer 16 to 35 nucleobases in length comprising between 70% to 100% sequence identity of SEQ ID NO: 587.

[0028] The present invention also provides an oligonucleotide primer 16 to 35 nucleobases in length comprising 70% to 100% sequence identity with SEQ ID NO: 322, or a composition comprising the same; an oligonucleotide primer 19 to 35 nucleobases in length comprising 70% to 100% sequence identity with SEQ ID NO: 686, or a composition comprising the same; a composition comprising both primers; and a composition comprising a first oligonucleotide primer 16 to 35 nucleobases in length comprising between 70% to 100% sequence identity of SEQ ID NO: 322, and a second oligonucleotide primer 19 to 35 nucleobases in length comprising between 70% to 100% sequence identity of SEQ ID NO: 686.

[0029] The present invention also provides compositions, such as those described herein, wherein either or both of the first and second oligonucleotide primers comprise at least one modified nucleobase, a non-templated T residue on the 5'-end, at least one non-template tag, or at least one molecular mass modifying tag, or any combination thereof.

[0030] The present invention also provides kits comprising any of the compositions described herein. The kits can comprise at least one calibration polynucleotide, or at least one ion exchange resin linked to magnetic beads, or both.

[0031] The present invention also provides methods for identification of an unknown bacterium. Nucleic acid from the bacterium is amplified using any of the compositions described herein to obtain an amplification product. The molecular mass of the amplification product is determined. Optionally, the base composition of the amplification product is determined from the molecular mass. The base composition or molecular mass is compared with a plurality of base compositions or molecular masses of known bacterial bioagent identifying amplicons, wherein a match between the base composition or molecular mass and a member of the plurality of base compositions or molecular masses identifies the unknown bacterium. The molecular mass can be measured by mass spectrometry. In addition, the presence or absence of a particular clade, genus, species, or sub-species of a bioagent can be determined by the methods described herein.

[0032] The present invention also provides methods for determination of the quantity of an unknown bacterium in a sample. The sample is contacted with any of the compositions described

herein and a known quantity of a calibration polynucleotide comprising a calibration sequence. Concurrently, nucleic acid from the bacterium in the sample is amplified with any of the compositions described herein and nucleic acid from the calibration polynucleotide in the sample is amplified with any of the compositions described herein to obtain a first amplification product comprising a bacterial bioagent identifying amplicon and a second amplification product comprising a calibration amplicon. The molecular mass and abundance for the bacterial bioagent identifying amplicon and the calibration amplicon is determined. The bacterial bioagent identifying amplicon is distinguished from the calibration amplicon based on molecular mass, wherein comparison of bacterial bioagent identifying amplicon abundance and calibration amplicon abundance indicates the quantity of bacterium in the sample. The method can also comprise determining the base composition of the bacterial bioagent identifying amplicon.

BRIEF DESCRIPTION OF THE DRAWINGS

[0033] Figure 1 is a represenataive pseudo-four dimensional plot of base compositions of bioagent identifying amplicons of enterobacteria obtained with a primer pair targeting the rpoB gene (primer pair no 14 (SEQ ID NOs: 37:362). The quantity each of the nucleobases A, G and C are represented on the three axes of the plot while the quantity of nucleobase T is represented by the diameter of the spheres. Base composition probability clouds surrounding the spheres are also shown.

[0034] Figure 2 is a represenataive diagram illustrating the primer selection process.

[0035] Figure 3 lists common pathogenic bacteria and primer pair coverage. The primer pair number in the upper right hand corner of each polygon indicates that the primer pair can produce a bioagent identifying amplicon for all species within that polygon.

[0036] Figure 4 is a represenataive 3D diagram of base composition (axes A, G and C) of bioagent identifying amplicons obtained with primer pair number 14 (a precursor of primer pair number 348 which targets 16S rRNA). The diagram indicates that the experimentally determined base compositions of the clinical samples (labeled NHRC samples) closely match the base compositions expected for *Streptococcus pyogenes* and are distinct from the expected base compositions of other organisms.

[0037] Figure 5 is a represenataive mass spectrum of amplification products representing bioagent identifying amplicons of *Streptococcus pyogenes*, *Neisserica* meningitidis, and *Haemophilus influenzae* obtained from amplification of nucleic acid from a clinical sample with primer pair number 349 which targets 23S rRNA. Experimentally determined molecular masses and base compositions for the sense strand of each amplification product are shown.

[0038] Figure 6 is a represenataive mass spectrum of amplification products representing a bioagent identifying amplicon of *Streptococcus pyogenes*, and a calibration amplicon obtained from amplification of nucleic acid from a clinical sample with primer pair number 356 which targets rplB. The experimentally determined molecular mass and base composition for the sense strand of the *Streptococcus pyogenes* amplification product is shown.

[0039] Figure 7 is a represenataive process diagram for identification and determination of the quantity of a bioagent in a sample.

[0040] Figure 8 is a represenataive mass spectrum of an amplified nucleic acid mixture which contained the Ames strain of *Bacillus anthracis*, a known quantity of combination calibration polynucleotide (SEQ ID NO: 741), and primer pair number 350 which targets the capC gene on the virulence plasmid pX02 of *Bacillus anthracis*. Calibration amplicons produced in the amplification reaction are visible in the mass spectrum as indicated and abundance data (peak height) are used to calculate the quantity of the Ames strain of *Bacillus anthracis*.

DESCRIPTION OF EMBODIMENTS

[0041] The present invention provides oligonucleotide primers which hybridize to conserved regions of nucleic acid of genes encoding, for example, proteins or RNAs necessary for life which include, but are not limited to: 16S and 23S rRNAs, RNA polymerase subunits, t-RNA synthetases, elongation factors, ribosomal proteins, protein chain initiation factors, cell division proteins, chaperonin groEL, chaperonin dnaK, phosphoglycerate kinase, NADH dehydrogenase, DNA ligases, metabolic enzymes and DNA topoisomerases. These primers provide the functionality of producing, for example, bacterial bioagent identifying amplicons for general identification of bacteria at the species level, for example, when contacted with bacterial nucleic acid under amplification conditions.

[0042] Referring to Figure 2, primers are designed as follows: for each group of organisms, candidate target sequences are identified **(200)** from which nucleotide alignments are created (**210**) and analyzed (**220**). Primers are designed by selecting appropriate priming regions (**230**) which allows the selection of candidate primer pairs (**240**). The primer pairs are subjected to *in silico* analysis by electronic PCR (ePCR) (**300**) wherein bioagent identifying amplicons are obtained from sequence databases such as, for example, GenBank or other sequence collections (**310**), and checked for specificity *in silico* (**320**). Bioagent identifying amplicons obtained from GenBank sequences (**310**) can also be analyzed by a probability model which predicts the capability of a particular amplicon to identify unknown bioagents such that the base compositions of amplicons with favorable probability scores are stored in a base composition database (**325**). Alternatively, base compositions of the bioagent identifying amplicons obtained from the primers and GenBank sequences can be directly entered into the base composition database (**330**). Candidate primer pairs (**240**) are validated by *in* vitro amplification by a method such as, for example, PCR analysis (**400**) of nucleic acid from a collection of organisms (**410**). Amplification products that are obtained are optionally analyzed to confirm the sensitivity, specificity and reproducibility of the primers used to obtain the amplification products (**420**).

[0043] Synthesis of primers is well known and routine in the art. The primers may be conveniently and routinely made through the well-known technique of solid phase synthesis. Equipment for such synthesis is sold by several vendors including, for example, Applied Biosystems (Foster City, CA). Any other means for such synthesis known in the art may additionally or alternatively be employed.

[0044] The primers can be employed as compositions for use in, for example, methods for identification of bacterial bioagents as follows. In some embodiments, a primer pair composition is contacted with nucleic acid of an unknown bacterial bioagent. The nucleic acid is amplified by a nucleic acid amplification technique, such as PCR for example, to obtain an amplification product that represents a bioagent identifying amplicon. The molecular mass of one strand or each strand of the double-stranded amplification product is determined by a molecular mass measurement technique such as, for example, mass spectrometry wherein the two strands of the double-stranded amplification product are separated during the ionization process. In some embodiments, the mass spectrometry is electrospray Fourier transform ion cyclotron resonance mass spectrometry (ESI-FTICR-MS) or electrospray time of flight mass spectrometry (ESI-TOF-MS). A list of possible base compositions can be generated for the molecular mass value

obtained for each strand and the choice of the correct base composition from the list is facilitated by matching the base composition of one strand with a complementary base composition of the other strand. The molecular mass or base composition thus determined is compared with a database of molecular masses or base compositions of analogous bioagent identifying amplicons for known bacterial bioagents. A match between the molecular mass or base composition of the amplification product from the unknown bacterial bioagent and the molecular mass or base composition of an analogous bioagent identifying amplicon for a known bacterial bioagent indicates the identity of the unknown bioagent.

[0045] In some embodiments, the primer pair used is one of the primer pairs of Table 1. In some embodiments, the method is repeated using a different primer pair to resolve possible ambiguities in the identification process or to improve the confidence level for the identification assignment.

[0046] In some embodiments, a bioagent identifying amplicon may be produced using only a single primer (either the forward or reverse primer of any given primer pair), provided an appropriate amplification method is chosen, such as, for example, low stringency single primer PCR (LSSP-PCR). Adaptation of this amplification method in order to produce bioagent identifying amplicons can be accomplished by one with ordinary skill in the art without undue experimentation.

[0047] In some embodiments, the oligonucleotide primers are "broad range survey primers" which hybridize to conserved regions of nucleic acid encoding RNA, such as ribosomal RNA (rRNA), of all, or at least 70%, at least 80%, at least 85%, at least 90%, or at least 95% of known bacteria and produce bacterial bioagent identifying amplicons. As used herein, the term "broad range survey primers" refers to primers that bind to nucleic acid encoding rRNAs of all, or at least 70%, at least 80%, at least 85%, at least 90%, or at least 95% known species of bacteria. In some embodiments, the rRNAs to which the primers hybridize are 16S and 23S rRNAs. In some embodiments, the broad range survey primer pairs comprise oligonucleotides ranging in length from 13 to 35 nucleobases, each of which have from 70% to 100% sequence identity with primer pair numbers 3, 10, 11, 14, 16, and 17 which consecutively correspond to SEQ ID NOs: 6:369, 26:388, 29:391, 37:362, 48:404, and 58:414.

[0048] In some cases, the molecular mass or base composition of a bacterial bioagent identifying amplicon defined by a broad range survey primer pair does not provide enough resolution to unambiguously identify a bacterial bioagent at the species level. These cases benefit from further analysis of one or more bacterial bioagent identifying amplicons generated from at least one additional broad range survey primer pair or from at least one additional "division-wide" primer pair (*vide infra*). The employment of more than one bioagent identifying amplicon for identification of a bioagent is herein referred to as "triangulation identification" (*vide infra*).

[0049] In other embodiments, the oligonucleotide primers are "division-wide" primers which hybridize to nucleic acid encoding genes of broad divisions of bacteria such as, for example, members of the *Bacillus/Clostridia* group or members of the α-, β-, γ-, and ε-proteobacteria. In some embodiments, a division of bacteria comprises any grouping of bacterial genera with more than one genus represented. For example, the β-proteobacteria group comprises members of the following genera: *Eikenella, Neisseria, Achromobacter, Bordetella, Burkholderia,* and *Raltsonia.* Species members of these genera can be identified using bacterial bioagent identifying amplicons generated with primer pair 293 (SEQ ID NOs: 344:700) which produces a bacterial bioagent identifying amplicon from the tufB gene of β-proteobacteria. Examples of genes to which division-wide primers may hybridize to include, but are not limited to: RNA polymerase subunits such as rpoB and rpoC, tRNA synthetases such as valyl-tRNA synthetase (valS) and aspartyl-tRNA synthetase (aspS), elongation factors such as elongation factor EF-Tu (tufB), ribosomal proteins such as ribosomal protein L2 (rplB), protein chain initiation factors such as protein chain initiation factor infB, chaperonins such as groL and dnaK, and cell division proteins such as peptidase ftsH (hflB). In some embodiments, the division-wide primer pairs comprise oligonucleotides ranging in length from 13 to 35 nucleobases, each of which have from 70% to 100% sequence identity with primer pair numbers 34, 52, 66, 67, 71, 72, 289, 290 and 293 which consecutively correspond to SEQ ID NOs: 160:515, 261:624, 231:591, 235:587, 349:711, 240:596, 246:602, 256:620, 344:700.

[0050] In other embodiments, the oligonucleotide primers are designed to enable the identification of bacteria at the clade group level, which is a monophyletic taxon referring to a group of organisms which includes the most recent common ancestor of all of its members and all of the descendants of that most recent common ancestor. The *Bacillus cereus* clade is an example of a bacterial clade group. In some embodiments, the clade group primer pairs comprise oligonucleotides ranging in length from 13 to 35 nucleobases, each of which have from 70% to

100% sequence identity with primer pair number 58 which corresponds to SEQ ID NOs: 322:686.

[0051] In other embodiments, the oligonucleotide primers are "drill-down" primers which enable the identification of species or "sub-species characteristics." Sub-species characteristics are herein defined as genetic characteristics that provide the means to distinguish two members of the same bacterial species. For example, *Escherichia coli* O157:H7 and *Escherichia coli* K12 are two well known members of the species *Escherichia coli*. *Escherichia coli* O157:H7, however, is highly toxic due to the its Shiga toxin gene which is an example of a sub-species characteristic. Examples of sub-species characteristics may also include, but are not limited to: variations in genes such as single nucleotide polymorphisms (SNPs), variable number tandem repeats (VNTRs). Examples of genes indicating sub-species characteristics include, but are not limited to, housekeeping genes, toxin genes, pathogenicity markers, antibiotic resistance genes and virulence factors. Drill-down primers provide the functionality of producing bacterial bioagent identifying amplicons for drill-down analyses such as strain typing when contacted with bacterial nucleic acid under amplification conditions. Identification of such sub-species characteristics is often critical for determining proper clinical treatment of bacterial infections. Examples of pairs of drill-down primers include, but are not limited to, a trio of primer pairs for identification of strains of *Bacillus anthracis*. Primer pair 24 (SEQ ID NOs: 97:451) targets the capC gene of virulence plasmid pX02, primer pair 30 (SEQ ID NOs: 127:482) targets the cyA gene of virulence plasmid pX02, and primer pair 37 (SEQ ID NOs: 174:530) targets the lef gene of virulence plasmid pX02. Additional examples of drill-down primers include, but are not limited to, six primer pairs that are used for determining the strain type of group A *Streptococcus*. Primer pair 80 (SEQ ID NOs: 310:668) targets the gki gene, primer pair 81 (SEQ ID NOs: 313:670) targets the gtr gene, primer pair 86 (SEQ ID NOs: 227:632) targets the murI gene, primer pair 90 (SEQ ID NOs: 285:640) targets the mutS gene, primer pair 96 (SEQ ID NOs: 301:656) targets the xpt gene, and primer pair 98 (SEQ ID NOs: 308:663) targets the yqiL gene.

[0052] In some embodiments, the primers used for amplification hybridize to and amplify genomic DNA, DNA of bacterial plasmids, or DNA of DNA viruses.

[0053] In some embodiments, the primers used for amplification hybridize directly to ribosomal RNA or messenger RNA (mRNA) and act as reverse transcription primers for obtaining DNA from direct amplification of bacterial RNA or rRNA. Methods of amplifying RNA using reverse

transcriptase are well known to those with ordinary skill in the art and can be routinely established without undue experimentation.

[0054] One with ordinary skill in the art of design of amplification primers will recognize that a given primer need not hybridize with 100% complementarity in order to effectively prime the synthesis of a complementary nucleic acid strand in an amplification reaction. Moreover, a primer may hybridize over one or more segments such that intervening or adjacent segments are not involved in the hybridization event (e.g., a loop structure or a hairpin structure). The primers of the present invention may comprise at least 70%, at least 75%, at least 80%, at least 85%, at least 90%, at least 95% or at least 99% sequence identity with any of the primers listed in Table 1. Thus, in some embodiments of the present invention, an extent of variation of 70% to 100%, or any range therewithin, of the sequence identity is possible relative to the specific primer sequences disclosed herein. Determination of sequence identity is described in the following example: a primer 20 nucleobases in length which is otherwise identical to another 20 nucleobase primer but having two non-identical residues has 18 of 20 identical residues (18/20 = 0.9 or 90% sequence identity). In another example, a primer 15 nucleobases in length having all residues identical to a 15 nucleobase segment of primer 20 nucleobases in length would have 15/20 = 0.75 or 75% sequence identity with the 20 nucleobase primer.

[0055] Percent homology, sequence identity or complementarity, can be determined by, for example, the Gap program (Wisconsin Sequence Analysis Package, Version 8 for Unix, Genetics Computer Group, University Research Park, Madison WI), using default settings, which uses the algorithm of Smith and Waterman (Adv. Appl. Math., 1981, 2, 482-489). In some embodiments, homology, sequence identity, or complementarity of primers with respect to the conserved priming regions of bacterial nucleic acid, is at least 70%, at least 80%, at least 90%, at least 92%, at least 94%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99%, or is 100%.

[0056] In some embodiments, the primers described herein comprise at least 70%, at least 75%, at least 80%, at least 85%, at least 90%, at least 92%, at least 94%, at least 95%, at least 96%, at least 98%, or at least 99%, or 100% (or any range therewithin) sequence identity with the primer sequences specifically disclosed herein. Thus, for example, a primer may have between 70% and 100%, between 75% and 100%, between 80% and 100%, and between 95% and 100% sequence identity with SEQ ID NO: 26. Likewise, a primer may have similar sequence identity with any other primer whose nucleotide sequence is disclosed herein.

[0057] One with ordinary skill is able to calculate percent sequence identity or percent sequence homology and able to determine, without undue experimentation, the effects of variation of primer sequence identity on the function of the primer in its role in priming synthesis of a complementary strand of nucleic acid for production of an amplification product of a corresponding bioagent identifying amplicon.

[0058] In some embodiments of the present invention, the oligonucleotide primers are between 13 and 35 nucleobases in length (13 to 35 linked nucleotide residues). These embodiments comprise oligonucleotide primers 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34 or 35 nucleobases in length, or any range therewithin.

[0059] In some embodiments, any given primer comprises a modification comprising the addition of a non-templated T residue to the 5' end of the primer (i.e., the added T residue does not necessarily hybridize to the nucleic acid being amplified). The addition of a non-templated T residue has an effect of minimizing the addition of non-templated A residues as a result of the non-specific enzyme activity of *Taq* polymerase (Magnuson et al. Biotechniques, 1996, 21, 700-709), an occurrence which may lead to ambiguous results arising from molecular mass analysis.

[0060] In some embodiments of the present invention, primers may contain one or more universal bases. Because any variation (due to codon wobble in the 3rd position) in the conserved regions among species is likely to occur in the third position of a DNA triplet, oligonucleotide primers can be designed such that the nucleotide corresponding to this position is a base which can bind to more than one nucleotide, referred to herein as a "universal nucleobase." For example, under this "wobble" pairing, inosine (I) binds to U, C or A; guanine (G) binds to U or C, and uridine (U) binds to U or C. Other examples of universal nucleobases include nitroindoles such as 5-nitroindole or 3-nitropyrrole (Loakes et al., Nucleosides and Nucleotides, 1995, 14, 1001-1003), the degenerate nucleotides dP or dK (Hill et al.), an acyclic nucleoside analog containing 5-nitroindazole (Van Aerschot et al., Nucleosides and Nucleotides, 1995, 14, 1053-1056) or the purine analog 1-(2-deoxy-β-D-ribofuranosyl)-imidazole-4-carboxamide (Sala *et* al., Nucl. Acids Res., 1996, 24, 3302-3306).

[0061] In some embodiments, to compensate for the somewhat weaker binding by the "wobble" base, the oligonucleotide primers are designed such that the first and second positions of each triplet are occupied by nucleotide analogs which bind with greater affinity than the unmodified

nucleotide. Examples of these analogs include, but are not limited to, 2,6-diaminopurine which binds to thymine, 5-propynyluracil which binds to adenine and 5-propynylcytosine and phenoxazines, including G-clamp, which binds to G. Propynylated pyrimidines are described in U.S. Patent Nos. 5,645,985, 5,830,653 and 5,484,908, each of which is commonly owned and incorporated herein by reference in its entirety. Propynylated primers are described in U.S Serial No. 10/294,203 which is also commonly owned and incorporated herein by reference in entirety. Phenoxazines are described in U.S. Patent Nos. 5,502,177, 5,763,588, and 6,005,096, each of which is incorporated herein by reference in its entirety. G-clamps are described in U.S. Patent Nos. 6,007,992 and 6,028,183, each of which is incorporated herein by reference in its entirety.

[0062] In some embodiments, non-template primer tags are used to increase the melting temperature (T_m) of a primer-template duplex in order to improve amplification efficiency. A non-template tag is at least three consecutive A or T nucleotide residues on a primer which are not complementary to the template. In any given non-template tag, A can be replaced by C or G and T can also be replaced by C or G. Although Watson-Crick hybridization is not expected to occur for a non-template tag relative to the template, the extra hydrogen bond in a G-C pair relative to a A-T pair confers increased stability of the primer-template duplex and improves amplification efficiency for subsequent cycles of amplification when the primers hybridize to strands synthesized in previous cycles.

[0063] In other embodiments, propynylated tags may be used in a manner similar to that of the non-template tag, wherein two or more 5-propynylcytidine or 5-propynyluridine residues replace template matching residues on a primer. In other embodiments, a primer contains a modified internucleoside linkage such as a phosphorothioate linkage, for example.

[0064] In some embodiments, the primers contain mass-modifying tags. Reducing the total number of possible base compositions of a nucleic acid of specific molecular weight provides a means of avoiding a persistent source of ambiguity in determination of base composition of amplification products. Addition of mass-modifying tags to certain nucleobases of a given primer will result in simplification of *de novo* determination of base composition of a given bioagent identifying amplicon (*vide infra*) from its molecular mass.

[0065] In some embodiments of the present invention, the mass modified nucleobase comprises one or more of the following: for example, 7-deaza-2'-deoxyadenosine-5-triphosphate, 5-iodo-2'-

deoxyuridine-5'-triphosphate, 5-bromo-2'-deoxyuridine-5'-triphosphate, 5-bromo-2'-deoxycytidine-5'-triphosphate, 5-iodo-2'-deoxycytidine-5'-triphosphate, 5-hydroxy-2'-deoxyuridine-5'-triphosphate, 4-thiothymidine-5'-triphosphate, 5-aza-2'-deoxyuridine-5'-triphosphate, 5-fluoro-2'-deoxyuridine-5'-triphosphate, O6-methyl-2'-deoxyguanosine-5'-triphosphate, N2-methyl-2'-deoxyguanosine-5'-triphosphate, 8-oxo-2'-deoxyguanosine-5'-triphosphate or thiothymidine-5'-triphosphate. In some embodiments, the mass-modified nucleobase comprises ^{15}N or ^{13}C or both ^{15}N and ^{13}C.

[0066] In some embodiments of the present invention, at least one bacterial nucleic acid segment is amplified in the process of identifying the bioagent. Thus, the nucleic acid segments that can be amplified by the primers disclosed herein and that provide enough variability to distinguish each individual bioagent and whose molecular masses are amenable to molecular mass determination are herein described as "bioagent identifying amplicons." The term "amplicon" as used herein, refers to a segment of a polynucleotide which is amplified in an amplification reaction. In some embodiments of the present invention, bioagent identifying amplicons comprise from about 45 to about 200 nucleobases (i.e. from about 45 to about 200 linked nucleosides), from about 60 to about 150 nucleobases, from about 75 to about 125 nucleobases. One of ordinary skill in the art will appreciate that the invention embodies compounds of 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, and 200 nucleobases in length, or any range therewithin. It is the combination of the portions of the bioagent nucleic acid segment to which the primers hybridize (hybridization sites) and the variable region between the primer hybridization sites that comprises the bioagent identifying amplicon. Since genetic data provide the underlying basis for identification of bioagents by the methods of the present invention, it is prudent to select segments of nucleic acids which ideally provide enough variability to distinguish each individual bioagent and whose molecular mass is amenable to molecular mass determination.

[0067] In some embodiments, bioagent identifying amplicons amenable to molecular mass determination which are produced by the primers described herein are either of a length, size or mass compatible with the particular mode of molecular mass determination or compatible with a means of providing a predictable fragmentation pattern in order to obtain predictable fragments of a length compatible with the particular mode of molecular mass determination. Such means of providing a predictable fragmentation pattern of an amplification product include, but are not limited to, cleavage with restriction enzymes or cleavage primers, for example. Methods of using restriction enzymes and cleavage primers are well known to those with ordinary skill in the art.

[0068] In some embodiments, amplification products corresponding to bacterial bioagent identifying amplicons are obtained using the polymerase chain reaction (PCR) which is a routine method to those with ordinary skill in the molecular biology arts. Other amplification methods may be used such as ligase chain reaction (LCR), low-stringency single primer PCR, and multiple strand displacement amplification (MDA) which are also well known to those with ordinary skill.

[0069] In the context of this invention, a "bioagent" is any organism, cell, or virus, living or dead, or a nucleic acid derived from such an organism, cell or virus. Examples of bioagents include, but are not limited, to cells, (including but not limited to human clinical samples, bacterial cells and other pathogens), viruses, fungi, protists, parasites, and pathogenicity markers (including but not limited to: pathogenicity islands, antibiotic resistance genes, virulence factors, toxin genes and other bioregulating compounds). Samples may be alive or dead or in a vegetative state (for example, vegetative bacteria or spores) and may be encapsulated or bioengineered. In the context of this invention, a "pathogen" is a bioagent which causes a disease or disorder.

[0070] In the context of this invention, the term "unknown bioagent" may mean either: (i) a bioagent whose existence is known (such as the well known bacterial species *Staphylococcus aureus* for example) but which is not known to be in a sample to be analyzed, or (ii) a bioagent whose existence is not known (for example, the SARS coronavirus was unknown prior to April 2003). For example, if the method for identification of coronaviruses disclosed in commonly owned U.S. Patent Serial No. 10/829,826 (incorporated herein by reference in its entirety) was to be employed prior to April 2003 to identify the SARS coronavirus in a clinical sample, both meanings of "unknown" bioagent are applicable since the SARS coronavirus was unknown to

science prior to April, 2003 and since it was not known what bioagent (in this case a coronavirus) was present in the sample. On the other hand, if the method of U.S. Patent Serial No. 10/829,826 was to be employed subsequent to April 2003 to identify the SARS coronavirus in a clinical sample, only the first meaning (i) of "unknown" bioagent would apply since the SARS coronavirus became known to science subsequent to April 2003 and since it was not known what bioagent was present in the sample.

[0071] The employment of more than one bioagent identifying amplicon for identification of a bioagent is herein referred to as "triangulation identification." Triangulation identification is pursued by analyzing a plurality of bioagent identifying amplicons selected within multiple core genes. This process is used to reduce false negative and false positive signals, and enable reconstruction of the origin of hybrid or otherwise engineered bioagents. For example, identification of the three part toxin genes typical of *B. anthracis* (Bowen et al., J. Appl. Microbiol., 1999, 87, 270-278) in the absence of the expected signatures from the *B. anthracis* genome would suggest a genetic engineering event.

[0072] In some embodiments, the triangulation identification process can be pursued by characterization of bioagent identifying amplicons in a massively parallel fashion using the polymerase chain reaction (PCR), such as multiplex PCR where multiple primers are employed in the same amplification reaction mixture, or PCR in multi-well plate format wherein a different and unique pair of primers is used in multiple wells containing otherwise identical reaction mixtures. Such multiplex and multi-well PCR methods are well known to those with ordinary skill in the arts of rapid throughput amplification of nucleic acids.

[0073] In some embodiments, the molecular mass of a particular bioagent identifying amplicon is determined by mass spectrometry. Mass spectrometry has several advantages, not the least of which is high bandwidth characterized by the ability to separate (and isolate) many molecular peaks across a broad range of mass to charge ratio (m/z). Thus, mass spectrometry is intrinsically a parallel detection scheme without the need for radioactive or fluorescent labels, since every amplification product is identified by its molecular mass. The current state of the art in mass spectrometry is such that less than femtomole quantities of material can be readily analyzed to afford information about the molecular contents of the sample. An accurate assessment of the molecular mass of the material can be quickly obtained, irrespective of whether the molecular

weight of the sample is several hundred, or in excess of one hundred thousand atomic mass units (amu) or Daltons.

[0074] In some embodiments, intact molecular ions are generated from amplification products using one of a variety of ionization techniques to convert the sample to gas phase. These ionization methods include, but are not limited to, electrospray ionization (ES), matrix-assisted laser desorption ionization (MALDI) and fast atom bombardment (FAB). Upon ionization, several peaks are observed from one sample due to the formation of ions with different charges. Averaging the multiple readings of molecular mass obtained from a single mass spectrum affords an estimate of molecular mass of the bioagent identifying amplicon. Electrospray ionization mass spectrometry (ESI-MS) is particularly useful for very high molecular weight polymers such as proteins and nucleic acids having molecular weights greater than 10 kDa, since it yields a distribution of multiply-charged molecules of the sample without causing a significant amount of fragmentation.

[0075] The mass detectors used in the methods of the present invention include, but are not limited to, Fourier transform ion cyclotron resonance mass spectrometry (FT-ICR-MS), time of flight (TOF), ion trap, quadrupole, magnetic sector, Q-TOF, and triple quadrupole.

[0076] In some embodiments, conversion of molecular mass data to a base composition is useful for certain analyses. As used herein, a "base composition" is the exact number of each nucleobase (A, T, C and G). For example, amplification of nucleic acid of *Neisseria meningitidis* with a primer pair that produces an amplification product from nucleic acid of 23S rRNA that has a molecular mass (sense strand) of 28480.75124, from which a base composition of A25 G27 C22 T18 is assigned from a list of possible base compositions calculated from the molecular mass using standard known molecular masses of each of the four nucleobases.

[0077] In some embodiments, assignment of base compositions to experimentally determined molecular masses is accomplished using "base composition probability clouds." Base compositions, like sequences, vary slightly from isolate to isolate within species. It is possible to manage this diversity by building "base composition probability clouds" around the composition constraints for each species. This permits identification of organisms in a fashion similar to sequence analysis. A "pseudo four-dimensional plot" (Figure 1) can be used to visualize the concept of base composition probability clouds. Optimal primer design requires optimal choice

of bioagent identifying amplicons and maximizes the separation between the base composition signatures of individual bioagents. Areas where clouds overlap indicate regions that may result in a misclassification, a problem which is overcome by a triangulation identification process using bioagent identifying amplicons not affected by overlap of base composition probability clouds.

[0078] In some embodiments, base composition probability clouds provide the means for screening potential primer pairs in order to avoid potential misclassifications of base compositions. In other embodiments, base composition probability clouds provide the means for predicting the identity of a bioagent whose assigned base composition was not previously observed and/or indexed in a bioagent identifying amplicon base composition database due to evolutionary transitions in its nucleic acid sequence. Thus, in contrast to probe-based techniques, mass spectrometry determination of base composition does not require prior knowledge of the composition or sequence in order to make the measurement.

[0079] The present invention provides bioagent classifying information similar to DNA sequencing and phylogenetic analysis at a level sufficient to identify a given bioagent. Furthermore, the process of determination of a previously unknown base composition for a given bioagent (for example, in a case where sequence information is unavailable) has downstream utility by providing additional bioagent indexing information with which to populate base composition databases. The process of future bioagent identification is thus greatly improved as more BCS indexes become available in base composition databases.

[0080] In one embodiment, a sample comprising an unknown bioagent is contacted with a pair of primers which provide the means for amplification of nucleic acid from the bioagent, and a known quantity of a polynucleotide that comprises a calibration sequence. The nucleic acids of the bioagent and of the calibration sequence are amplified and the rate of amplification is reasonably assumed to be similar for the nucleic acid of the bioagent and of the calibration sequence. The amplification reaction then produces two amplification products: a bioagent identifying amplicon and a calibration amplicon. The bioagent identifying amplicon and the calibration amplicon should be distinguishable by molecular mass while being amplified at essentially the same rate. Effecting differential molecular masses can be accomplished by choosing as a calibration sequence, a representative bioagent identifying amplicon (from a specific species of bioagent) and performing, for example, a 2 to 8 nucleobase deletion or

insertion within the variable region between the two priming sites. The amplified sample containing the bioagent identifying amplicon and the calibration amplicon is then subjected to molecular mass analysis by mass spectrometry, for example. The resulting molecular mass analysis of the nucleic acid of the bioagent and of the calibration sequence provides molecular mass data and abundance data for the nucleic acid of the bioagent and of the calibration sequence. The molecular mass data obtained for the nucleic acid of the bioagent enables identification of the unknown bioagent and the abundance data enables calculation of the quantity of the bioagent, based on the knowledge of the quantity of calibration polynucleotide contacted with the sample.

[0081] In some embodiments, the identity and quantity of a particular bioagent is determined using the process illustrated in Figure 7. For instance, to a sample containing nucleic acid of an unknown bioagent are added primers (**500**) and a known quantity of a calibration polynucleotide (**505**). The total nucleic acid in the sample is subjected to an amplification reaction (**510**) to obtain amplification products. The molecular masses of amplification products are determined (**515**) from which are obtained molecular mass and abundance data. The molecular mass of the bioagent identifying amplicon (**520**) provides the means for its identification (**525**) and the molecular mass of the calibration amplicon obtained from the calibration polynucleotide (**530**) provides the means for its identification (**535**). The abundance data of the bioagent identifying amplicon is recorded (**540**) and the abundance data for the calibration data is recorded (**545**), both of which are used in a calculation (**550**) which determines the quantity of unknown bioagent in the sample.

[0082] In some embodiments, construction of a standard curve where the amount of calibration polynucleotide spiked into the sample is varied, provides additional resolution and improved confidence for the determination of the quantity of bioagent in the sample. The use of standard curves for analytical determination of molecular quantities is well known to one with ordinary skill and can be performed without undue experimentation.

[0083] In some embodiments, multiplex amplification is performed where multiple bioagent identifying amplicons are amplified with multiple primer pairs which also amplify the corresponding standard calibration sequences. In this or other embodiments, the standard calibration sequences are optionally included within a single vector which functions as the

calibration polynucleotide. Multiplex amplification methods are well known to those with ordinary skill and can be performed without undue experimentation.

[0084] In some embodiments, the calibrant polynucleotide is used as an internal positive control to confirm that amplification conditions and subsequent analysis steps are successful in producing a measurable amplicon. Even in the absence of copies of the genome of a bioagent, the calibration polynucleotide should give rise to a calibration amplicon. Failure to produce a measurable calibration amplicon indicates a failure of amplification or subsequent analysis step such as amplicon purification or molecular mass determination. Reaching a conclusion that such failures have occurred is in itself, a useful event.

[0085] In some embodiments, the calibration sequence is inserted into a vector which then itself functions as the calibration polynucleotide. In some embodiments, more than one calibration sequence is inserted into the vector that functions as the calibration polynucleotide. Such a calibration polynucleotide is herein termed a "combination calibration polynucleotide." The process of inserting polynucleotides into vectors is routine to those skilled in the art and can be accomplished without undue experimentation. Thus, it should be recognized that the calibration method should not be limited to the embodiments described herein. The calibration method can be applied for determination of the quantity of any bioagent identifying amplicon when an appropriate standard calibrant polynucleotide sequence is designed and used. The process of choosing an appropriate vector for insertion of a calibrant is also a routine operation that can be accomplished by one with ordinary skill without undue experimentation.

[0086] The present invention also provides kits for carrying out, for example, the methods described herein. In some embodiments, the kit may comprise a sufficient quantity of one or more primer pairs to perform an amplification reaction on a target polynucleotide from a bioagent to form a bioagent identifying amplicon. In some embodiments, the kit may comprise from one to fifty primer pairs, from one to twenty primer pairs, from one to ten primer pairs, or from two to five primer pairs. In some embodiments, the kit may comprise one or more primer pairs recited in Table 1.

[0087] In some embodiments, the kit may comprise one or more broad range survey primer(s), division wide primer(s), clade group primer(s) or drill-down primer(s), or any combination thereof. A kit may be designed so as to comprise particular primer pairs for identification of a

particular bioagent. For example, a broad range survey primer kit may be used initially to identify an unknown bioagent as a member of the *Bacillus/Clostridia* group. Another example of a division-wide kit may be used to distinguish *Bacillus anthracis, Bacillus cereus* and *Bacillus thuringiensis* from each other. A clade group primer kit may be used, for example, to identify an unknown bacterium as a member of the *Bacillus cereus* clade group. A drill-down kit may be used, for example, to identify genetically engineered *Bacillus anthracis*. In some embodiments, any of these kits may be combined to comprise a combination of broad range survey primers and division-wide primers, clade group primers or drill-down primers, or any combination thereof, for identification of an unknown bacterial bioagent.

[0088] In some embodiments, the kit may contain standardized calibration polynucleotides for use as internal amplification calibrants. Internal calibrants are described in commonly owned U.S. Patent Application Serial No: 60/545,425 which is incorporated herein by reference in its entirety.

[0089] In some embodiments, the kit may also comprise a sufficient quantity of reverse transcriptase (if an RNA virus is to be identified for example), a DNA polymerase, suitable nucleoside triphosphates (including any of those described above), a DNA ligase, and/or reaction buffer, or any combination thereof, for the amplification processes described above. A kit may further include instructions pertinent for the particular embodiment of the kit, such instructions describing the primer pairs and amplification conditions for operation of the method. A kit may also comprise amplification reaction containers such as microcentrifuge tubes and the like. A kit may also comprise reagents or other materials for isolating bioagent nucleic acid or bioagent identifying amplicons from amplification, including, for example, detergents, solvents, or ion exchange resins which may be linked to magnetic beads. A kit may also comprise a table of measured or calculated molecular masses and/or base compositions of bioagents using the primer pairs of the kit.

[0090] In order that the invention disclosed herein may be more efficiently understood, examples are provided below. It should be understood that these examples are for illustrative purposes only and are not to be construed as limiting the invention in any manner. Throughout these examples, molecular cloning reactions, and other standard recombinant DNA techniques, were carried out according to methods described in Maniatis et al., Molecular Cloning - A Laboratory Manual,

2nd ed., Cold Spring Harbor Press (1989), using commercially available reagents, except where otherwise noted.

EXAMPLES

[0091] Example 1: Selection of Primers That Define Bioagent Identifying Amplicons

[0092] For design of primers that define bacterial bioagent identifying amplicons, relevant sequences from, for example, GenBank are obtained, aligned and scanned for regions where pairs of PCR primers would amplify products of about 45 to about 200 nucleotides in length and distinguish species from each other by their molecular masses or base compositions. A typical process shown in Figure 2 is employed.

[0093] A database of expected base compositions for each primer region is generated using an *in silico* PCR search algorithm, such as (ePCR). An existing RNA structure search algorithm (Macke et al., Nuc. Acids Res., 2001, 29, 4724-4735, which is incorporated herein by reference in its entirety) has been modified to include PCR parameters such as hybridization conditions, mismatches, and thermodynamic calculations (SantaLucia, Proc. Natl. Acad. Sci. U.S.A., 1998, 95, 1460-1465, which is incorporated herein by reference in its entirety). This also provides information on primer specificity of the selected primer pairs.

[0094] Table 1 represents a collection of primers (sorted by forward primer name) designed to identify bacteria using the methods herein described. The forward or reverse primer name indicates the gene region of bacterial genome to which the primer hybridizes relative to a reference sequence eg: the forward primer name 16S_EC_1077_1106 indicates that the primer hybridizes to residues 1077-1106 of the gene encoding 16S ribosomal RNA in an *E. coli* reference sequence represented by a sequence extraction of coordinates 4033120..4034661 from GenBank gi number 16127994 (as indicated in Table 2). As an additional example: the forward primer name BONTA_X52066_450_473 indicates that the primer hybridizes to residues 450-437 of the gene encoding *Clostridium botulinum* neurotoxin type A (BoNT/A) represented by GenBank Accession No. X52066 (primer pair name codes appearing in Table 1 are defined in Table 2). In Table 1, U^a = 5-propynyluracil; C^a = 5-propynylcytosine; * = phosphorothioate linkage. The primer pair number is an in-house database index number.

Table 1: Primer Pairs for Identification of Bacterial Bioagents

Primer pair number	For. primer name	Forward sequence	For. SEQ ID NO:	Rev. primer name	Reverse sequence	Rev. SEQ ID NO:
1	16S_EC_107	GTGAGATGTTGGGTTAA	1	16S_EC_1175	GACGTCATCCCCACCTTCC	368

	7_1106_F	GTCCCGTAACGAG		1195_R	TC	
266	16S_EC_1082_1100_F	ATGTTGGGTTAAGTCCCGC	2	16S_EC_1177_1196_I0G_1G_R	TGACGTCATGGCCACCTTCC	372
265	16S_EC_1082_1100_F	ATGTTGGGTTAAGTCCCGC	2	16S_EC_1177_1196_I0G_R	TGACGTCATGCCCACCTTCC	373
230	16S_EC_1082_1100_F	ATGTTGGGTTAAGTCCCGC	2	16S_EC_1177_1196_R	TGACGTCATCCCCACCTTCC	374
263	16S_EC_1082_1100_F	ATGTTGGGTTAAGTCCCGC	2	16S_EC_1525_1541_R	AAGGAGGTGATCCAGCC	382
2	16S_EC_1082_1106_F	ATGTTGGGTTAAGTCCCGCAACGAG	3	16S_EC_1175_1197_R	TTGACGTCATCCCCACCTTCCTC	371
278	16S_EC_1090_1111_2_F	TTAAGTCCCGCAACGAGCGCAA	4	16S_EC_1175_1196_R	TGACGTCATCCCCACCTTCCTC	369
361	16S_EC_1090_1111_2_TMOD_F	TTTAAGTCCCGCAACGAGCGCAA	5	16S_EC_1175_1196_TMOD_R	TTGACGTCATCCCCACCTTCCTC	370
3	16S_EC_1090_1111_F	TTAAGTCCCGCAACGAT CGCAA	6	16S_EC_1175_1196_R	TGACGTCATCCCCACCTTCCTC	369
256	16S_EC_1092_1109_F	TAGTCCCGCAACGAGCGC	7	16S_EC_1174_1195_R	GACGTCATCCCCACCTTCCTCC	367
159	16S_EC_1100_1116_F	CAACGAGCGCAACCCTT	8	16S_EC_1174_1188_R	TCCCCACCTTCCTCC	366
247	16S_EC_1191_1213_F	CAAGTCATCATGGCCCTTA	9	16S_EC_1525_1541_R	AAGGAGGTGATCCAGCC	382
4	16S_EC_1222_1241_F	GCTACACACGTGCTACAATG	10	16S_EC_1303_1323_R	CGAGTTGCAGACTGCGATCCG	376
232	16S_EC_1303_1323_F	CGGATTGGAGTCTGCAACTCG	11	16S_EC_1389_1407_R	GACGGGCGGTGTGTACAAG	378
5	16S_EC_1331_1349_F	AAGTCGGAATCGCTAGTAATCG	12	16S_EC_1389_1407_R	GACGGGCGGTGTGTACAAG	378
252	16S_EC_1361_1387_F	TACGGTGAATACGTTCCCGGG	13	16S_EC_1485_1506_R	ACCTTGTTACGACTTCACCCCA	379
250	16S_EC_1387_1407_F	GCCTTGTACACACCGCCCGTC	14	16S_EC_1494_1513_R	CACGGCTACCTTGTTACGAC	381
231	16S_EC_1389_1407_F	CTTGTACACACCGCCCGTC	15	16S_EC_1525_1541_R	AAGGAGGTGATCCAGCC	382
251	16S_EC_1390_1411_F	TTGTACACACCGCCCGTCACAC	16	16S_EC_1486_1505_R	CCTTGTTACGACTTCACCCC	380
6	16S_EC_3054_F	TGAACGCTGGTGGCATGCTTAACAC	17	16S_EC_105_126_R	TACGCATTACTCACCGGTCGC	361
243	16S_EC_314_332_F	CACTGGAACTGAGACACGG	18	16S_EC_556_575_R	CTTTACGCCCAGTAATTCCG	385
7	16S_EC_3864_F	GTGGCATGCCTAATACATGCAAGTCG	19	16S_EC_101_120_R	TTACTCACCGTCCGCCGCT	357
279	16S_EC_405_432_F	TGAGTGATGAAGGCCTTAGGGTTGTAAA	20	16S_EC_507_527_R	CGGCTGCTGGCACGAAGTTAG	384
8	16S_EC_4968_F	TAACACATGCAAGTCGAACG	21	16S_EC_104_120_R	TTACTCACCGTCCGCC	359
275	16S_EC_4968_F	TAACACATGCAAGTCGAACG	21	16S_EC_1061_1078_R	ACGACACGAGCTGACGAC	364
274	16S_EC_4968_F	TAACACATGCAAGTCGAACG	21	16S_EC_880_894_R	CGTACTCCCCAGGCG	390
244	16S_EC_518_536_F	CCAGCAGCCGCGGTAATAC	22	16S_EC_774_795_R	GTATCTAATCCTGTTTGCTCCC	387
226	16S_EC_556_575_F	CGGAATTACTGGGCGTAAAG	23	16S_EC_683_700_R	CGCATTTCACCGCTACAC	386
264	16S_EC_556_575_F	CGGAATTACTGGGCGTAAAG	23	16S_EC_774_795_R	GTATCTAATCCTGTTTGCTCCC	387
273	16S_EC_683_700_F	GTGTAGCGGTGAAATGCG	24	16S_EC_1303_1323_R	CGAGTTGCAGACTGCGATCCG	377
9	16S_EC_683_700_F	GTGTAGCGGTGAAATGCG	24	16S_EC_774_795_R	GTATCTAATCCTGTTTGCTCCC	387
158	16S_EC_683_700_F	GTGTAGCGGTGAAATGCG	24	16S_EC_880_894_R	CGTACTCCCCAGGCG	390
245	16S_EC_683_700_F	GTGTAGCGGTGAAATGCG	24	16S_EC_967_985_R	GGTAAGGTTCTTCGCGTTG	396
294	16S_EC_7_33_F	GAGAGTTTGATCCTGGCTCAGAACGAA	25	16S_EC_101_122_R	TGTTACTCACCGTCTGCCACT	358
10	16S_EC_713_732_F	AGAACACCGATGGCGAAGGC	26	16S_EC_789_809_R	CGTGGACTACCAGGGTATCTA	388
346	16S_EC_713_732_TMOD_F	TAGAACACCGATGGCGAAGGC	27	16S_EC_789_809_TMOD_R	TCGTGGACTACCAGGGTATCTA	389
228	16S_EC_774	GGGAGCAAACAGGATTA	28	16S_EC_880	CGTACTCCCCAGGCG	390

	795_F	GATAC		894_R		
11	16S_EC_785_806_F	GGATTAGAGACCCTGGTAGTCC	29	16S_EC_880_897_R	GGCCGTACTCCCCAGGCG	391
347	16S_EC_785_806_TMOD_F	TGGATTAGAGACCCTGGTAGTCC	30	16S_EC_880_897_TMOD_R	TGGCCGTACTCCCCAGGCG	392
12	16S_EC_785_810_F	GGATTAGATACCCTGGTAGTCCACGC	31	16S_EC_880_897_2_R	GGCCGTACTCCCCAGGCG	391
13	16S_EC_789_810_F	TAGATACCCTGGTAGTCCACGC	32	16S_EC_880_894_R	CGTACTCCCCAGGCG	390
255	16S_EC_789_810_F	TAGATACCCTGGTAGTCCACGC	32	16S_EC_882_899_R	GCGACCGTACTCCCCAGG	393
254	16S_EC_791_812_F	GATACCCTGGTAGTCCACCGC	33	16S_EC_886_904_R	GCCTTGCGACCGTACTCCC	394
248	16S_EC_8_27_F	AGAGTTTGATCATGGCTCAG	34	16S_EC_1525_1541_R	AAGGAGGTGATCCAGCC	382
242	16S_EC_8_27_F	AGAGTTTGATCATGGCTCAG	34	16S_EC_342_358_R	ACTGCTGCCTCCCGTAG	383
253	16S_EC_804_822_F	ACCACGCCGTAAACGATGA	35	16S_EC_909_929_R	CCCCCGTCAATTCCTTTGAGT	395
246	16S_EC_937_954_F	AAGCGGTGGAGCATGTGG	36	16S_EC_1220_1240_R	ATTGTAGCACGTGTGTAGCCC	375
14	16S_EC_960_981_F	TTCGATGCAACGCGAAGAACCT	37	16S_EC_1054_1073_R	ACGAGCTGACGACAGCCATG	362
348	16S_EC_960_981_TMOD_F	TTTCGATGCAACGCGAAGAACCT	38	16S_EC_1054_1073_TMOD_R	TACGAGCTGACGACAGCCATG	363
119	16S_EC_969_985_1P_F	ACGCGAAGAACCTTAU°C	39	16S_EC_1061_1078_2P_R	ACGACACGAGU°C°GACGAC	364
15	16S_EC_969_985_F	ACGCGAAGAACCTTACC	39	16S_EC_1061_1078_R	ACGACACGAGCTGACGAC	364
272	16S_EC_969_985_F	ACGCGAAGAACCTTACC	40	16S_EC_1389_1407_R	GACGGGCGGTGTGTACAAG	378
344	16S_EC_971_990_F	GCGAAGAACCTTACCAGGTC	41	16S_EC_1043_1062_R	ACAACCATGCACCACCTGTC	360
120	16S_EC_972_985_2P_F	CGAAGAAU°U°TTACC	42	16S_EC_1064_1075_2P_R	ACACGAGU°C°GAC	365
121	16S_EC_972_985_F	CGAAGAACCTTACC	42	16S_EC_1064_1075_R	ACACGAGCTGAC	365
1073	23S_BRM_1110_1129_F	TGCGCGGAAGATGTAACGGG	43	23S_BRM_1176201_R	TCGCAGGCTTACAGAACGCTCTCCTA	397
1074	23S_BRM_515_536_F	TGCATACAAACAGTCGG	44	23S_BRM_616_633_R	TCGGACTCGCTTTCGCTAC	398
241	23S_BS_-68_-44_F	AAACTAGATAACAGTAGACATCAC	45	23S_BS_5_21_R	GTGCGCCCTTTCTAACTT	399
235	23S_EC_1602_1620_F	TACCCCAAACCGACACAGG	46	23S_EC_1686_1703_R	CCTTCTCCCGAAGTTACG	402
236	23S_EC_1685_1703_F	CCGTAACTTCGGGAGAAGG	47	23S_EC_1820_1842_R	CACCGGGCAGGCGTC	403
16	23S_EC_1826_1843_F	CTGACACCTGCCCGGTGC	48	23S_EC_1906_1924_R	GACCGTTATAGTTACGGCC	404
349	23S_EC_1826_1843_TMOD_F	TCTGACACCTGCCCGGTGC	49	23S_EC_1906_1924_TMOD_R	GTACCGTTATAGTTACGGCC	405
237	23S_EC_1827_1843_F	GACGCCTGCCCGGTGC	50	23S_EC_1929_1949_R	CCGACAAGGAATTTCGCTACC	407
249	23S_EC_1831_1849_F	ACCTGCCCAGTCGTGGAAG	51	23S_EC_1919_1936_R	TCGCTACCTTAGGACCGT	406
234	23S_EC_187_207_F	GGGAACTGAAACATCTAAGTA	52	23S_EC_242_256_R	TTCGCTCGCCGCTAC	408
233	23S_EC_23_37_F	GGTGGATGCCTTGGC	53	23S_EC_115_130_R	GGGTTTCCCCATTCGG	401
238	23S_EC_2434_2456_F	AAGGTACTCCGGGGATAACAGGC	54	23S_EC_2490_2511_R	AGCCGACATCGAGGTGCCAAAC	409
257	23S_EC_2586_2607_F	TAGAACGTCGCGAGACAGTTCG	55	23S_EC_2658_2677_R	AGTCCATCCCGGTCCTCTCG	411
239	23S_EC_2599_2616_F	GACAGTTCGGTCCCTATC	56	23S_EC_2653_2669_R	CCGGTCCTCTCGTACTA	410
18	23S_EC_2645_2669_2_F	CTGTCCCTAGTACGAGAGGACCGG	57	23S_EC_2751_2767_R	GTTTCATGCTTAGATGCTTTCAGC	417
17	23S_EC_2645_2669_F	ACGTCCCTAGTACGAGAGGACCGG	58	23S_EC_2744_2761_R	TGCTTAGATGCTTTCAGC	414
118	23S_EC_2646_2667_F	CTGTTCTTAGTACGAGAGGACC	59	23S_EC_2745_2765_R	TTCGTGCTTAGATGCTTTCAG	415
360	23S_EC_2646	TCTGTTCTTAGTACGAG	60	23S_EC_2745	TTTCGTGCTTAGATGCTTT	416

	6_2667_TMOD_F	AGGACC		_2765_TMOD_R	CAG	
147	23S_EC_2652_2669_F	CTAGTACGAGAGGACCGG	61	23S_EC_2741_2760_R	ACTTAGATGCTTTCAGCGGT	413
240	23S_EC_2653_2669_F	TAGTACGAGAGGACCGG	62	23S_EC_2737_2758_R	TTAGATGCTTTCAGCACTTATC	412
20	23S_EC_493_518_2_F	GGGGAGTGAAAGAGATCCTGAAACCG	63	23S_EC_551_571_2_R	ACAAAAGGCACGCCATCACCC	418
19	23S_EC_493_518_F	GGGGAGTGAAAGAGATCCTGAAACCG	63	23S_EC_551_571_R	ACAAAAGGTACGCCGTCACCC	419
21	23S_EC_971_992_F	CGAGAGGGAAACAACCCAGACC	64	23S_EC_1059_1077_R	TGGCTGCTTCTAAGCCAAC	400
1158	AB_MLST-11-OIF007_1202_1225_F	TCGTGCCCGCAATTTGCATAAAGC	65	AB_MLST-11-OIF007_1266_1296_R	TAATGCCGGGTAGTGCAATCCATTCTTCTAG	420
1159	AB_MLST-11-OIF007_1202_1225_F	TCGTGCCCGCAATTTGCATAAAGC	65	AB_MLST-11-OIF007_1299_1316_R	TGCACCTGCGGTCGAGCG	421
1160	AB_MLST-11-OIF007_1234_1264_F	TTGTAGCACAGCAAGGCAAATTTCCTGAAAC	66	AB_MLST-11-OIF007_1335_1362_R	TGCCATCCATAATCACGCCATACTGACG	422
1161	AB_MLST-11-OIF007_1327_1356_F	TAGGTTTACGTCAGTATGGCGTGATTATGG	67	AB_MLST-11-OIF007_1422_1448_R	TGCCAGTTTCCACATTTCACGTTCGTG	423
1162	AB_MLST-11-OIF007_1345_1369_F	TCGTGATTATGGATGGCAACGTGAA	68	AB_MLST-11-OIF007_1470_1494_R	TCGCTTGAGTGTAGTCATGATTGCG	424
1163	AB_MLST-11-OIF007_1351_1375_F	TTATGGATGGCAACGTGAAACGCGT	69	AB_MLST-11-OIF007_1470_1494_R	TCGCTTGAGTGTAGTCATGATTGCG	424
1164	AB_MLST-11-OIF007_1387_1412_F	TCTTTGCCATTGAAGATGACTTRAGC	70	AB_MLST-11-OIF007_1470_1494_R	TCGCTTGAGTGTAGTCATGATTGCG	424
1165	AB_MLST-11-OIF007_1542_1569_F	TACTAGCGGTAAGCTTAAACAAGATTGC	71	AB_MLST-11-OIF007_1656_1680_R	TGAGTCGGGTTCACTTTACCTGGCA	425
1166	AB_MLST-11-OIF007_1566_1593_F	TTGCCAATGATATTCGTTGGTTAGCAAG	72	AB_MLST-11-OIF007_1656_1680_R	TGAGTCGGGTTCACTTTACCTGGCA	425
1167	AB_MLST-11-OIF007_1611_1638_F	TCGGCGAAATCCGTATTCCTGAAAATGA	73	AB_MLST-11-OIF007_1731_1757_R	TACCGGAAGCACCAGCGACATTAATAG	427
1168	AB_MLST-11-OIF007_1726_1752_F	TACCACTATTAATGTCGCTGGTGCTTC	74	AB_MLST-11-OIF007_1790_1821_R	TGCAACTGAATAGATTGCAGTAAGTTATAAGC	428
1169	AB_MLST-11-OIF007_1792_1826_F	TTATAACTTACTGCAATCTATTCAGTTGCTTGGT G	75	AB_MLST-11-OIF007_1876_1909_R	TGAATTATGCAAGAAGTGATCAATTTTCTCACGA	429
1170	AB_MLST-11-OIF007_1792_1826_F	TTATAACTTACTGCAATCTATTCAGTTGCTTGGT G	75	AB_MLST-11-OIF007_1895_1927_R	TGCCGTAACTAACATAAGAGAATTATGCAAGAA	430
1152	AB_MLST-11-OIF007_1854_214_F	TATTGTTTCAAAATGTACAAGGTGAAGTGCG	76	AB_MLST-11-OIF007_291_324_R	TCACAGGTTCTACTTCATCAATAATTTCCATTGC	432
1171	AB_MLST-11-OIF007_1970_2002_F	TGGTTATGTACCAAATACTTTGTCTGAAGATGG	77	AB_MLST-11-OIF007_2097_2118_R	TGACGGCATCGATACCACCGTC	431
1154	AB_MLST-11-OIF007_2061_239_F	TGAAGTGCGTGATGATATCGATGCACTTGATGTA	78	AB_MLST-11-OIF007_318_344_R	TCCGCCAAAAACTCCCCTTTTCACAGG	433

1153	AB_MLST-11-OIF007_260_289_F	TGGAACGTTATCAGGTGCCCCAAAAATTCG	79	AB_MLST-11-OIF007_364_393_R	T*TGCAATCGACATATCCATT*TCACCATGCC	434
1155	AB_MLST-11-OIF007_522_552_F	TCGGTTTAGTAAAAGAACGTATTGCTCAACC	80	AB_MLST-11-OIF007_587_610_R	T*TCTGCTTGAGGAATAGTGC*GTGG	435
1156	AB_MLST-11-OIF007_547_571_F	TCAACCTGACTGCGTGAATGGTTGT	81	AB_MLST-11-OIF007_656_686_R	T*ACGTTCTACGATTTCTTCA*TCAGGTACATC	436
1157	AB_MLST-11-OIF007_601_627_F	TCAAGCAGAAGCTTTGGAAGAAGAAGG	82	AB_MLST-11-OIF007_710_736_R	T*ACAACGTGATAAACACGAC*CAGAAGC	437
1151	AB_MLST-11-OIF007_62_9%_F	TGAGATTGCTGAACATTTAATGCTGATTGA	83	AB_MLST-11-OIF007_169_203_R	T*TGTACATTTGAAACAA*A*TGCATGACATGTGAAT	426
1100	ASD_FRT_1_29_F	TTGCTTAAAGTTGGTTTTATTGGTTGGCG	84	ASD_FRT_86_116_R	T*TGAGATGTCGAAAAAAACGT*TGGCAAAATAC	439
1101	ASD_FRT_43_76_F	TCAGTTTTAATGTCTCGTATGATGCGAATCAAAAG	85	ASD_FRT_129_156_R	T*CATATTCTTGCATAAAACCTGTTGC	438
29%	ASPS_EC_405_422_F	GCACAACCTGCGGCTGCG	86	ASPS_EC_521_538_R	A*CGGCACGAGGTAGTCGC	440
485	BONTA_X52066_450_473_F	TCTAGTAATAAATAGGACCCTCAGC	87	BONTA_X52066_517_539_R	T*AACCATTTCGCGTAAGAT*TCAA	441
486	BONTA_X52066_450_473_P_F	T*T*T*C*AGTAATAATAGGA*G*T*G*A*T*C*A*T*AGC	87	BONTA_X52066_517_539_R	T*AACCA*C*A*C*A*C*A*T*GCG*TAAGA*C*A*C*A*T*AA	441
481	BONTA_X52066_538_552_F_F	TA*GGCTCTACTCAA	88	BONTA_X52066_647_660_R	T*GTTACTGCTGGAT	443
482	BONTA_X52066_538_552_P_F	TA*C*GGC*C*A*T*C*A*T*C*A*T*AA	88	BONTA_X52066_647_660P_R	T*G*C*C*A*T*A*T*C*G*T*C*A*GGAT	443
487	BONTA_X52066_591_620_F	TGAGTCACTTGAAGTTGATACAAATCCTCT	89	BONTA_X52066_644_671_R	T*CATGTGCTAATGTTACTG*CTGGATCTG	442
483	BONTA_X52066_701_720_F	GAATAGCAATTAATCCAAAT	90	BONTA_X52066_759_775_R	T*TACTTCTAACCCACTC	444
484	BONTA_X52066_701_720_P_F	GAA*C*AG*T*AA*C*C*AA*C*C*T*AT*C*A*T*AAT	90	BONTA_X52066_759_775P_R	T*TA*T*C*C*C*T*C*AA*T*T*A*T*A*C*C	444
774	CAF1_AF053947_33407_33430_F	TCAGTTCCGTTATCGCCATTGCAT	91	CAF1_AF053947_33494_33514_R	T*GCGGGCTGGTTCAACAAGA*G	445
776	CAF1_AF053947_33435_33457_F	TGGAACTATTGCAACTGCTAATG	92	CAF1_AF053947_33499_33517_R	T*GATGCGGGCTGGTTCAAC	446
775	CAF1_AF053947_33515_33541_F	TCACTCTTACATATAAGGAAGGCGCTC	93	CAF1_AF053947_33595_33621_R	T*CCTGTTTTATAGCCGCCAA*GAGTAAG	447
777	CAF1_AF053947_33687_33716_F	TCAGGATGGAAATAACCACCAATTCACTAC	94	CAF1_AF053947_33755_33782_R	T*CAAGGTTCTCACCGTTTA*CCTTAGGAG	448
22	CAPC_BA_104_131_F	GTTATTTAGCACTCGTTTTTAATCAGCC	95	CAPC_BA_180_205_R	T*GAATCTTGAAACACCATA*CGTAACG	449
23	CAPC_BA_114_133_F	ACTCGTTTTTAATCAGCCG	96	CAPC_BA_185_205_R	T*GAATCTTGAAACACCATA*CG	450
24	CAPC_BA_274_303_F	GATTATTGTTATCCTGTTATGCCATTTGAG	97	CAPC_BA_349_376_R	G*TAACCCTTGTCTTTGAAT*TGTATTTGC	451
350	CAPC_BA_274_303_TMOD_F	TGATTATTGTTATCCTGTTATGCCATTTGAG	98	CAPC_BA_349_376_TMOD_R	T*GTAACCCTTGTCTTTGAA*TTGTATTTGC	452
25	CAPC_BA_275_296_F	TTATTGTTATCCTGTTATGCC	99	CAPC_BA_358_377_R	GGTAACCCTTGTCTTTGAA*T*	453
26	CAPC_BA_281_301_F	GTTATCCTGTTATGCCATTTG	100	CAPC_BA_361_378_R	T*GGTAACCCTTGTCTTTG	454
27	CAPC_BA_315_334_F	CCGTGGTATTGGAGTTATTG	101	CAPC_BA_361_378_R	T*GGTAACCCTTGTCTTTG	454
1053	CJST_CJ_10	TTGAGGGTATGCACCGT	102	CJST_CJ_116	T*CCCCTCATGT*TAAATGA	456

	80_1110_F	CTTTTTGATTCTTT		6_1198_R	TCAGGATAAAAGC	
1063	CJST_CJ_12 68_1299_F	AGTTATAAACACGGCTT TCCTATGGCTTATCC	103	CJST_CJ_134 9_1379_R ATCGTAAGGATA	TCGGTTTAAGTCTAC ATG	457
1050	CJST_CJ_12 90_1320_F	TGGCTTATCCAAATTTA GATCGTGGTTTTAC	104	CJST_CJ_140 6_1433_R AAGCATAAA	TTTGCTCATGATCTGC ATG	458
1058	CJST_CJ_16 43_1670_F	TTATCGTTTGTGGAGCT AGTGCTTATGC	105	CJST_CJ_172 4_1752_R GCAAAAGAT	TGCAATGTGTGCTATG TCA	459
1045	CJST_CJ_16 68_1700_F	TGCTCGAGTGATTGACT TTGCTAAATTTAGAGA	106	CJST_CJ_177 4_1799_R TTGGATG	TGAGCGTGTGGAAAAG GAC	460
1064	CJST_CJ_16 80_1713_F	TGATTTTGCTAAATTTA GAGAAATTGCGGATGAA	107	CJST_CJ_179 5_1822_R TACATGAGC	TATGTGTAGTTGAGCT TAC	461
1056	CJST_CJ_18 80_1910_F	TCCCAATTAATTCTGCC ATTTTTCCAGGTAT	108	CJST_CJ_198 1_2011_R ATAAACTTTCCA	TGGTTCTTACTTGCTT TGC	462
1054	CJST_CJ_20 60_2090_F	TCCCGGACTTAATATCA ATGAAAATTGTGGA	109	CJST_CJ_214 8_2174_R AAAGCAAA	TCGATCCGCATCACCA TCA	463
1059	CJST_CJ_21 65_2194_F	TGCGGATCGTTTGGTGG TTGTAGATGAAAA	110	CJST_CJ_224 7_2278_R TACCTTGTTCTTT	TCCACACTGGATTGTA ATT	464
1046	CJST_CJ_21 71_2197_F	TCGTTTGGTGGTGGTAG ATGAAAAAGG	111	CJST_CJ_228 3_2313_R GCTCATTATAGT	TCTCTTTCAAAGCACC ATT	465
1057	CJST_CJ_21 85_2212_F	TAGATGAAAAGGGCGAA GTGGCTAATGG	112	CJST_CJ_228 3_2316_R ATTGCTCATTATAGT	TCAATTCTTTCAAAGC ACC	466
1049	CJST_CJ_26 36_2668_F	TGCCTAGAAGATCTTAA AAATTTCCGCCAACTT	113	CJST_CJ_275 3_2777_R TACAGC	TTGCTGCCATAGCAAA GCC	467
1062	CJST_CJ_26 78_2703_F	TCCCCAGGACACCCTGA AATTTCAAC	114	CJST_CJ_276 0_2787_R TAGCAAAGC	TGTGCTTTTTTGCTG CCA	468
1065	CJST_CJ_28 57_2887_F	TGGCATTCTTATGAAG CTTGTTCTTTAGCA	115	CJST_CJ_296 5_2998_R ACATTTTCGTTAAAG	TGCTTCAAAACGCATT TTT	469
1055	CJST_CJ_28 69_2895_F	TTTGATTTTACGCCGTC CAGGACTTCA	116	CJST_CJ_297 9_3007_R CGCATTTTTA	TCCTCCTTGTGCCTCA AAA	470
1051	CJST_CJ_32 67_3293_F	TTTGATTTTACGCCGTC CTCCAGGTCG	117	CJST_CJ_335 6_3385_R TCATCATTTA	TCAAAGAACCGCACC TAA	471
1061	CJST_CJ_36 0_393_F	TCCTGTTATCCCTGAAG TAGTTAATCAAGTTTGT	118	CJST_CJ_443 477_R TTAAGCTGTAATTGTC	TACAACTGGTTCAAAA ACA	473
1048	CJST_CJ_36 0_394_F	TCCTGTTATCCCTGAAG TAGTTAATCAAGTTTGT T	119	CJST_CJ_442 476_R TAAGTTGTAATTGTCC	TCAACTGGTTCAAAAA CAT	472
1052	CJST_CJ_5_ 39_F	TAGGCGAAGATATACAA AGAGTATTAGAAGCTAG A	120	CJST_CJ_104 137_R CTACCTTCGGATAAT	TCCGTTATTTTTCTTT CTA	455
1047	CJST_CJ_58 4_616_F	TCCAGGACAAATGTATG AAAAATGTCCAAGAAG	121	CJST_CJ_663 692_R TAAGCAGTATC	TTCATTTTCTGGTCCA AAG	474
1060	CJST_CJ_59 9_632_F	TGAAAAATGTCCAAGAA GCATTAAAAAAAAGCA	122	CJST_CJ_711 743_R TCAACTATTTTC	TCCCGAACAAAGGTT GTA	475
1096	CTXA_VBC_1 17_142_F	TCTTATGCCAAGAGGAC AGAGTGAGT	123	CTXA_VBC_19 4_218_R TAGCCTAACAAATCCCG TCT	TGCCTAACAAATCCCG TCT GAGTTC	476
1097	CTXA_VBC_3 51_377_F	TGTATTAGGGGCATACA GTCCTCATCC	124	CTXA_VBC_44 1_465_R TGTCATCAAGCACCCC AAA	TGTCATCAAGCACCCC AAA ATGAACT	477
28	CYA_BA_105 3_1072_F	GAAAGAGTTCGGATTGG G	125	CYA_BA_1112 _1130_R TGTTGACCATGCTTCT TAG	TGTTGACCATGCTTCT TAG	479
277	CYA_BA_134 9_1370_F	ACAACGAAGTACAATAC AAGAC	126	CYA_BA_1426 _1447_R CTTCTACATTTTTAGC CAT	CTTCTACATTTTTAGC CAT CAC	480
30	CYA_BA_135 3_1379_F	CGAAGTACAATACAAGA CAAAGAAGG	127	CYA_BA_1448 _1467_R TGTTAACGGCTTCAAG ACC	TGTTAACGGCTTCAAG ACC C	482
351	CYA_BA_135 3_1379_TMO D_F	TCGAAGTACAATACAAG ACAAAAGAAGG	128	CYA_BA_1448 _1467_TMOD_ R	TTGTTAACGGCTTCAA GAC CC	483
31	CYA_BA_135 9_1379_F	ACAATACAAGACAAAAG AAGG	129	CYA_BA_1447 _1461_R CGGCTTCAAGACCC	CGGCTTCAAGACCC	481
32	CYA_BA_914 _937_F	CAGGTTTAGTACCAGAA CATGCAG	130	CYA_BA_999_ 1026_R GTAGCTAAC	ACCACTTTTAATAAGG TTT GTAGCTAAC	484
33	CYA_BA_916 _935_F	GGTTTAGTACCAGAACA TGC	131	CYA_BA_1003 _1025_R TAGC	CCACTTTTAATAAGGT TTG TAGC	478
115	DNAK_EC_42 8_449_F	CGGCGTACTTCAACGAC AGCCA	132	DNAK_EC_503 _522_R A	CGCGGTCGGCTCGTTG ATG	485
1102	GALE_FRT_1 68_189_F	TTATCAGCTAGACCTTT TAGCTAAGCTAAGC	133	GALE_FRT_24 1_269_R CAGCAAAATG	TCACCTACAGCTTTAA AGC	486
1104	GALE_FRT_3 08_339_F	TCCAAGGTACACTAAAC TTACTTGAGCTAATG	134	GALE_FRT_39 0_422_R TATTATTCATCCCA	TCTTCTGTTAAAGGGTG GTT	487
1103	GALE_FRT_8 34_865_F	TCAAAAAGCCCTAGGTA AAGAGATTCCATATC	135	GALE_FRT_90 1_925_R AAAACT	TAGCCTTGGCAACATC AGC	488
1092	GLTA_REP_1 023_1055_F	TCCGTTCTTACAAATAG CAATAGAACTTGAAGC	136	GLTA_REP_11 29_1156_R AGCTTTATA	TTGGCGACGGTATACC CAT	489
1093	GLTA_REP_1 043_1072_2 F	TGGAGCTTGAAGCTATC GCTCTTAAAGATG	137	GLTA_REP_11 38_1162_R ACCCAT	TGAACATTTGGACGG TAT	490

1094	GLTA_RKP_1 043_1072_3 F	TGGAACTTGAAGCTCTC GCTCTTAAAGATG	138	GLTA_RKP_11 38_1164_R	TGTGAACATTTGCGACGGT ATACCCAT	492
1090	GLTA_RKP_1 043_1072_F	TGGGACTTGAAGCTATC GCTCTTAAAGATG	139	GLTA_RKP_11 38_1162_R	TGAACATTTGCGACGGTAT ACCCAT	491
1091	GLTA_RKP_4 00_428_F	TCTTCTCATCCTATGGC TATTATGCTTGC	140	GLTA_RKP_49 9_529_R	TGGTGGGTATCTTAGCAAT CATTCTAATAGC	493
1095	GLTA_RKP_4 00_428_F	TCTTCTCATCCTATGGC TATTATGCTTGC	140	GLTA_RKP_50 5_534_R	TGCGATGGTAGGTATCTTA GCAATCATTCT	494
224	GROL_EC_21 9_242_F	GGTGAAAGAAGTTGCCT CTAAAGC	141	GROL_EC_328 _350_R	TTCAGGTCCATCGGGTTCA TGCC	496
280	GROL_EC_49 6_518_F	ATGGACAAGGTTGGCAA GGAAGG	142	GROL_EC_577 _596_R	TAGCCGCGGTCGAATTGCA T	498
281	GROL_EC_51 1_536_F	AAGGAAGGCGTGATCAC CGTTGAAGA	143	GROL_EC_571 _593_R	CCGCGGTCGAATTGCATGC CTTC	497
220	GROL_EC_94 1_959_F	TGGAAGATCTGGGTCAG GC	144	GROL_EC_103 9_1060_R	CAATCTGCTGACGGATCTG AGC	495
924	GYRA_AF100 557_4_23_F	TCTGCCCGTGTCGTTGG TGA	145	GYRA_AF1005 57_119_142_ R	TCGAACCGAAGTTACCCTG ACCAT	499
925	GYRA_AF100 557_70_94_ F	TCCATTGTTCGTATGGC TCAAGACT	146	GYRA_AF1005 57_178_201_ R	TGCCAGCTTAGTCATACGG ACTTC	500
926	GYRB_AB008 700_19_40_ F	TCAGGTGGCTTACACGG CGTAG	147	GYRB_AB0087 00_111_140_ R	TATTGCGGATCACCATGAT GATATTCTTGC	501
927	GYRB_AB008 700_265_29 2_F	TCTTTCTTGAAATGCTGG TGTACGTATCG	148	GYRB_AB0087 00_369_395_ R	TCGTTGAGATGGTTTTAC CTTCGTTG	502
928	GYRB_AB008 700_368_39 4_F	TCAACGAAGGTAAAAAC CATCTCAACG	149	GYRB_AB0087 00_466_494_ R	TTTGTGAAACAGCGAACAT TTTCTTGGTA	503
929	GYRB_AB008 700_477_50 4_F	TGTTCGCTGTTTCACAA ACAACATTCCA	150	GYRB_AB0087 00_611_632_ R	TCACGCGCATCATCACCAG TCA	504
949	GYRB_AB008 700_760_78 7_F	TACTTACTTGAGAATCC ACAAGCTGCAA	151	GYRB_AB0087 00_862_888_ 2_R	TCCTGCAATATCTAATGCA CTCTTACG	505
930	GYRB_AB008 700_760_78 7_F	TACTTACTTGAGAATCC ACAAGCTGCAA	151	GYRB_AB0087 00_862_888_ R	ACCTGCAATATCTAATGCA CTCTTACG	506
222	HFLB_EC_10 82_1102_F	TGGCGAACCTGGTGAAC GAAGC	152	HFLB_EC_114 4_1168_R	CTTTCGCTTTCTCGAACTC AACCAT	507
1128	HUPB_CJ_11 3_134_F	TAGTTGCTCAAACAGCT GGGCT	153	HUPB_CJ_157 _188_R	TCCCTAATAGTAGAAATAA CTGCATCAGTAGC	509
1130	HUPB_CJ_76 _102_F	TCCCGGAGCTTTTATGA CTAAGCAGAT	154	HUPB_CJ_114 _135_R	TAGCCCAGCTGTTTGAGCA ACT	508
1129	HUPB_CJ_76 _102_F	TCCCGGAGCTTTTATGA CTAAACAGAT	154	HUPB_CJ_157 _188_R	TCCCTAATAGTAGAAATAA CTGCATCAGTAGC	510
1079	ICD_CXB_17 6_198_F	TCGCCGTGGAAAAATCC TACGCT	155	ICD_CXB_224 _247_R	TAGCCTTTCTCCGGCGTA GATCT	512
1078	ICD_CXB_92 _120_F	TTCCTGACCGACCCATT ATTCCCTTTATC	156	ICD_CXB_172 _194_R	TAGGATTTTTCCACGGCGG CATC	510
1077	ICD_CXB_93 _120_F	TCCTGACCGACCCATTA TTCCCTTATC	157	ICD_CXB_172 _194_R	TAGGATTTTTCCACGGCGG CATC	511
221	INFB_EC_11 03_1124_F	GTCGTGAAAACGAGCTG GAAGA	158	INFB_EC_117 4_1191_R	CATGATGGTCACAACCGG	513
964	INFB_EC_13 47_1367_F	TGGCGTTTACCGCAATGC GTGC	159	INFB_EC_141 4_1432_R	TCGGCATCACGCCGTCGTC	514
34	INFB_EC_13 65_1393_F	TGCTCGTGGTGCACAAG TAACGGATATTA	160	INFB_EC_143 9_1467_R	TGCTGCTTTCGCATGGTT ATTGCTTCAA	515
352	INFB_EC_13 65_1393_TM OD_F	TTGCTCGTGGTGCACAA GTAACGGATATTA	161	INFB_EC_143 9_1467_TMOD _R	TTGCTGCTTTCGCATGGTT AATTGCTTCAA	516
223	INFB_EC_19 69_1994_F	CGTCAGGGTAAATTCCG TGAAGTTAA	162	INFB_EC_203 8_2058_R	AACTTCGCCTTCGGTCATG TT	517
781	INV_U22457 _1558_1581 _F	TGGTAACAGAGCCTTAT AGGCGCA	163	INV_U22457_ 1619_1643_R	TTGCGTTGCAGATTATCTT TACCAA	518
778	INV_U22457 _515_539_F	TGGCTCCTTGGTATGAC TCTGCTTC	164	INV_U22457_ 571_598_R	TGTTAAGTGTGTTGCGGCT GTCTTTATT	519
779	INV_U22457 _699_724_F	TGCTGAGGCCTGGACCG ATTATTTAC	165	INV_U22457_ 753_776_R	TCAGCGACGAGTGCCATC CATTG	520
780	INV_U22457 _834_858_F	TTATTTACCTGCACTCC CACAACTG	166	INV_U22457_ 942_966_R	TGACCCAAAGCTGAAAGCT TTACTG	521

1106	IPAH_SGF_113_134_F	TCCTTGACGGCCTTTCCGATAC	167	IPAH_SGF_172_191_R	TTTTCCAGCCATGCAGCGAC	522
1105	IPAH_SGF_258_277_F	TGAGGACCGTGTCGCGCTCA	168	IPAH_SGF_301_327_R	TCCTTCTGATGCCTGATGGACCAGGAG	523
1107	IPAH_SGF_462_486_F	TCAGACCATGCTCGCAGAGAARCTT	169	IPAH_SGF_522_540_R	TGTCACTCCCGACACGCCA	524
1080	IS1111A_NC002971_6866891_F	TCAGTATGTATCCACCGTAGCCAGTC	170	IS1111A_NC002971_6928_6954_R	TAAACGTCCGATACCAATGGTTCGGTC	525
1081	IS1111A_NC002971_7457463_F	TGGGTGACATTCATCAATTTCATCGTTC	171	IS1111A_NC002971_7529_7554_R	TCAACAACACCTCCTTATTCCCACTC	526
35	LEF_BA_1033052_F	TCAAGAAGAAAAAGAGC	172	LEF_BA_1119_1135_R	GAATATCAATTTGTAGC	527
36	LEF_BA_1036066_F	CAAGAAGAAAAAGAGCTCTAAAAAGAATAC	173	LEF_BA_1119_1149_R	AGATAAAGAATCACGAATATCAATTTGTAGC	528
37	LEF_BA_756_781_F	AGCTTTTGCATATTATATCGAGCCAC	174	LEF_BA_843_872_R	TCTTCCAAGGATAGATTTATTTCTTGTTCG	530
353	LEF_BA_756_781_TMOD_F	TAGCTTTTGCATATTATATCGAGCCAC	175	LEF_BA_843_872_TMOD_R	TTCTTCCAAGGATAGATTTATTTCTTGTTCG	531
38	LEF_BA_758_778_F	CTTTTGCATATTATATCGAGC	176	LEF_BA_843_865_R	AGGATAGATTTATTTCTTGTTCG	529
39	LEF_BA_795_813_F	TTTACAGCTTTATGCACCG	177	LEF_BA_883_900_R	TCTTGACAGCATCCGTTG	532
40	LEF_BA_883_899_F	CAACGGATGCTGGCAAG	178	LEF_BA_939_958_R	CAGATAAAGAATCGCTCCAG	533
782	LL_NC003143_2366996_2367019_F	TGTAGCCGCTAAGCACTACCATCC	179	LL_NC003143_2367073_2367097_R	TCTCAPCCCGATATTACCGCCATGA	534
783	LL_NC003143_2367172_2367194_F	TGGACGGCATCACGATTCTCTAC	180	LL_NC003143_2367249_2367271_R	TGGCAACAGCTCAACACCTTTGG	535
878	MECA_Y14051_3645_3670_F	TGAAGTAGAAATGACTGAACGTCCGA	181	MECA_Y14051_3690_3719_R	TGATCCTGAATGTTTATATCTTTAACGCCT	536
877	MECA_Y14051_3774_3802_F	TAAAACAAACTACGGTAACATTGATCGCA	182	MECA_Y14051_3828_3854_R	TCCCAATCTAACTTCCACATACCATCT	537
879	MECA_Y14051_4507_4530_F	TCAGGTACTGCTATCCACCCTCAA	183	MECA_Y14051_4555_4581_R	TGGATAGACGTCATATGAAGGGTGTGCT	538
880	MECA_Y14051_4510_4530_F	TGTACTGCTATCCACCCTCAA	184	MECA_Y14051_4586_4610_R	TATTCTTCGTTACTCATGCCATACA	539
882	MECA_Y14051_4520_4530_F	TU^U^AU^U^U^C^U^AA	185	MECA_Y14051_4590_4600P_R	C^AU^C^U^AC^GU^U^A	540
883	MECA_Y14051_4520_4530_F	TU^U^AU^U^U^C^U^AA	185	MECA_Y14051_4600_4610P_R	C^AC^C^U^C^C^U^GC^T	541
881	MECA_Y14051_4669_4698_F	TCACCAGGTTCAACTCAAAAAATATTAACA	186	MECA_Y14051_4765_4793_R	TAACCACCCCAAGATTTATCTTTTTGCCA	542
876	MECIA_Y14051_3315_3341_F	TTACACATATCGTGAGCAATGAACTGA	187	MECIA_Y14051_3367_3393_R	TGTGATATGGAGGTGTAGAAGGTGTTA	543
914	OMPA_AY485227_272_301_F	TTACTCCATTATTGCTTGGTTACACTTTCC	188	OMPA_AY485227_364_388_R	GAGCTGCGCCAACGAATAAATCGTC	544
916	OMPA_AY485227_311_335_F	TACACAACAATGGCGGTAAAGAYGC	189	OMPA_AY485227_424_453_R	TACGTCGCCTTTAACTTGGTTATATTCAGC	545
915	OMPA_AY485227_379_401_F	TGCGCAGCTCTTGGTATCGAGTT	190	OMPA_AY485227_492_519_R	TGCCGTAACATAGAAGTTACCGTTGATT	546
917	OMPA_AY485227_415_441_F	TGCCTCGAAGCTGAATATAACCAAGTT	191	OMPA_AY485227_514_546_R	TCGGGCGTAGTTTTTAGTAATTAAATCAGAAGT	547
918	OMPA_AY485227_494_520_F	TCAACGGTAACTTCTATGTTACTTCTG	192	OMPA_AY485227_569_596_R	TCGTCGTATTTATAGTGACCAGCACCTA	548
919	OMPA_AY485227_551_577_F	TCAAGCCGTACGTATTATTAGGTGCTG	193	OMPA_AY485227_658_680_R	TTTAAGCGCCAGAAAGCACCAAC	550

920	OMPA_AY485227_555_581_F	TCCGTACGTATTATTAGGTGCTGGTCA	194	OMPA_AY485227_635_662_R	TCAACACCAGCGTTACCTAAAGTACCTT	549
921	OMPA_AY485227_556_583_F	TCGTACGTATTATTAGGTGCTGGTCACT	195	OMPA_AY485227_659_683_R	TCGTTTAAGCGCCAGAAAGCACCAA	551
922	OMPA_AY485227_657_679_F	TGTTGGTGCTTTCTGGCGCTTAA	196	OMPA_AY485227_739_765_R	TAAGCCAGCAAGAGCTGTATAGTTCCA	552
923	OMPA_AY485227_660_683_F	TGGTGCTTTCTGGCGCTTAAACGA	197	OMPA_AY485227_786_807_R	TACAGGAGCAGCAGGCTTCAAG	553
1088	OMPB_RKP_1192_1221_F	TCTACTGATTTTGGTAATCGTTGCAGCACAG	198	OMPB_RKP_1288_1315_R	TAGCAGCAAAAGTTATCACACCTGCAGT	554
1089	OMPB_RKP_3417_3440_F	TGCAAGTGGTACTTCAACATGGGG	199	OMPB_RKP_3520_3550_R	TGGTTGTAGTTCCTCTAGTTGTTGCATTAAC	555
1087	OMPB_RKP_860_890_F	TTACAGGAAGTTTAGGTGGTAATCTAAAAGG	200	OMPB_RKP_972_996_R	TCCTGCAGCTCTACCTGCTCCATTA	556
41	PAG_BA_122_142_F	CAGAATCAAGTTCCCAGGGG	201	PAG_BA_190_209_R	CCTGTAGTAGAAGAGGTAACC	558
42	PAG_BA_123_145_F	AGAATCAAGTTCCCAGGGGTTAC	202	PAG_BA_187_210_R	CCCTGTAGTAGAAGAGGTAACCAC	557
43	PAG_BA_269_287_F	AATCTGCTATTTGGTCAGG	203	PAG_BA_326_344_R	TGATTATCAGCGGAAGTAG	559
44	PAG_BA_655_675_F	GAAGGATATACGGTTGATGTC	204	PAG_BA_755_772_R	CCGTGCTCCATTTTTCAG	560
45	PAG_BA_753_772_F	TCCTGAAAAATGGAGCACGG	205	PAG_BA_849_868_R	TCGGATAAGCTGCCACAAGG	561
46	PAG_BA_763_781_F	TGGAGCACGGCTTCTGATC	206	PAG_BA_849_868_R	TCGGATAAGCTGCCACAAGG	562
912	PARC_X95819_123_147_F	GGCTCAGCCATTTAGTTACCGCTAT	207	PARC_X95819_232_260_R	TCGCTCAGCAATAATTCACTATAAGCCGA	566
913	PARC_X95819_43_63_F	TCAGCGGTACAGTGGGTGAT	208	PARC_X95819_143_170_R	TTCCCCTGACCTTCGATTAAAGGATAGC	563
911	PARC_X95819_87_110_F	TGGTGACTCGGCATGTTATGAAGC	209	PARC_X95819_192_219_R	GGTATAACGCATCGCAGCAAAAGATTTA	564
910	PARC_X95819_87_110_F	TGGTGACTCGGCATGTTATGAAGC	209	PARC_X95819_201_222_R	TTCGGTATAACGCATCGCAGCA	565
773	PLA_AF05395_45_7186_7211_F	TTATACCGGAAACTTCCCGAAAGGAG	210	PLA_AF05394_5_7257_7280_R	TAATGCGATACTGGCCTGCAAGTC	567
770	PLA_AF05395_45_7377_7402_F	TGACATCCGGCTCACGTTATTATGGT	211	PLA_AF05394_5_7434_7462_R	TGTAAATTCCGCAAAGACTTTGGCATTAG	568
771	PLA_AF05395_45_7382_7404_F	TCCGGCTCACGTTATTATGGTAC	212	PLA_AF05394_5_7482_7502_R	TGGTCTGAGTACCTCCTTTGC	569
772	PLA_AF05395_45_7481_7503_F	TGCAAAGGAGGTACTCAGACCAT	213	PLA_AF05394_5_7539_7562_R	TATTGGAAATACCGGCAGCATCTC	570
909	RECA_AF2514_469_169_190_F	TGACATGCTTGTCCGTTCAGGC	214	RECA_AF2514_69_277_300_R	TGGCTCATAAGACGCGCTTGTAGA	572
908	RECA_AF2514_469_43_68_F	TGGTACATGTGCCTTCATTGATCGTG	215	RECA_AF2514_69_140_163_R	TTCAAGTGCTTGCTCACCATTGTC	571
1072	RNASEP_BDP_574_592_F	TGGCACGGCCATCTCCGTG	216	RNASEP_BDP_616_635_R	TCGTTTCACCCTGTCATGCCG	573
1070	RNASEP_BKM_580_599_F	TGCGGGTAGGGAGCTTGAGC	217	RNASEP_BKM_665_686_R	TCCGATAAGCCGGATTCTGTGC	574
1071	RNASEP_BKM_616_637_F	TCCTAGAGGAATGGCTGCCACG	218	RNASEP_BKM_665_687_R	TGCCGATAAGCCGGATTCTGTGC	575
1112	RNASEP_BRM_325_347_F	TACCCCAGGGAAAGTGCCACAGA	219	RNASEP_BRM_402_428_R	TCTCTTACCCCACCCTTTCACCCTTAC	576
1172	RNASEP_BRM_461_488_F	TAAACCCATCGGGAGCAAGACCGAATA	220	RNASEP_BRM_542_561_2_R	TGCCTCGTGCAACCCACCCG	577
1111	RNASEP_BRM_461_488_F	TAAACCCATCGGGAGCAAGACCGAATA	220	RNASEP_BRM_542_561_R	TGCCTCGCGCAACCTACCCG	578
258	RNASEP_BS_43_61_F	GAGGAAAGTCCATGCTCGC	221	RNASEP_BS_3_63_384_R	GTAAGCCATGTTTTGTTCCATC	579
259	RNASEP_BS_43_61_F	GAGGAAAGTCCATGCTCGC	221	RNASEP_BS_3_63_384_R	GTAAGCCATGTTTTGTTCCATC	578
258	RNASEP_BS_43_61_F	GAGGAAAGTCCATGCTCGC	221	RNASEP_EC_345_362_R	ATAAGCCGGGTTCTGTCG	581

258	RNASEP_BS_43_61_F	GAGGAAAGTCCATGCTCGC	221	RNASEP_SA_358_379_R	ATAAGCCATGTTCTGTTCCATC	584
1076	RNASEP_CLB_459_487_F	TAAGGATAGTGCAACAGAGATATACCGCC	222	RNASEP_CLB_498_522_R	TTTACCTCGCCTTTCCACCCTTACC	579
1075	RNASEP_CLB_459_487_F	TAAGGATAGTGCAACAGAGATATACCGCC	222	RNASEP_CLB_498_526_R	TGCTCTTACCTCACCGTTCCACCCTTACC	580
258	RNASEP_EC_61_77_F	GAGGAAAGTCCGGCCTC	223	RNASEP_BS_363_384_R	GTAAGCCATGTTTTGTTCCATC	578
258	RNASEP_EC_61_77_F	GAGGAAAGTCCGGCCTC	223	RNASEP_EC_345_362_R	ATAAGCCGGGTTCTGTCG	581
260	RNASEP_EC_61_77_F	GAGGAAAGTCCGGCCTC	223	RNASEP_EC_345_362_R	ATAAGCCGGGTTCTGTCG	581
258	RNASEP_EC_61_77_F	GAGGAAAGTCCGGCCTC	223	RNASEP_SA_358_379_R	ATAAGCCATGTTCTGTTCCATC	584
1085	RNASEP_RKP_264_287_F	TCTAAATGGTCGTGCAGTTGCGTG	224	RNASEP_RKP_295_321_R	TCTATAGAGTCCGGACTTTCCTCGTGA	582
1082	RNASEP_RKP_419_448_F	TGGTAAGAGCGCACCGGTAAGTTGGTAACA	225	RNASEP_RKP_542_565_R	TCAAGCGATCTACCCGCATTACAA	583
1083	RNASEP_RKP_422_443_F	TAAGAGCGGACCGGTAAGTTG	226	RNASEP_RKP_542_565_R	TCAAGCGATCTACCCGCATTACAA	583
1086	RNASEP_RKP_426_448_F	TGCATACCGGTAAGTTGGCAACA	227	RNASEP_RKP_542_565_R	TCAAGCGATCTACCCGCATTACAA	583
1084	RNASEP_RKP_466_491_F	TCCACCAAGAGCAAGATCAAATAGGC	228	RNASEP_RKP_542_565_R	TCAAGCGATCTACCCGCATTACAA	583
258	RNASEP_SA_31_49_F	GAGGAAAGTCCATGCTCAC	229	RNASEP_BS_363_384_R	GTAAGCCATGTTTTGTTCCATC	578
258	RNASEP_SA_31_49_F	GAGGAAAGTCCATGCTCAC	229	RNASEP_EC_345_362_R	ATAAGCCGGGTTCTGTCG	581
258	RNASEP_SA_31_49_F	GAGGAAAGTCCATGCTCAC	229	RNASEP_SA_358_379_R	ATAAGCCATGTTCTGTTCCATC	584
262	RNASEP_SA_31_49_F	GAGGAAAGTCCATGCTCAC	229	RNASEP_SA_358_379_R	ATAAGCCATGTTCTGTTCCATC	584
1098	RNASEP_VBC_331_349_F	TCCGGGGAGTTGACTGGGT	230	RNASEP_VBC_388_414_R	TGACTTTCCTCCCCCTTATCACTCTCC	585
66	RPLB_EC_650_679_F	GACCTACAGTAAGAGGTTCTGTAATGAACC	231	RPLB_EC_739_762_R	TCCAAGTGCTGGTTTACCCCATGG	591
356	RPLB_EC_650_679_TMODF	TGACCTACAGTAAGAGGTTCTGTAATGAACC	232	RPLB_EC_739_762_TMOD_R	TTCCAAGTGCTGGTTTACCCCATGG	592
73	RPLB_EC_669_698_F	TGTAATGAACCCTAATGACCATCCACACGG	233	RPLB_EC_735_761_R	CCAAGTGCTGGTTTACCCCATGGAGTA	586
74	RPLB_EC_671_700_F	TAATGAACCCTAATGACCATCCACACGGTG	234	RPLB_EC_737_762_R	TCCAAGTGCTGGTTTACCCCATGGAG	590
67	RPLB_EC_688_710_F	CATCCACACGGTGGTGGTGAAGG	235	RPLB_EC_736_757_R	GTGCTGGTTTACCCCATGGAGT	587
70	RPLB_EC_688_710_F	CATCCACACGGTGGTGGTGAAGG	235	RPLB_EC_743_771_R	TGTTTTGTATCCAAGTGCTGGTTTACCCC	593
357	RPLB_EC_688_710_TMODF	TCATCCACACGGTGGTGGTGAAGG	236	RPLB_EC_736_757_TMOD_R	TGTGCTGGTTTACCCCATGGAGT	588
449	RPLB_EC_690_710_F	TCCACACGGTGGTGGTGAAGG	237	RPLB_EC_737_758_R	TGTGCTGGTTTACCCCATGGAG	589
113	RPOB_EC_133_153_F	GACCACCTCGGCAACCGT	238	RPOB_EC_1438_1455_R	TTCGCTCTCGGCCTGGCC	594
963	RPOB_EC_151_271549_F	TCAGCTGTCGCAGTTCATGGACC	239	RPOB_EC_1630_1649_R	TCGTCGCGGACTTCGAGCC	595
72	RPOB_EC_181_451866_F	TATCGCTCAGGCGAACTCCAAC	240	RPOB_EC_1909_1929_R	GCTGGATTCGCCTTGCTACG	596
359	RPOB_EC_181_451866_TMOD_F	TTATCGCTCAGGCGAACTCCAAC	241	RPOB_EC_1909_1929_TMODR	TGCTGGATTCGCCTTTGCTACG	597
962	RPOB_EC_205_052027_F	TCGTTCCTGGAACACGATGACGC	242	RPOB_EC_2041_2064_R	TTGACGTTGCATGTTCGAGCCCAT	598
69	RPOB_EC_376_023790_F	TCAACAACCTCTTGGAGGTAAAGGTCACT	243	RPOB_EC_3836_3865_R	TTTCTTGAACGATATGAGCTGCTCCTAAG	600
111	RPOB_EC_375_033803_F	CTTGCAGGTAAGTCTCATTTTGGTGGGCA	244	RPOB_EC_3829_3858_R	CGTATAAGCTGCACCATAAGCTTGTAATGC	599
940	RPOB_EC_379_823821_F	TGGGCAGCGTTTCGGCGAAATGGA	245	RPOB_EC_3863_2_3889_2_R	TGTCCGACTTGACGGTTAGCATTTCCTG	604
939	RPOB_EC_379_883821_F	TGGGCAGCGTTTCGGCGAAATGGA	245	RPOB_EC_3863_2_3889_R	TGTCCGACTTGACGGTCAGCATTTCCTG	605
289	RPOB_EC_379_993821_F	GGGCAGCGTTTCGGCGAAATGGA	246	RPOB_EC_3863_2_3888_R	GTCCGACTTGACGGTCAACATTTCCTG	602
362	RPOB_EC_379_993821_TMOD	TGGGCAGCGTTTCGGCGAAATGGA	245	RPOB_EC_3863_2_3888_TMOD	TGTCCGACTTGACGGTCAACATTTCCTG	603

	OD_F			R		
288	RPOB_EC_3802_3821_F	CAGCGTTTCGGCGAAATGGA	247	RPOB_EC_3862_3885_R	CGACTTGACGGTTAACATTTCCTG	601
48	RPOC_EC_1018_1045_2_F	CAAAACTTATTAGGTAAGCGTGTTGACT	248	RPOC_EC_1095_1124_2_R	TCAAGCGCCATCTCTTTCGGTAATCCACAT	610
47	RPOC_EC_1018_1045_F	CAAAACTTATTAGGTAAGCGTGTTGACT	248	RPOC_EC_1095_1124_R	TCAAGCGCCATTTCTTTTGGTAAACCACAT	611
68	RPOC_EC_1036_1060_F	CGTGTTGACTATTCGGGGCGTTCAG	249	RPOC_EC_1097_1126_R	ATTCAAGAGCCATTTCTTTTGGGTAAACCAC	612
49	RPOC_EC_114_140_F	TAAGAAGCCGGAAACCATCAACTACCG	250	RPOC_EC_213_232_R	GGCGCTTGTACTTACCGCACC	617
227	RPOC_EC_1256_1277_F	ACCCAGTGCTGCTGAACCGTGC	251	RPOC_EC_1295_1315_R	GTTCAAATGCCTGGATACCCA	613
292	RPOC_EC_1374_1393_F	CGCCGACTTCGACGGTGACC	252	RPOC_EC_1437_1455_R	GAGCATCAGCGTGCGTGCT	614
364	RPOC_EC_1374_1393_TMOD_F	TCGCCGACTTCGACGGTGACC	253	RPOC_EC_1437_1455_TMOD_R	TGAGCATCAGCGTGCGTGCT	615
229	RPOC_EC_1584_1604_F	TGGCCCGAAAGAAGCTGAGCG	254	RPOC_EC_1623_1643_R	ACGCGGGCATGCAGAGATGCC	616
978	RPOC_EC_2145_2175_F	TCAGGAGTCGTTCAACTCGATCTACATGATG	255	RPOC_EC_2228_2247_R	TTACGCCATCAGGCCACGCA	622
290	RPOC_EC_2146_2174_F	CAGGAGTCGTTCAACTCGATCTACATGAT	256	RPOC_EC_2227_2245_R	ACGCCATCAGGCCACGCAT	620
363	RPOC_EC_2146_2174_TMOD_F	TCAGGAGTCGTTCAACTCGATCTACATGAT	257	RPOC_EC_2227_2245_TMOD_R	TACGCCATCAGGCCACGCAT	621
51	RPOC_EC_2178_2196_2_F	TGATTCCGGTGCCCGTGGT	258	RPOC_EC_2225_2246_2_R	TTGGCCATCAGACCACGCATAC	618
50	RPOC_EC_2178_2196_F	TGATTCTGGTGCCCGTGGT	259	RPOC_EC_2225_2246_R	TTGGCCATCAGGCCACGCATAC	619
53	RPOC_EC_2218_2241_2_F	CTTGCTGGTATGCGTGGTCTGATG	260	RPOC_EC_2313_2337_2_R	CGCACCATGCGTAGAGATGAAGTAC	623
52	RPOC_EC_2218_2241_F	CTGGCAGGTATGCGTGGTCTGATG	261	RPOC_EC_2313_2337_R	CGCACCGTGGGTTGAGATGAAGTAC	624
354	RPOC_EC_2218_2241_TMOD_F	TCTGGCAGGTATGCGTGGTCTGATG	262	RPOC_EC_2313_2337_TMOD_R	TCGCACCGTGGGTTGAGATGAAGTAC	625
958	RPOC_EC_2232_3_2243_F	TGGTATGCGTGGTCTGATGGC	263	RPOC_EC_2329_2352_R	TGCTAGACCTTTAGTGCACCGTG	626
960	RPOC_EC_2334_2357_F	TGCTCGTAAGGGTCTGGCGGATAC	264	RPOC_EC_2380_2403_R	TACTAGACGACGGGTCAGGTAACC	627
55	RPOC_EC_808_833_F	CGTCGTGTAATTAACCGTAACGACCG	265	RPOC_EC_865_891_R	ACGTTTTTCGTTTTGAACGATAATGCT	629
54	RPOC_EC_808_833_F	CGTCGGGTGATTAACCGTAACGACCG	266	RPOC_EC_865_889_R	GTTTTTCGTTGCGTACGATGATGTC	628
961	RPOC_EC_917_938_F	TATTGGACAACGGTCGTCGCGG	267	RPOC_EC_1009_1034_R	TTACCGAGCAGGTTCTGACGGAAACG	607
959	RPOC_EC_918_938_F	GCGG	268	RPOC_EC_1009_1031_R	TCCAGCAGGTTCTGACGGAAACG	606
57	RPOC_EC_993_1019_2_F	CAAAGGTAAGCAAGGACGTTTCCGTCA	269	RPOC_EC_1036_1059_2_R	CGAACGGCCAGAGTAGTCAACACG	608
56	RPOC_EC_993_1019_F	CAAAGGTAAGCAAGGTCGTTTCCGTCA	270	RPOC_EC_1036_1059_R	CGAACGGCCTGAGTAGTCAACACG	609
75	SP101_SPET_11_1_29_F	AACCTAATTGGAAAGAAACCAAGAAGT	271	SP101_SPET1_1_92_116_R	CCTACCCAACGTTCACCAAGGGCAG	676
446	SP101_SPET_11_1_29_TMOD_F	TAACCTTAATTGGAAAGAAACCCAAGAAGT	272	SP101_SPET1_1_92_116_TMOD_R	TCCTACCCAACGTTCACCAAGGGCAG	677
85	SP101_SPET_11_1154_1179_F	CAATACCGCAACAGCGGTGGCTTGGG	273	SP101_SPET1_1_1251_1277_R	GACCCCAACCTGGCCTTTTGTCGTTGA	630
424	SP101_SPET_11_1154_1179_TMOD_F	TCAATACCGCAACAGCGGTGGCTTGGG	274	SP101_SPET1_1_1251_1277_TMOD_R	TGACCCCAACCTGGCCTTTTGTCGTTGA	631
76	SP101_SPET_11_118_147_F	GCTGGTGAAAATAACCCAGATGTCGTCTTC	275	SP101_SPET1_1_213_238_R	TGTGCCCGATTTCACCACCTGCTCCT	644
425	SP101_SPET_11_118_147_TMOD_F	TGCTGGTGAAAATAACCCAGATGTCGTCTTC	276	SP101_SPET1_1_213_238_TMOD_R	TTGTGGCCGATTTCACCACCTGCTCCT	645
86	SP101_SPET	CGCAAAAAAATCCAGCT	277	SP101_SPET1	AAACTATTTTTTTAGCTAT	632

	11_1314_13 36_F	ATTAGC		1_1403_1431 R	ACTCGAACAC	
426	SP101_SPET 11_1314_13 36_TMOD_F	TCGCAAAAAAATCCAGC TATTAGC	278	SP101_SPET1 1_1403_1431 TMOD_R	TAAACTATTTTTTTAGCTA TACTCGAACAC	633
87	SP101_SPET 11_1408_14 37_F	CGAGTATAGCTAAAAAA ATAGTTTATGACA	279	SP101_SPET1 1_1486_1515 R	GGATAATTGGTCGTAACAA GGGATAGTGAG	634
427	SP101_SPET 11_1408_14 37_TMOD_F	TCGAGTATAGCTAAAAA AATAGTTTATGACA	280	SP101_SPET1 1_1486_1515 TMOD_R	TGGATAATTGGTCGTAACA AGGGATAGTGAG	635
88	SP101_SPET 11_1688_17 16_F	CCTATATTAATCGTTTA CAGAAACTGGCT	281	SP101_SPET1 1_1783_1808 R	ATATGATTATCATTGAACT GCGGCCG	636
428	SP101_SPET 11_1688_17 16_TMOD_F	TCCTATATTAATCGTTT ACAGAAACTGGCT	282	SP101_SPET1 1_1783_1808 TMOD_R	TATATGATTATCATTGAAC TGCGGCCG	637
89	SP101_SPET 11_1711_17 33_F	CTGGCTAAAACTTTGGC AACGGT	283	SP101_SPET1 1_1808_1835 R	GCGTGACGACCTTCTTGAA TTGTAATCA	638
429	SP101_SPET 11_1711_17 33_TMOD_F	TCTGGCTAAAACTTTGG CARCGGT	284	SP101_SPET1 1_1808_1835 TMOD_R	TGCGTGACGACCTTCTTGA ATTGTAATCA	639
90	SP101_SPET 11_1807_18 35_F	ATGATTACAATTCAAGA AGGTCGTCACGC	285	SP101_SPET1 1_1901_1927 R	TTGGACCTGTAATCAGCTC AATACTGG	640
430	SP101_SPET 11_1807_18 35_TMOD_F	TATGATTACAATTCAAG AAGGTCGTCACGC	286	SP101_SPET1 1_1901_1927 TMOD_R	TTTGGACCTGTAATCAGCT GAATACTGG	641
91	SP101_SPET 11_1967_19 91_F	TAACGGTTATCATGGCC CAGATGGG	287	SP101_SPET1 1_2062_2083 R	ATTGCCCAGAAATCAAATC ATC	642
431	SP101_SPET 11_1967_19 91_TMOD_F	TTAACGGTTATCATGGC CCAGATGGG	288	SP101_SPET1 1_2062_2083 TMOD_R	TATTGCCCAGAAATCAAAT CATC	643
77	SP101_SPET 11_216_243 F	AGCAGGTGGTGAAATCG GCCACATGATT	289	SP101_SPET1 1_308_333_R	TGCCACTTTGACAACTCCT GTTGCTG	654
432	SP101_SPET 11_216_243 TMOD_F	TAGCAGGTGGTGAAATC GGCCACATGATT	290	SP101_SPET1 1_308_333_T MOD_R	TTGCCACTTTGACAACTCC TGTTGCTG	655
92	SP101_SPET 11_2260_22 83_F	CAGAGACCGTTTTATCC TATCAGC	291	SP101_SPET1 1_2375_2397 R	TCTGGGTGACCTGGTGTTT TAGA	646
433	SP101_SPET 11_2260_22 83_TMOD_F	TCAGAGACCGTTTTATC CTATCAGC	292	SP101_SPET1 1_2375_2397 TMOD_R	TTCTGGGTGACCTGGTGTT TTAGA	647
93	SP101_SPET 11_2375_23 99_F	TCTAAAACACCAGGTCA CCCAGAAG	293	SP101_SPET1 1_2470_2497 R	AGCTGCTAGATGAGCTTCT GCCATGGCC	648
434	SP101_SPET 11_2375_23 99_TMOD_F	TTCTAAAACACCAGGTC ACCCAGAAG	294	SP101_SPET1 1_2470_2497 TMOD_R	TAGCTGCTAGATGAGCTTC TGCCATGGCC	649
94	SP101_SPET 11_2468_24 87_F	ATGGCCATGGCAGAAGC TCA	295	SP101_SPET1 1_2543_2570 R	CCATAAGGTCACCGTCACC ATTCAAAGC	650
435	SP101_SPET 11_2468_24 87_TMOD_F	TATGGCCATGGCAGAAG CTCA	296	SP101_SPET1 1_2543_2570 TMOD_R	TCCATAAGGTCACCGTCAC CATTCAAAGC	651
78	SP101_SPET 11_266_295 F	CTTGTACTTGTGGCTCA CACGGCTGTTTGG	297	SP101_SPET1 1_355_380_R	GCTGCTTTGATGGCTGAAT CCCCTTC	661
436	SP101_SPET 11_266_295 TMOD_F	TCTTGTACTTGTGGCTC ACACGGCTGTTTGG	298	SP101_SPET1 1_355_380_T MOD_R	TGCTGCTTTGATGGCTGAA TCCCCTTC	662
95	SP101_SPET 11_2961_29 84_F	ACCATGACAGAAGGCAT TTTGACA	299	SP101_SPET1 1_3023_3045 R	GGAATTTACCAGCGATAGA CACC	652
437	SP101_SPET 11_2961_29 84_TMOD_F	TACCATGACAGAAGGCA TTTTGACA	300	SP101_SPET1 1_3023_3045 TMOD_R	TGGAATTTACCAGCGATAG ACACC	653
96	SP101_SPET 11_3075_31 03_F	GATGACTTTTTAGCTAA TGGTCAGGCAGC	301	SP101_SPET1 1_3168_3196 R	AATCGACGACCATCTTGGA AAGATTTCTC	656
438	SP101_SPET	TGATGACTTTTTAGCTA	302	SP101_SPET1	TAATCGACGACCATCTTGG	657

	11_3075_31 03_TMOD_F	ATGGTCAGGCAGC		1_3168_3196 _TMOD_R	AAAGATTTCTC	
448	SP101_SPET 11_3085_31 04_F	TAGCTAATGGTCAGGCA GCC	303	SP101_SPET1 1_3170_3194 _R	TCGACGACCATCTTGGAAA GATTTC	658
79	SP101_SPET 11_322_344 _F	GTCAAAGTGGCACGTTT ACTGGC	304	SP101_SPET1 1_423_441_R	ATCCCCTGCTTCTGCTGCC	665
439	SP101_SPET 11_322_344 _TMOD_F	TGTCAAAGTGGCACGTT TACTGGC	305	SP101_SPET1 1_423_441_T MOD_R	TATCCCCTGCTTCTGCTGC C	666
97	SP101_SPET 11_3386_34 03_F	AGCGTAAAGGTGAACCT T	306	SP101_SPET1 1_3480_3506 _R	CCAGCAGTTACTGTCCCCT CATCTTTG	659
440	SP101_SPET 11_3386_34 03_TMOD_F	TAGCGTAAAGGTGAACC TT	307	SP101_SPET1 1_3480_3506 _TMOD_R	TCCAGCAGTTACTGTCCCC TCATCTTTG	660
98	SP101_SPET 11_3511_35 35_F	GCTTCAGGAATCAATGA TGGAGCAG	308	SP101_SPET1 1_3605_3629 _R	GGGTCTACACCTGCACTTG CATAAC	663
441	SP101_SPET 11_3511_35 35_TMOD_F	TGCTTCAGGAATCAATG ATGGAGCAG	309	SP101_SPET1 1_3605_3629 _TMOD_R	TGGGTCTACACCTGCACTT GCATAAC	664
80	SP101_SPET 11_358_387 _F	GGGGATTCAGCCATCAA AGCAGCTATTGAC	310	SP101_SPET1 1_448_473_R	CCAACCTTTTCCACAACAG AATCAGC	668
442	SP101_SPET 11_358_387 _TMOD_F	TGGGGATTCAGCCATCA AAGCAGCTATTGAC	311	SP101_SPET1 1_448_473_T MOD_R	TCCAACCTTTTCCACAACA GAATCAGC	669
447	SP101_SPET 11_364_385 _F	TCAGCCATCAAAGCAGC TATTG	312	SP101_SPET1 1_448_471_R	TACCTTTTCCACAACAGAA TCAGC	667
81	SP101_SPET 11_600_629 _F	CCTTACTTCGAACTATG AATCTTTTGGAAG	313	SP101_SPET1 1_686_714_R	CCCATTTTTTCACGCATGC TGAAAATATC	670
443	SP101_SPET 11_600_629 _TMOD_F	TCCTTACTTCGAACTAT GAATCTTTTGGAAG	314	SP101_SPET1 1_686_714_T MOD_R	TCCCATTTTTTCACGCATG CTGAAAATATC	671
82	SP101_SPET 11_658_684 _F	GGGGATTGATATCACCG ATAAGAAGAA	315	SP101_SPET1 1_756_784_R	GATTGGCGATAAAGTGATA TTTTCTAAAA	672
444	SP101_SPET 11_658_684 _TMOD_F	TGGGGATTGATATCACC GATAAGAAGAA	316	SP101_SPET1 1_756_784_T MOD_R	TGATTGGCGATAAAGTGAT ATTTTCTAAAA	673
83	SP101_SPET 11_776_801 _F	TCGCCAATCAAAACTAA GGGAATGGC	317	SP101_SPET1 1_871_896_R	GCCCACCAGAAAGACTAGC AGGATAA	674
445	SP101_SPET 11_776_801 _TMOD_F	TTCGCCAATCAAAACTA AGGGAATGGC	318	SP101_SPET1 1_871_896_T MOD_R	TGCCCACCAGAAAGACTAG CAGGATAA	675
84	SP101_SPET 11_893_921 _F	GGGCAACAGCAGCGGAT TGCGATTGCGCG	319	SP101_SPET1 1_988_1012_ R	CATGACAGCCAAGACCTCA CCCACC	678
423	SP101_SPET 11_893_921 _TMOD_F	TGGCCAACAGCAGCGGA TTGCGATTGCGCG	320	SP101_SPET1 1_988_1012_ TMOD_R	TCATGACAGCCAAGACCTC ACCCACC	679
706	SSPE_BA_11 4_137_F	TCAAGCAAACGCACAAT CAGAAGC	321	SSPE_BA_196 _222_R	TTGCACGTCTGTTTCAGTT GCAAATTC	683
612	SSPE_BA_11 4_137P_F	TCAAGCAAACGCACAAC *U*AGAAGC	321	SSPE_BA_196 _222P_R	TTGCACGT*C*GTTTCAGT TGCAAATTC	684
58	SSPE_BA_11 5_137_F	CAAGCAAACGCACAATC AGAAGC	322	SSPE_BA_197 _222_R	TGCACGTCTGTTTCAGTTG CAAATTC	686
355	SSPE_BA_11 5_137_TMOD _F	TCAAGCAAACGCACAAT CAGAAGC	321	SSPE_BA_197 _222_TMOD_R	TTGCACGTCTGTTTCAGTT GCAAATTC	687
215	SSPE_BA_12 1_137_F	AACGCACAATCAGAAGC	323	SSPE_BA_197 _216_R	TCTGTTTCAGTTGCAAATT C	685
699	SSPE_BA_12 3_153_F	TGCACAATCAGAAGCTA AGAAGCGCAAGCT	324	SSPE_BA_202 _231_R	TTTCACAGCATGCACGTCT GTTTCAGTTGC	688
704	SSPE_BA_14 6_168_F	TGCAAGCTTCTGGTGCT AGCATT	325	SSPE_BA_242 _267_R	TTGTGATTGTTTTGCAGCT GATTGTG	689
702	SSPE_BA_15 0_168_F	TGCTTCTGGTGCTAGCA TT	326	SSPE_BA_243 _264_R	TGATTGTTTTGCAGCTGAT TGT	691
610	SSPE_BA_15 0_168P_F	TGCTTCTGGC*GC*C*AG U*ATT	326	SSPE_BA_243 _264P_R	TGATTGTTTTGU*AGU*TGA C*C*GT	691

700	SSPE_BA_15 6_168_F	TGGTGCTAGCATT	327	SSPE_BA_243 255_R	TGCAGCTGATTGT	690
608	SSPE_BA_15 6_168P_F	TGGC*GU*C*AGU*ATT	327	SSPE_BA_243 255P_R	TGU*AGU*TGAC*C*GT	690
705	SSPE_BA_63 89_F	TGCTAGTTAYGGTACAG AGTTTCGCAC	328	SSPE_BA_163 191_R	TCATAACTAGCATTTGTGC TTTGAATGCT	682
703	SSPE_BA_72 89_F	TGGTACAGAGTTTGCGA C	329	SSPE_BA_163 182_R	TCATTTGTGCTTTGAATGC T	681
611	SSPE_BA_72 89P_F	TGGTAU*AGAGC*C*C*G U*GAC	329	SSPE_BA_163 182P_R	TCATTTGTGCC*C*C*GAAC *GU*T	681
701	SSPE_BA_75 89_F	TACAGAGTTTGCGAC	330	SSPE_BA_163 177_R	TGTGCTTTGAATGCT	680
609	SSPE_BA_75 89P_F	TAU*AGAGC*C*C*GU*G AC	330	SSPE_BA_163 177P_R	TGTGCC*C*C*GAAC*GU*T	680
1099	TOXR_VSC_1 35_158_F	TCGATTAGGCAGCAACG AAAGCCG	331	TOXR_VSC_22 1_246_R	TTCAAAACCTTGCTCTCGC CAAACAA	692
905	TRPE_AY094 355_1064_1 086_F	TCGACCTTTGGCAGGAA CTAGAC	332	TRPE_AY0943 55_1171_119 6_R	TACATCGTTTCGCCCAAGA TCAATCA	693
904	TRPE_AY094 355_1278_1 303_F	TCAAATGTACAAGGTGA AGTGCGTGA	333	TRPE_AY0943 55_1392_141 8_R	TCCTCTTTTCACAGGCTCT ACTTCATC	694
903	TRPE_AY094 355_1445_1 471_F	TGGATGGCATGGTGAAA TGGATATGTC	334	TRPE_AY0943 55_1551_158 0_R	TATTTGGGTTTCATTCCAC TCAGATTCTGG	695
902	TRPE_AY094 355_1467_1 491_F	ATGTCGATTGCAATCCG TACTTGTG	335	TRPE_AY0943 55_1569_159 2_R	TGCGCGAGCTTTTATTTGG GTTTC	696
906	TRPE_AY094 355_666_68 8_F	GTGCATGCGGATACNGA GCAGAG	336	TRPE_AY0943 55_769_791_ R	TTCAAAATGCGGAGGCGTA TGTG	697
907	TRPE_AY094 355_757_77 6_F	TGCAAGCGCGACCACAT ACG	337	TRPE_AY0943 55_864_883_ R	TGCCCAGGTACAACCTGCA T	698
114	TUFB_EC_22 5_251_F	GCACTATGCACACGTAG ATTGTCCTGG	338	TUFB_EC_284 309_R	TATAGCACCATCCATCTGA GCGGCAC	706
60	TUFB_EC_23 9_259_2_F	TTGACTGCCCAGGTCAC GCTG	339	TUFB_EC_283 303_2_R	GCCGTCCATTTGAGCAGCA CC	704
59	TUFB_EC_23 9_259_F	TAGACTGCCCAGGACAC GCTG	340	TUFB_EC_283 303_R	GCCGTCCATCTGAGCAGCA CC	705
942	TUFB_EC_25 1_278_F	TGCACGCGACTATGTT AAGACATGAT	341	TUFB_EC_337 360_R	TATGTGCTCACGAGTTTGC GGCAT	707
941	TUFB_EC_27 5_299_F	TGATCACTGGTGCTGCT CAGATGGA	342	TUFB_EC_337 362_R	TGGATGTGCTCACGAGTCT GTGGCAT	708
117	TUFB_EC_75 7_774_F	AAGACGACCTGCACGGG C	343	TUFB_EC_849 867_R	GCGCTCCACGTCTTCACGC	709
293	TUFB_EC_95 7_979_F	CCACACGCCGTTCTTCA ACAACT	344	TUFB_EC_103 4_1058_R	GGCATCACCATTTCCTTGT CCTTCG	700
367	TUFB_EC_95 7_979_TMOD _F	TCCACACGCCGTTCTTC AACAACT	345	TUFB_EC_103 4_1058_TMOD _R	TGGCATCACCATTTCCTTG TCCTTCG	701
62	TUFB_EC_97 6_1000_2_F	AACTACCGTCCTCAGTT CTACTTCC	346	TUFB_EC_104 5_1068_2_R	GTTGTCACCAGGCATTACC ATTTC	702
61	TUFB_EC_97 6_1000_F	AACTACCGTCCGCAGTT CTACTTCC	347	TUFB_EC_104 5_1068_R	GTTGTCGCCAGGCATAACC ATTTC	703
63	TUFB_EC_98 5_1012_F	CCACAGTTCTACTTCCG TACTACTGACG	348	TUFB_EC_103 3_1062_R	TCCAGGCATTACCATTTCT ACTCCTTCTGG	699
225	VALS_EC_11 05_1124_F	CGTGGCGGCGTGGTTAT CGA	349	VALS_EC_119 5_1214_R	ACGAACTGGATGYCGCCGT T	710
71	VALS_EC_11 05_1124_F	CGTGGCGGCGTGGTTAT CGA	349	VALS_EC_119 5_1218_R	CGGTACGAACTGGATGTCG CCGTT	711
358	VALS_EC_11 05_1124_TM OD_F	TCGTGGCGGCGYGGTTA TCGA	350	VALS_EC_119 5_1218_TMOD _R	TCGGTACGAACTGGATGTC GCCGTT	712
965	VALS_EC_11 28_1151_F	TATGCTGACCGACCAGT GGTACGT	351	VALS_EC_123 1_1257_R	TTCGCGCATCCAGGAGAAG TACATGTT	713
112	VALS_EC_18 33_1850_F	CGACGCGCTGCGCTTCA C	352	VALS_EC_192 0_1943_R	GCGTTCCACAGCTTGTTGC AGAAG	714
116	VALS_EC_19 20_1943_F	CTTCTGCAACAAGCTGT CGAACGC	353	VALS_EC_194 8_1970_R	TCGCAGTTCATCAGCACGA ACGG	715
295	VALS_EC_61 0_649_F	ACCGACGAAGGAGACCA GC	354	VALS_EC_705 727_R	TATAACGCACATCGTCAGG GTGA	716
931	WAAA_Z9692 5_2_29_F	TCTTGCTCTTTCGTGAG TTCAGTAAATG	355	WAAA_Z96925 115_138_R	CAAGCGGTTTGCCTCAAAT AGTCA	717
932	WAAA_Z9692	TCGATCYGGTTTCATGC	356	WAAA_Z96925	TGGCACGAGCCTGACCTGC	718

	5_286_311_F	TGTTTCAGT		_394_412_R		

[0095] Primer pair name codes and reference sequences are shown in Table 2. The primer name code typically represents the gene to which the given primer pair is targeted. The primer pair name includes coordinates with respect to a reference sequence defined by an extraction of a section of sequence or defined by a GenBank gi number, or the corresponding complementary sequence of the extraction, or the entire GenBank gi number as indicated by the label "no extraction." Where "no extraction" is indicated for a reference sequence, the coordinates of a primer pair named to the reference sequence are with respect to the GenBank gi listing. Gene abbreviations are shown in bold type in the "Gene Name" column.

Table 2: Primer Name Codes and Reference Sequences

Primer name code	Gene Name	Organism	Reference GenBank gi number	Extracted gene coordinates of gi number	Extraction or entire gene SEQ ID NO:
16S_EC	**16S** rRNA (16S ribosomal RNA gene)	*Escherichia coli*	16127994	4033120..4034661	719
23S_EC	**23S** rRNA (23S ribosomal RNA gene)	*Escherichia coli*	16127994	4166220..4169123	720
CAPC_BA	**capC** (capsule biosynthesis gene)	*Bacillus anthracis*	6470151	Complement (55628..56074)	721
CYA_BA	**cya** (cyclic AMP gene)	*Bacillus anthracis*	4894216	Complement (154288..156626)	722
DNAK_EC	**dnaK** (chaperone dnaK gene)	*Escherichia coli*	16127994	12163..14079	723
GROL_EC	**groL** (chaperonin groL)	*Escherichia coli*	16127994	4368603..4370249	724
HFLB_EC	**hflB** (cell division protein peptidase ftsH)	*Escherichia coli*	16127994	Complement (3322645..3324576)	725
INFB_EC	**infB** (protein chain initiation factor infB gene)	*Escherichia coli*	16127994	Complement (3310983..3313655)	726
LEF_BA	**lef** (lethal factor)	*Bacillus anthracis*	21392688	Complement (149357..151786)	727
PAG_BA	**pag** (protective antigen)	*Bacillus anthracis*	21392688	143779..146073	728
RPLB_EC	**rplB** (50S ribosomal protein L2)	*Escherichia coli*	16127994	3449001..3448180	729
RPOB_EC	**rpoB** (DNA-directed RNA polymerase beta chain)	*Escherichia coli*	6127994	Complement 4178823..4182851	730
RPOC_EC	**rpoC** (DNA-directed RNA polymersse beta' chain)	*Escherichia coli*	16127994	4182928..4187151	731
SP101ET_SPET_11	Concatenation comprising: **gki** (glucose kinase) **gtr** (glutamine transporter protein) **murI** (glutamate racemase) **mutS** (DNA mismatch	Artificial Sequence* - partial gene sequences of *Streptococcus pyogenes*	15674250	Complement (1258294..1258791) complement (1236751..1237200) 312732..313169 Complement	732

	repair protein)			(1787602..1788007)	
	xpt (xanthine phosphoribosyl transferase)			930977..931425	
	yqiL (acetyl-CoA-acetyl transferase)			129471..129903	
	tkt (transketolase)			1391844..1391386	
SSPE_BA	**sspE** (small acid-soluble spore protein)	*Bacillus anthracis*	30253828	226496..226783	733
TUFB_EC	**tufB** (Elongation factor Tu)	*Escherichia coli*	16127994	4173523..4174707	734
VALS_EC	**valS** (Valyl-tRNA synthetase)	*Escherichia coli*	16127994	Complement (4481405..4478550)	735
ASPS_EC	**aspS** (Aspartyl-tRNA synthetase)	*Escherichia coli*	16127994	complement(1946777..1948546)	736
CAF1_AF053947	**caf1** (capsular protein caf1)	*Yersinia pestis*	2996286	No extraction - GenBank coordinates used	-
INV_Y22457	**inv** (invasin)	*Yersinia pestis*	1256565	74..3772	737
LL_NC003143	Y. pestis specific chromosomal genes - difference region	*Yersinia pestis*	16120353	No extraction - GenBank coordinates used	-
BONTA_X52066	**BoNT/A** (neurotoxin type A)	*Clostridium botulinum*	40381	77..3967	738
MECA_Y14051	**mecA** methicillin resistance gene	*Staphylococcus aureus*	2791983	No extraction - GenBank coordinates used	739
TRPE_AY094355	**trpE** (anthranilate synthase (large component))	*Acinetobacter baumanii*	20853695	No extraction - GenBank coordinates used	740
RECA_AF251469	**recA** (recombinase A)	*Acinetobacter baumanii*	3965210	No extraction - GenBank coordinates used	741
GYRA_AF100557	**gyrA** (DNA gyrase subunit A)	*Acinetobacter baumanii*	4240540	No extraction - GenBank coordinates used	742
GYRB_AB008700	**gyrB** (DNA gyrase subunit B)	*Acinetobacter baumanii*	4514436	No extraction - GenBank coordinates used	743
WAAA_E96925	**waaA** (3-deoxy-D-manno-octulosonic-acid transferase)	*Acinetobacter baumanii*	2765828	No extraction - GenBank coordinates used	744
CJST_CJ	Concatenation comprising:	Artificial Sequence* - partial gene sequences of *Campylobacter jejuni*			
	tkt (transketolase)			1569415..1569873	
	glyA (serine hydroxymethyltransferase)		15791399	367573..368079	
	gltA (citrate synthase)			complement (1604529..1604930)	
	aspA (aspartate ammonia lyase)			96692..97168	745
	glnA (glutamine synthase)			complement (657609..658085)	
	pgm (phosphoglycerate mutase)			327773..328270	

	uncA (ATP synthetase alpha chain)			112163..112651	
RNASEP_BDP	RNase P (ribonuclease P)	*Bordetella pertussis*	33591275	Complement (3226720..3227933)	746
RNASEP_BXM	RNase P (ribonuclease P)	*Burkholderia mallei*	53723370	Complement (2527296..2528220)	747
RNASEP_BS	RNase P (ribonuclease P)	*Bacillus subtilis*	16077068	Complement (2330250..2330962)	748
RNASEP_CLB	RNase P (ribonuclease P)	*Clostridium perfringens*	18308982	Complement (2291757..2292584)	749
RNASEP_EC	RNase P (ribonuclease P)	*Escherichia coli*	16127994	Complement (3267457..3268233	750
RNASEP_RKP	RNase P (ribonuclease P)	*Rickettsia prowazekii*	15603881	complement(605276..606109)	751
RNASEP_SA	RNase P (ribonuclease P)	*Staphylococcus aureus*	15922990	complement(1559869..1560651)	752
RNASEP_VBC	RNase P (ribonuclease P)	*Vibrio cholerae*	15640032	complement(2580367..2581452)	753
ICD_CXB	icd (isocitrate dehydrogenase)	*Coxiella burnetii*	29732244	complement(1143867..1144235)	754
IS1111A	multi-locus IS1111A insertion element	*Acinetobacter baumannii*	29732244	No extraction	-
OMPA_AY485227	ompA (outer membrane protein A)	*Rickettsia prowazekii*	40287451	No extraction	755
OMPB_RKP	ompB (outer membrane protein B)	*Rickettsia prowazekii*	15603881	complement(881264..886195)	756
GLTA_RKP	gltA (citrate synthase)	*Vibrio cholerae*	15603881	complement(1062547..1063857)	757
TOXR_VBC	toxR (transcription regulator toxR)	*Francisella tularensis*	15640032	complement(1047143..1048024)	758
ASD_FRT	asd (Aspartate semialdehyde dehydrogenase)	*Francisella tularensis*	56707187	complement(438608..439702)	759
GALE_FRT	galE (UDP-glucose 4-epimerase)	*Shigella flexneri*	56707187	809039..810058	760
IPAH_SGF	ipaH (invasion plasmid antigen)	*Campylobacter jejuni*	30061571	2210775..2211614	761
HUPB_CJ	hupB (DNA-binding protein Hu-beta)	*Coxiella burnetii*	15791399	complement(849317..849819)	762
AB_MLST	Concatenation comprising: trpE (anthranilate synthase component I)) adk (adenylate kinase) mutY (adenine glycosylase) fumC (fumarate hydratase) efp (elongation factor p) ppa (pyrophosphate phospho-hydratase	Artificial Sequence* - partial gene sequences of *Acinetobacter baumannii*	-	Sequenced in-house	763

[0096] * Note: These artificial reference sequences represent concatenations of partial gene extractions from the indicated reference gi number. Partial sequences were used to create the concatenated sequence because complete gene sequences were not necessary for primer design. The stretches of arbitrary residues "N"s were added for the convenience of separation of the partial gene extractions (100N for SP101_SPET11 (SEQ ID NO: 732); 50N for CJST_CJ (SEQ ID NO: 745); and 40N for AB_MLST (SEQ ID NO: 763)).

[0097] Example 2: DNA isolation and Amplification

[0098] Genomic materials from culture samples or swabs were prepared using the DNeasy® 96 Tissue Kit (Qiagen, Valencia, CA). All PCR reactions are assembled in 50 µl reactions in the 96 well microtiter plate format using a Packard MPII liquid handling robotic platform and MJ Dyad® thermocyclers (MJ research, Waltham, MA). The PCR reaction consisted of 4 units of Amplitaq Gold®, 1x buffer II (Applied Biosystems, Foster City, CA), 1.5 mM $MgCl_2$, 0.4 M betaine, 800 µM dNTP mix, and 250 nM of each primer.

[0099] The following PCR conditions were used to amplify the sequences used for mass spectrometry analysis: 95C for 10 minutes followed by 8 cycles of 95C for 30 seconds, 48C for 30 seconds, and 72C for 30 seconds, with the 48C annealing temperature increased 0.9C after each cycle. The PCR was then continued for 37 additional cycles of 95C for 15 seconds, 56C for 20 seconds, and 72C for 20 seconds.

[0100] Example 3: Solution Capture Purification of PCR Products for Mass Spectrometry with Ion Exchange Resin-Magnetic Beads

[0101] For solution capture of nucleic acids with ion exchange resin linked to magnetic beads, 25 µl of a 2.5 mg/mL suspension of BioClon amine terminated supraparamagnetic beads were added to 25 to 50 µl of a PCR reaction containing approximately 10 pM of a typical PCR amplification product. The above suspension was mixed for approximately 5 minutes by vortexing or pipetting, after which the liquid was removed after using a magnetic separator. The beads containing bound PCR amplification product were then washed 3x with 50mM ammonium bicarbonate/50% MeOH or 100mM ammonium bicarbonate/50% MeOH, followed by three more washes with 50% MeOH. The bound PCR amplicon was eluted with 25mM piperidine, 25mM imidazole, 35% MeOH, plus peptide calibration standards.

[0102] Example 4: Mass Spectrometry and Base Composition Analysis

[0103] The ESI-FTICR mass spectrometer is based on a Bruker Daltonics (Billerica, MA) Apex II 70e electrospray ionization Fourier transform ion cyclotron resonance mass spectrometer that employs an actively shielded 7 Tesla superconducting magnet. The active shielding constrains the majority of the fringing magnetic field from the superconducting magnet to a relatively small volume. Thus, components that might be adversely affected by stray magnetic fields, such as CRT monitors, robotic components, and other electronics, can operate in close proximity to the FTICR spectrometer. All aspects of pulse sequence control and data acquisition were performed on a 600 MHz Pentium II data station running Bruker's Xmass software under Windows NT 4.0 operating system. Sample aliquots, typically 15 µl, were extracted directly from 96-well microtiter plates using a CTC HTS PAL autosampler (LEAP Technologies, Carrboro, NC) triggered by the FTICR data station. Samples were injected directly into a 10 µl sample loop integrated with a fluidics handling system that supplies the 100 µl /hr flow rate to the ESI source. Ions were formed via electrospray ionization in a modified Analytica (Branford, CT) source employing an off axis, grounded electrospray probe positioned approximately 1.5 cm from the metalized terminus of a glass desolvation capillary. The atmospheric pressure end of the glass capillary was biased at 6000 V relative to the ESI needle during data acquisition. A counter-current flow of dry N_2 was employed to assist in the desolvation process. Ions were accumulated in an external ion reservoir comprised of an rf-only hexapole, a skimmer cone, and an auxiliary gate electrode, prior to injection into the trapped ion cell where they were mass analyzed. Ionization duty cycles > 99% were achieved by simultaneously accumulating ions in the external ion reservoir during ion detection. Each detection event consisted of 1M data points digitized over 2.3 s. To improve the signal-to-noise ratio (S/N), 32 scans were co-added for a total data acquisition time of 74 s.

[0104] The ESI-TOF mass spectrometer is based on a Bruker Daltonics MicroTOF™. Ions from the ESI source undergo orthogonal ion extraction and are focused in a reflectron prior to detection. The TOF and FTICR are equipped with the same automated sample handling and fluidics described above. Ions are formed in the standard MicroTOF™ ESI source that is equipped with the same off-axis sprayer and glass capillary as the FTICR ESI source. Consequently, source conditions were the same as those described above. External ion accumulation was also employed to improve ionization duty cycle during data acquisition. Each detection event on the TOF was comprised of 75,000 data points digitized over 75 µs.

[0105] The sample delivery scheme allows sample aliquots to be rapidly injected into the electrospray source at high flow rate and subsequently be electrosprayed at a much lower flow rate for improved ESI sensitivity. Prior to injecting a sample, a bolus of buffer was injected at a high flow rate to rinse the transfer line and spray needle to avoid sample contamination/carryover. Following the rinse step, the autosampler injected the next sample and the flow rate was switched to low flow. Following a brief equilibration delay, data acquisition commenced. As spectra were co-added, the autosampler continued rinsing the syringe and picking up buffer to rinse the injector and sample transfer line. In general, two syringe rinses and one injector rinse were required to minimize sample carryover. During a routine screening protocol a new sample mixture was injected every 106 seconds. More recently a fast wash station for the syringe needle has been implemented which, when combined with shorter acquisition times, facilitates the acquisition of mass spectra at a rate of just under one spectrum/minute.

[0106] Raw mass spectra were post-calibrated with an internal mass standard and deconvoluted to monoisotopic molecular masses. Unambiguous base compositions were derived from the exact mass measurements of the complementary single-stranded oligonucleotides. Quantitative results are obtained by comparing the peak heights with an internal PCR calibration standard present in every PCR well at 500 molecules per well for the ribosomal DNA-targeted primers and 100 molecules per well for the protein-encoding gene targets. Calibration methods are commonly owned and disclosed in U.S. Provisional Patent Application Serial No. 60/545,425.

[0107] Example 5: *De Novo* Determination of Base Composition of Amplification Products using Molecular Mass Modified Deoxynucleotide Triphosphates

[0108] Because the molecular masses of the four natural nucleobases have a relatively narrow molecular mass range (A = 313.058, G = 329.052, C = 289.046, T = 304.046 – See Table 3), a persistent source of ambiguity in assignment of base composition can occur as follows: two nucleic acid strands having different base composition may have a difference of about 1 Da when the base composition difference between the two strands is G ↔ A (-15.994) combined with C ↔ T (+15.000). For example, one 99-mer nucleic acid strand having a base composition of $A_{27}G_{30}C_{21}T_{21}$ has a theoretical molecular mass of 30779.058 while another 99-mer nucleic acid strand having a base composition of $A_{26}G_{31}C_{22}T_{20}$ has a theoretical molecular mass of 30780.052. A 1 Da difference in molecular mass may be within the experimental error of a

molecular mass measurement and thus, the relatively narrow molecular mass range of the four natural nucleobases imposes an uncertainty factor.

[0109] The present invention provides for a means for removing this theoretical 1 Da uncertainty factor through amplification of a nucleic acid with one mass-tagged nucleobase and three natural nucleobases. The term "nucleobase" as used herein is synonymous with other terms in use in the art including "nucleotide," "deoxynucleotide," "nucleotide residue," "deoxynucleotide residue," "nucleotide triphosphate (NTP)," or deoxynucleotide triphosphate (dNTP).

[0110] Addition of significant mass to one of the 4 nucleobases (dNTPs) in an amplification reaction, or in the primers themselves, will result in a significant difference in mass of the resulting amplification product (significantly greater than 1 Da) arising from ambiguities arising from the G ↔ A combined with C ↔ T event (Table 3). Thus, the same the G ↔ A (-15.994) event combined with 5-Iodo-C ↔ T (-110.900) event would result in a molecular mass difference of 126.894. If the molecular mass of the base composition $A_{27}G_{30}$**5-Iodo-C**$_{21}T_{21}$ (33422.958) is compared with $A_{26}G_{31}$**5-Iodo-C**$_{22}T_{20}$, (33549.852) the theoretical molecular mass difference is +126.894. The experimental error of a molecular mass measurement is not significant with regard to this molecular mass difference. Furthermore, the only base composition consistent with a measured molecular mass of the 99-mer nucleic acid is $A_{27}G_{30}$**5-Iodo-C**$_{21}T_{21}$. In contrast, the analogous amplification without the mass tag has 18 possible base compositions.

Table 3: Molecular Masses of Natural Nucleobases and the Mass-Modified Nucleobase 5-Iodo-C and Molecular Mass Differences Resulting from Transitions

Nucleobase	Molecular Mass	Transition	Δ Molecular Mass
A	313.058	A-->T	-9.012
A	313.058	A-->C	-24.012
A	313.058	A-->5-Iodo-C	101.888
A	313.058	A-->G	15.994
T	304.046	T-->A	9.012
T	304.046	T-->C	-15.000
T	304.046	T-->5-Iodo-C	110.900
T	304.046	T-->G	25.006
C	289.046	C-->A	24.012
C	289.046	C-->T	15.000
C	289.046	C-->G	40.006

5-Iodo-C	414.946	5-Iodo-C-->A	-101.888
5-Iodo-C	414.946	5-Iodo-C-->T	-110.900
5-Iodo-C	414.946	5-Iodo-C-->G	-85.894
G	329.052	G-->A	-15.994
G	329.052	G-->T	-25.006
G	329.052	G-->C	-40.006
G	329.052	G-->5-Iodo-C	85.894

[0111] Example 6: Data Processing

[0112] Mass spectra of bioagent identifying amplicons are analyzed independently using a maximum-likelihood processor, such as is widely used in radar signal processing. This processor, referred to as GenX, first makes maximum likelihood estimates of the input to the mass spectrometer for each primer by running matched filters for each base composition aggregate on the input data. This includes the GenX response to a calibrant for each primer.

[0113] The algorithm emphasizes performance predictions culminating in probability-of-detection versus probability-of-false-alarm plots for conditions involving complex backgrounds of naturally occurring organisms and environmental contaminants. Matched filters consist of *a priori* expectations of signal values given the set of primers used for each of the bioagents. A genomic sequence database is used to define the mass base count matched filters. The database contains the sequences of known bacterial bioagents and includes threat organisms as well as benign background organisms. The latter is used to estimate and subtract the spectral signature produced by the background organisms. A maximum likelihood detection of known background organisms is implemented using matched filters and a running-sum estimate of the noise covariance. Background signal strengths are estimated and used along with the matched filters to form signatures which are then subtracted. the maximum likelihood process is applied to this "cleaned up" data in a similar manner employing matched filters for the organisms and a running-sum estimate of the noise-covariance for the cleaned up data.

[0114] The amplitudes of all base compositions of bioagent identifying amplicons for each primer are calibrated and a final maximum likelihood amplitude estimate per organism is made based upon the multiple single primer estimates. Models of all system noise are factored into this two-stage maximum likelihood calculation. The processor reports the number of molecules of each base composition contained in the spectra. The quantity of amplification product

corresponding to the appropriate primer set is reported as well as the quantities of primers remaining upon completion of the amplification reaction.

[0115] Example 7: Use of Broad Range Survey and Division Wide Primer Pairs for Identification of Bacteria in an Epidemic Surveillance Investigation

[0116] This investigation employed a set of 16 primer pairs which is herein designated the "surveillance primer set" and comprises broad range survey primer pairs, division wide primer pairs and a single *Bacillus* clade primer pair. The surveillance primer set is shown in Table 4 and consists of primer pairs originally listed in Table 1. This surveillance set comprises primers with T modifications (note TMOD designation in primer names) which constitutes a functional improvement with regard to prevention of non-templated adenylation (*vide supra*) relative to originally selected primers which are displayed below in the same row. Primer pair 449 (non-T modified) has been modified twice. Its predecessors are primer pairs 70 and 357, displayed below in the same row. Primer pair 360 has also been modified twice and its predecessors are primer pairs 17 and 118.

Table 4: Bacterial Primer Pairs of the Surveillance Primer Set

Primer Pair No.	Forward Primer Name	Forward Primer (SEQ ID NO:)	Reverse Primer Name	Reverse Primer (SEQ ID NO:)	Target Gene
346	16S_EC_713_732_TMOD_F	27	16S_EC_789_809_TMOD_R	389	16S rRNA
10	16S_EC_713_732_F	26	16S_EC_789_809	388	16S rRNA
347	16S_EC_785_806_TMOD_F	30	16S_EC_880_897_TMOD_R	392	16S rRNA
11	16S_EC_785_806_F	29	16S_EC_880_897_R	391	16S rRNA
348	16S_EC_960_981_TMOD_F	38	16S_EC_1054_1073_TMOD_R	363	16S rRNA
14	16S_EC_960_981_F	37	16S_EC_1054_1073_R	362	16S rRNA
349	23S_EC_1826_1843_TMOD_F	49	23S_EC_1906_1924_TMOD_R	405	23S rRNA
16	23S_EC_1826_1843_F	48	23S_EC_1906_1924_R	404	23S rRNA
352	INFB_EC_1365_1393_TMOD_F	161	INFB_EC_1439_1467_TMOD_R	516	infB
34	INFB_EC_1365_1393_F	160	INFB_EC_1439_1467_R	515	infB
354	RPOC_EC_2218_2241_TMOD_F	262	RPOC_EC_2313_2337_TMOD_R	625	rpoC
52	RPOC_EC_2218_2241_F	261	RPOC_EC_2313_2337_R	624	rpoC
355	SSPE_BA_115_137_TMOD_F	321	SSPE_BA_197_222_TMOD_R	687	sspE
58	SSPE_BA_115_137_F	322	SSPE_BA_197_222_R	686	sspE
356	RPLB_EC_650_679_TMOD_F	232	RPLB_EC_739_762_TMOD_R	592	rplB
66	RPLB_EC_650_679_F	231	RPLB_EC_739_762_R	591	rplB
358	VALS_EC_1105_1124_TMOD_F	350	VALS_EC_1195_1218_TMOD_R	712	valS
71	VALS_EC_1105_1124_F	349	VALS_EC_1195_1218_R	711	valS
359	RPOB_EC_1845_1866_TMOD_F	241	RPOB_EC_1909_1929_TMOD_R	597	rpoB
72	RPOB_EC_1845_1866_F	240	RPOB_EC_1909_1929_R	596	rpoB
360	23S_EC_2646_2667_TMOD_F	60	23S_EC_2745_2765_TMOD_R	416	23S rRNA
118	23S_EC_2646_2667_F	59	23S_EC_2745_2765_R	415	23S rRNA
17	23S_EC_2645_2669_F	58	23S_EC_2744_2761_R	414	23S rRNA

361	16S_EC_1090_1111_2_TMOD_F	5	16S_EC_1175_1196_TMOD_R	370	16S rRNA
3	16S_EC_1090_1111_2_F	6	16S_EC_1175_1196_R	369	16S rRNA
362	RPOB_EC_3799_3821_TMOD_F	245	RPOB_EC_3862_3888_TMOD_R	603	rpoB
289	RPOB_EC_3799_3821_F	246	RPOB_EC_3862_3888_R	602	rpoB
363	RPOC_EC_2146_2174_TMOD_F	257	RPOC_EC_2227_2245_TMOD_R	621	rpoC
290	RPOC_EC_2146_2174_F	256	RPOC_EC_2227_2245_R	620	rpoC
367	TUFB_EC_957_979_TMOD_F	345	TUFB_EC_1034_1058_TMOD_R	701	tufB
293	TUFB_EC_957_979_F	344	TUFB_EC_1034_1058_R	700	tufB
449	RPLB_EC_690_710_F	237	RPLB_EC_737_758_R	589	rplB
357	RPLB_EC_688_710_TMOD_F	236	RPLB_EC_736_757_TMOD_R	588	rplB
67	RPLB_EC_688_710_F	235	RPLB_EC_736_757_R	587	rplB

[0117] The 16 primer pairs of the surveillance set are used to produce bioagent identifying amplicons whose base compositions are sufficiently different amongst all known bacteria at the species level to identify, at a reasonable confidence level, any given bacterium at the species level. As shown in Tables 6A-E, common respiratory bacterial pathogens can be distinguished by the base compositions of bioagent identifying amplicons obtained using the 16 primer pairs of the surveillance set. In some cases, triangulation identification improves the confidence level for species assignment. For example, nucleic acid from *Streptococcus pyogenes* can be amplified by nine of the sixteen surveillance primer pairs and *Streptococcus pneumoniae* can be amplified by ten of the sixteen surveillance primer pairs. The base compositions of the bioagent identifying amplicons are identical for only one of the analogous bioagent identifying amplicons and differ in all of the remaining analogous bioagent identifying amplicons by up to four bases per bioagent identifying amplicon. The resolving power of the surveillance set was confirmed by determination of base compositions for 120 isolates of respiratory pathogens representing 70 different bacterial species and the results indicated that natural variations (usually only one or two base substitutions per bioagent identifying amplicon) amongst multiple isolates of the same species did not prevent correct identification of major pathogenic organisms at the species level.

[0118] *Bacillus anthracis* is a well known biological warfare agent which has emerged in domestic terrorism in recent years. Since it was envisioned to produce bioagent identifying amplicons for identification of *Bacillus anthracis*, additional drill-down analysis primers were designed to target genes present on virulence plasmids of *Bacillus anthracis* so that additional confidence could be reached in positive identification of this pathogenic organism. Three drill-down analysis primers were designed and are listed in Tables 1 and 5. In Table 5 the drill-down set comprises primers with T modifications (note TMOD designation in primer names) which

constitutes a functional improvement with regard to prevention of non-templated adenylation (*vide supra*) relative to originally selected primers which are displayed below in the same row.

Table 5: Drill-Down Primer Pairs for Confirmation of Identification of *Bacillus anthracis*

Primer Pair No.	Forward Primer Name	Forward Primer (SEQ ID NO:)	Reverse Primer Name	Reverse Primer (SEQ ID NO:)	Target Gene
350	CAPC_BA_274_303_TMOD_F	98	CAPC_BA_349_376_TMOD_R	452	capC
24	CAPC_BA_274_303_F	97	CAPC_BA_349_376_R	451	capC
351	CYA_BA_1353_1379_TMOD_F	128	CYA_BA_1448_1467_TMOD_R	483	cyA
30	CYA_BA_1353_1379_F	127	CYA_BA_1448_1467_R	482	cyA
353	LEF_BA_756_781_TMOD_F	175	LEF_BA_843_872_TMOD_R	531	lef
37	LEF_BA_756_781_F	174	LEF_BA_843_872_R	530	lef

[0119] Phylogenetic coverage of bacterial space of the sixteen surveillance primers of Table 4 and the three *Bacillus* anthracis drill-down primers of Table 5 is shown in Figure 3 which lists common pathogenic bacteria. Figure 3 is not meant to be comprehensive in illustrating all species identified by the primers. Only pathogenic bacteria are listed as representative examples of the bacterial species that can be identified by the primers and methods of the present invention. Nucleic acid of groups of bacteria enclosed within the polygons of Figure 3 can be amplified to obtain bioagent identifying amplicons using the primer pair numbers listed in the upper right hand corner of each polygon. Primer coverage for polygons within polygons is additive. As an illustrative example, bioagent identifying amplicons can be obtained for *Chlamydia trachomatis* by amplification with, for example, primer pairs 346-349, 360 and 361, but not with any of the remaining primers of the surveillance primer set. On the other hand, bioagent identifying amplicons can be obtained from nucleic acid originating from *Bacillus anthracis* (located within 5 successive polygons) using, for example, any of the following primer pairs: 346-349, 360, 361 (base polygon), 356, 449 (second polygon), 352 (third polygon), 355 (fourth polygon), 350, 351 and 353 (fifth polygon). Multiple coverage of a given organism with multiple primers provides for increased confidence level in identification of the organism as a result of enabling broad triangulation identification.

[0120] In Tables 6A-E, base compositions of respiratory pathogens for primer target regions are shown. Two entries in a cell, represent variation in ribosomal DNA operons. The most predominant base composition is shown first and the minor (frequently a single operon) is indicated by an asterisk (*). Entries with NO DATA mean that the primer would not be expected to prime this species due to mismatches between the primer and target region, as determined by theoretical PCR.

Table 6A – Base Compositions of Common Respiratory Pathogens for Bioagent Identifying Amplicons Corresponding to Primer Pair Nos: 346, 347 and 348

Organism	Strain	Primer 346 [A G C T]	Primer 347 [A G C T]	Primer 348 [A G C T]
Klebsiella pneumoniae	MGH78578	[29 32 25 13] [29 31 25 13]*	[23 38 28 26] [23 37 28 26]*	[26 32 28 30] [26 31 28 30]*
Yersinia pestis	CO-92 Biovar Orientalis	[29 32 25 13]	[22 39 28 26]	[29 30 28 29] [30 30 27 29]*
Yersinia pestis	KIM5 P12 (Biovar Mediaevalis)	[29 32 25 13]	[22 39 28 26]	[29 30 28 29]
Yersinia pestis	91001	[29 32 25 13]	[22 39 28 26]	[29 30 28 29] [30 30 27 29]*
Haemophilus influenzae	KW20	[28 31 23 17]	[24 37 25 27]	[29 30 28 29]
Pseudomonas aeruginosa	PAO1	[30 31 23 15]	[26 36 29 24] [27 36 29 23]*	[26 32 29 29]
Pseudomonas fluorescens	Pf0-1	[30 31 23 15]	[26 35 29 25]	[28 31 28 29]
Pseudomonas putida	KT2440	[30 31 23 15]	[28 33 27 27]	[27 32 29 28]
Legionella pneumophila	Philadelphia-1	[30 30 24 15]	[33 33 23 27]	[29 28 28 31]
Francisella tularensis	schu 4	[32 29 22 16]	[28 38 26 26]	[25 32 28 31]
Bordetella pertussis	Tohama I	[30 29 24 16]	[23 37 30 24]	[30 32 30 26]
Burkholderia cepacia	J2315	[29 29 27 14]	[27 32 26 29]	[27 36 31 24] [20 42 35 19]*
Burkholderia pseudomallei	K96243	[29 29 27 14]	[27 32 26 29]	[27 36 31 24]
Neisseria gonorrhoeae	FA 1090, ATCC 700825	[29 28 24 18]	[27 34 26 28]	[24 36 29 27]
Neisseria meningitidis	MC58 (serogroup B)	[29 28 26 16]	[27 34 27 27]	[25 35 30 26]
Neisseria meningitidis	serogroup C, FAM18	[29 28 26 16]	[27 34 27 27]	[25 35 30 26]
Neisseria meningitidis	Z2491 (serogroup A)	[29 28 26 16]	[27 34 27 27]	[25 35 30 26]
Chlamydophila pneumoniae	TW-183	[31 27 22 19]	NO DATA	[32 27 27 29]
Chlamydophila pneumoniae	AR39	[31 27 22 19]	NO DATA	[32 27 27 29]
Chlamydophila pneumoniae	CWL029	[31 27 22 19]	NO DATA	[32 27 27 29]
Chlamydophila pneumoniae	J138	[31 27 22 19]	NO DATA	[32 27 27 29]
Corynebacterium diphtheriae	NCTC13129	[29 34 21 15]	[22 38 31 25]	[22 33 25 34]
Mycobacterium avium	k10	[27 36 21 15]	[22 37 30 28]	[21 36 27 30]
Mycobacterium avium	104	[27 36 21 15]	[22 37 30 28]	[21 36 27 30]
Mycobacterium tuberculosis	CSU#93	[27 36 21 15]	[22 37 30 28]	[21 36 27 30]
Mycobacterium tuberculosis	CDC 1551	[27 36 21 15]	[22 37 30 28]	[21 36 27 30]
Mycobacterium tuberculosis	H37Rv (lab strain)	[27 36 21 15]	[22 37 30 28]	[21 36 27 30]
Mycoplasma pneumoniae	M129	[31 29 19 20]	NO DATA	NO DATA
Staphylococcus aureus	MRSA252	[27 30 21 21]	[25 35 30 26]	[30 29 30 29] [29 31 30 29]*
Staphylococcus aureus	MSSA476	[27 30 21 21]	[25 35 30 26]	[30 29 30 29] [30 29 29 30]*
Staphylococcus aureus	COL	[27 30 21 21]	[25 35 30 26]	[30 29 30 29] [30 29 29 30]*
Staphylococcus aureus	Mu50	[27 30 21 21]	[25 35 30 26]	[30 29 30 29] [30 29 29 30]*
Staphylococcus aureus	MW2	[27 30 21 21]	[25 35 30 26]	[30 29 30 29] [30 29 29 30]*

Staphylococcus aureus	N315	[27 30 21 21]	[25 35 30 26]	[30 29 30 29] [30 29 29 30]*
Staphylococcus aureus	NCTC 8325	[27 30 21 21]	[25 35 30 26] [25 35 31 26]*	[30 29 30 29] [30 29 29 30]
Streptococcus agalactiae	NEM316	[26 32 23 18]	[24 36 31 25] [24 36 30 26]*	[25 32 29 30]
Streptococcus equi	NC_002955	[26 32 23 18]	[23 37 31 25]	[29 30 25 32]
Streptococcus pyogenes	MGAS8232	[26 32 23 18]	[24 37 30 25]	[25 31 29 31]
Streptococcus pyogenes	MGAS315	[26 32 23 18]	[24 37 30 25]	[25 31 29 31]
Streptococcus pyogenes	SSI-1	[26 32 23 18]	[24 37 30 25]	[25 31 29 31]
Streptococcus pyogenes	MGAS10394	[26 32 23 18]	[24 37 30 25]	[25 31 29 31]
Streptococcus pyogenes	Manfredo (M5)	[26 32 23 18]	[24 37 30 25]	[25 31 29 31]
Streptococcus pyogenes	SF370 (M1)	[26 32 23 18]	[24 37 30 25]	[25 31 29 31]
Streptococcus pneumoniae	670	[26 32 23 18]	[25 35 28 28]	[25 32 29 30]
Streptococcus pneumoniae	R6	[26 32 23 18]	[25 35 28 28]	[25 32 29 30]
Streptococcus pneumoniae	TIGR4	[26 32 23 18]	[25 35 28 28]	[25 32 30 29]
Streptococcus gordonii	NCTC7868	[25 33 23 18]	[24 36 31 25]	[25 31 29 31]
Streptococcus mitis	NCTC 12261	[26 32 23 18]	[25 35 30 26]	[25 32 29 30] [24 31 35 29]*
Streptococcus mutans	UA159	[24 32 24 19]	[25 37 30 24]	[28 31 26 31]

Table 6B – Base Compositions of Common Respiratory Pathogens for Bioagent Identifying Amplicons Corresponding to Primer Pair Nos: 349, 360, and 356

Organism	Strain	Primer 349 [A G C T]	Primer 360 [A G C T]	Primer 356 [A G C T]
Klebsiella pneumoniae	MGH78578	[25 31 25 22]	[33 37 25 27]	NO DATA
Yersinia pestis	CO-92 Biovar Orientalis	[25 31 27 20] [25 32 26 20]*	[34 35 25 28]	NO DATA
Yersinia pestis	KIM5 P12 (Biovar Mediaevalis)	[25 31 27 20] [25 32 26 20]*	[34 35 25 28]	NO DATA
Yersinia pestis	91001	[25 31 27 20]	[34 35 25 28]	NO DATA
Haemophilus influenzae	RW20	[28 28 25 20]	[32 38 25 27]	NO DATA
Pseudomonas aeruginosa	PAO1	[24 31 26 20]	[31 36 27 27] [31 36 27 28]*	NO DATA
Pseudomonas fluorescens	Pf0-1	NO DATA	[30 37 27 28] [30 37 27 28]	NO DATA
Pseudomonas putida	KT2440	[24 31 26 20]	[30 37 27 28]	NO DATA
Legionella pneumophila	Philadelphia-1	[23 30 25 23]	[30 39 29 24]	NO DATA
Francisella tularensis	schu 4	[26 31 25 19]	[32 36 27 27]	NO DATA
Bordetella pertussis	Tohama I	[21 29 24 18]	[33 36 26 27]	NO DATA
Burkholderia cepacia	J2315	[23 27 22 20]	[31 37 28 26]	NO DATA
Burkholderia pseudomallei	K96243	[23 27 22 20]	[31 37 28 26]	NO DATA
Neisseria gonorrhoeae	FA 1090, ATCC 700825	[24 27 24 17]	[34 37 25 26]	NO DATA
Neisseria meningitidis	MC58 (serogroup B)	[25 27 22 18]	[34 37 25 26]	NO DATA
Neisseria meningitidis	serogroup C, FAM18	[25 26 23 18]	[34 37 25 26]	NO DATA
Neisseria	Z2491 (serogroup A)	[25 26 23 18]	[34 37 25 26]	NO DATA

meningitidis				
Chlamydophila pneumoniae	TW-183	[30 28 27 18]	NO DATA	NO DATA
Chlamydophila pneumoniae	AR39	[30 28 27 18]	NO DATA	NO DATA
Chlamydophila pneumoniae	CWL029	[30 28 27 18]	NO DATA	NO DATA
Chlamydophila pneumoniae	J138	[30 28 27 18]	NO DATA	NO DATA
Corynebacterium diphtheriae	NCTC13129	NO DATA	[29 40 28 25]	NO DATA
Mycobacterium avium	k10	NO DATA	[33 35 32 22]	NO DATA
Mycobacterium avium	104	NO DATA	[33 35 32 22]	NO DATA
Mycobacterium tuberculosis	CSU#93	NO DATA	[30 36 34 22]	NO DATA
Mycobacterium tuberculosis	CDC 1551	NO DATA	[30 36 34 22]	NO DATA
Mycobacterium tuberculosis	H37Rv (lab strain)	NO DATA	[30 36 34 22]	NO DATA
Mycoplasma pneumoniae	M129	[28 30 24 19]	[34 31 29 28]	NO DATA
Staphylococcus aureus	MRSA252	[26 30 25 20]	[31 38 24 29]	[33 30 31 27]
Staphylococcus aureus	MSSA476	[26 30 25 20]	[31 38 24 29]	[33 30 31 27]
Staphylococcus aureus	COL	[26 30 25 20]	[31 38 24 29]	[33 30 31 27]
Staphylococcus aureus	Mu50	[26 30 25 20]	[31 38 24 29]	[33 30 31 27]
Staphylococcus aureus	MW2	[26 30 25 20]	[31 38 24 29]	[33 30 31 27]
Staphylococcus aureus	N315	[26 30 25 20]	[31 38 24 29]	[33 30 31 27]
Staphylococcus aureus	NCTC 8325	[26 30 25 20]	[31 38 24 29]	[33 30 31 27]
Streptococcus agalactiae	NEM316	[28 31 22 20]	[33 37 24 28]	[37 30 28 26]
Streptococcus equi	NC_002955	[28 31 23 19]	[33 38 24 27]	[37 31 28 25]
Streptococcus pyogenes	MGAS8232	[28 31 23 19]	[33 37 24 28]	[38 31 29 23]
Streptococcus pyogenes	MGAS315	[28 31 23 19]	[33 37 24 28]	[38 31 29 23]
Streptococcus pyogenes	SSI-1	[28 31 23 19]	[33 37 24 28]	[38 31 29 23]
Streptococcus pyogenes	MGAS10394	[28 31 23 19]	[33 37 24 28]	[38 31 29 23]
Streptococcus pyogenes	Manfredo (M5)	[28 31 23 19]	[33 37 24 28]	[38 31 29 23]
Streptococcus pyogenes	SF370 (M1)	[28 31 23 19] [28 31 22 20]*	[33 37 24 28]	[38 31 29 23]
Streptococcus pneumoniae	670	[28 31 22 20]	[34 36 24 28]	[37 30 29 25]
Streptococcus pneumoniae	R6	[28 31 22 20]	[34 36 24 28]	[37 30 29 25]
Streptococcus pneumoniae	TIGR4	[28 31 22 20]	[34 36 24 28]	[37 30 29 25]
Streptococcus gordonii	NCTC7868	[28 32 23 20]	[34 36 24 28]	[36 31 29 25]
Streptococcus mitis	NCTC 12261	[28 31 22 20] [29 30 22 20]*	[34 36 24 28]	[37 30 29 25]
Streptococcus mutans	UA159	[26 32 23 22]	[34 37 24 27]	NO DATA

Table 6C – Base Compositions of Common Respiratory Pathogens for Bioagent Identifying Amplicons Corresponding to Primer Pair Nos: 449, 354, and 352

Organism	Strain	Primer 449 [A G C T]	Primer 354 [A G C T]	Primer 352 [A G C T]
Klebsiella pneumoniae	MGH78578	NO DATA	[27 33 36 26]	NO DATA
Yersinia pestis	CO-92 Biovar Orientalis	NO DATA	[29 31 33 29]	[32 28 20 25]
Yersinia pestis	KIM5 P12 (Biovar Mediaevalis)	NO DATA	[29 31 33 29]	[32 28 20 25]
Yersinia pestis	91001	NO DATA	[29 31 33 29]	NO DATA
Haemophilus influenzae	RW20	NO DATA	[30 29 31 32]	NO DATA
Pseudomonas aeruginosa	PAO1	NO DATA	[26 33 39 24]	NO DATA
Pseudomonas fluorescens	Pf0-1	NO DATA	[26 33 34 29]	NO DATA
Pseudomonas putida	KT2440	NO DATA	[25 34 36 27]	NO DATA
Legionella pneumophila	Philadelphia—1	NO DATA	NO DATA	NO DATA
Francisella tularensis	schu 4	NO DATA	[33 32 25 32]	NO DATA
Bordetella pertussis	Tohama I	NO DATA	[26 33 39 24]	NO DATA
Burkholderia cepacia	J2315	NO DATA	[25 37 33 27]	NO DATA
Burkholderia pseudomallei	K96243	NO DATA	[25 37 34 26]	NO DATA
Neisseria gonorrhoese	FA 1090, ATCC 700825	[17 23 22 10]	[29 31 32 30]	NO DATA
Neisseria meningitidis	MC58 (serogroup B)	NO DATA	[29 30 32 31]	NO DATA
Neisseria meningitidis	serogroup C, FAM18	NO DATA	[29 30 32 31]	NO DATA
Neisseria meningitidis	Z2491 (serogroup A)	NO DATA	[29 30 32 31]	NO DATA
Chlamydophila pneumoniae	TW-183	NO DATA	NO DATA	NO DATA
Chlamydophila pneumoniae	AR39	NO DATA	NO DATA	NO DATA
Chlamydophila pneumoniae	CWL029	NO DATA	NO DATA	NO DATA
Chlamydophila pneumoniae	J138	NO DATA	NO DATA	NO DATA
Corynebacterium diphtheriae	NCTC13129	NO DATA	NO DATA	NO DATA
Mycobacterium avium	k10	NO DATA	NO DATA	NO DATA
Mycobacterium avium	104	NO DATA	NO DATA	NO DATA
Mycobacterium tuberculosis	CSU#93	NO DATA	NO DATA	NO DATA
Mycobacterium tuberculosis	CDC 1551	NO DATA	NO DATA	NO DATA
Mycobacterium tuberculosis	H37Rv (lab strain)	NO DATA	NO DATA	NO DATA
Mycoplasma pneumoniae	M129	NO DATA	NO DATA	NO DATA
Staphylococcus aureus	MRSA252	[17 20 21 17]	[30 27 30 35]	[36 24 19 26]
Staphylococcus aureus	MSSA476	[17 20 21 17]	[30 27 30 35]	[36 24 19 26]
Staphylococcus aureus	COL	[17 20 21 17]	[30 27 30 35]	[35 24 19 27]
Staphylococcus aureus	Mu50	[17 20 21 17]	[30 27 30 35]	[36 24 19 26]
Staphylococcus aureus	MW2	[17 20 21 17]	[30 27 30 35]	[36 24 19 26]

Staphylococcus aureus	N315	[17 20 21 17]	[30 27 30 35]	[36 24 19 26]
Staphylococcus aureus	NCTC 8325	[17 20 21 17]	[30 27 30 35]	[35 24 19 27]
Streptococcus agalactiae	NEM316	[22 20 19 14]	[26 31 27 38]	[29 26 22 28]
Streptococcus equi	NC_002955	[22 21 19 13]	NO DATA	NO DATA
Streptococcus pyogenes	MGAS8232	[23 21 19 12]	[24 32 30 36]	NO DATA
Streptococcus pyogenes	MGAS315	[23 21 19 12]	[24 32 30 36]	NO DATA
Streptococcus pyogenes	SSI-1	[23 21 19 12]	[24 32 30 36]	NO DATA
Streptococcus pyogenes	MGAS10394	[23 21 19 12]	[24 32 30 36]	NO DATA
Streptococcus pyogenes	Manfredo (M5)	[23 21 19 12]	[24 32 30 36]	NO DATA
Streptococcus pyogenes	SF370 (M1)	[23 21 19 12]	[24 32 30 36]	NO DATA
Streptococcus pneumoniae	670	[22 20 19 14]	[25 33 29 35]	[30 29 21 25]
Streptococcus pneumoniae	R6	[22 20 19 14]	[25 33 29 35]	[30 29 21 25]
Streptococcus pneumoniae	TIGR4	[22 20 19 14]	[25 33 29 35]	[30 29 21 25]
Streptococcus gordonii	NCTC7868	[21 21 19 14]	NO DATA	[29 26 22 28]
Streptococcus mitis	NCTC 12261	[22 20 19 14]	[26 30 32 34]	NO DATA
Streptococcus mutans	UA159	NO DATA	NO DATA	NO DATA

Table 6D – Base Compositions of Common Respiratory Pathogens for Bioagent Identifying Amplicons Corresponding to Primer Pair Nos: 355, 358, and 359

Organism	Strain	Primer 355 [A G C T]	Primer 358 [A G C T]	Primer 359 [A G C T]
Klebsiella pneumoniae	MGH78578	NO DATA	[24 39 33 20]	[25 21 24 17]
Yersinia pestis	CO-92 Biovar Orientalis	NO DATA	[26 34 35 21]	[23 23 19 22]
Yersinia pestis	KIM5 P12 (Biovar Mediaevalis)	NO DATA	[26 34 35 21]	[23 23 19 22]
Yersinia pestis	91001	NO DATA	[26 34 35 21]	[23 23 19 22]
Haemophilus influenzae	KW20	NO DATA	NO DATA	NO DATA
Pseudomonas aeruginosa	PAO1	NO DATA	NO DATA	NO DATA
Pseudomonas fluorescens	Pf0-1	NO DATA	NO DATA	NO DATA
Pseudomonas putida	KT2440	NO DATA	[21 37 37 21]	NO DATA
Legionella pneumophila	Philadelphia-1	NO DATA	NO DATA	NO DATA
Francisella tularensis	schu 4	NO DATA	NO DATA	NO DATA
Bordetella pertussis	Tohama I	NO DATA	NO DATA	NO DATA
Burkholderia cepacia	J2315	NO DATA	NO DATA	NO DATA
Burkholderia pseudomallei	K96243	NO DATA	NO DATA	NO DATA
Neisseria gonorrhoeae	FA 1090, ATCC 700825	NO DATA	NO DATA	NO DATA
Neisseria meningitidis	MC58 (serogroup B)	NO DATA	NO DATA	NO DATA
Neisseria meningitidis	serogroup C, FAM18	NO DATA	NO DATA	NO DATA

Neisseria meningitidis	Z2491 (serogroup A)	NO DATA	NO DATA	NO DATA
Chlamydophila pneumoniae	TW-183	NO DATA	NO DATA	NO DATA
Chlamydophila pneumoniae	AR39	NO DATA	NO DATA	NO DATA
Chlamydophila pneumoniae	CWL029	NO DATA	NO DATA	NO DATA
Chlamydophila pneumoniae	J138	NO DATA	NO DATA	NO DATA
Corynebacterium diphtheriae	NCTC13129	NO DATA	NO DATA	NO DATA
Mycobacterium avium	k10	NO DATA	NO DATA	NO DATA
Mycobacterium avium	104	NO DATA	NO DATA	NO DATA
Mycobacterium tuberculosis	CSU#93	NO DATA	NO DATA	NO DATA
Mycobacterium tuberculosis	CDC 1551	NO DATA	NO DATA	NO DATA
Mycobacterium tuberculosis	H37Rv (lab strain)	NO DATA	NO DATA	NO DATA
Mycoplasma pneumoniae	M129	NO DATA	NO DATA	NO DATA
Staphylococcus aureus	MRSA252	NO DATA	NO DATA	NO DATA
Staphylococcus aureus	MSSA476	NO DATA	NO DATA	NO DATA
Staphylococcus aureus	COL	NO DATA	NO DATA	NO DATA
Staphylococcus aureus	Mu50	NO DATA	NO DATA	NO DATA
Staphylococcus aureus	MW2	NO DATA	NO DATA	NO DATA
Staphylococcus aureus	N315	NO DATA	NO DATA	NO DATA
Staphylococcus aureus	NCTC 8325	NO DATA	NO DATA	NO DATA
Streptococcus agalactiae	NEM316	NO DATA	NO DATA	NO DATA
Streptococcus equi	NC_002955	NO DATA	NO DATA	NO DATA
Streptococcus pyogenes	MGAS8232	NO DATA	NO DATA	NO DATA
Streptococcus pyogenes	MGAS315	NO DATA	NO DATA	NO DATA
Streptococcus pyogenes	SSI-1	NO DATA	NO DATA	NO DATA
Streptococcus pyogenes	MGAS10394	NO DATA	NO DATA	NO DATA
Streptococcus pyogenes	Manfredo (M5)	NO DATA	NO DATA	NO DATA
Streptococcus pyogenes	SF370 (M1)	NO DATA	NO DATA	NO DATA
Streptococcus pneumoniae	670	NO DATA	NO DATA	NO DATA
Streptococcus pneumoniae	R6	NO DATA	NO DATA	NO DATA
Streptococcus pneumoniae	TIGR4	NO DATA	NO DATA	NO DATA
Streptococcus gordonii	NCTC7868	NO DATA	NO DATA	NO DATA
Streptococcus mitis	NCTC 12261	NO DATA	NO DATA	NO DATA
Streptococcus mutans	UA159	NO DATA	NO DATA	NO DATA

Table 6E – Base Compositions of Common Respiratory Pathogens for Bioagent Identifying Amplicons Corresponding to Primer Pair Nos: 362, 363, and 367

Organism	Strain	Primer 362 [A G C T]	Primer 363 [A G C T]	Primer 367 [A G C T]
Klebsiella pneumoniae	MGH78578	[21 33 22 16]	[16 34 26 26]	NO DATA
Yersinia pestis	CO-92 Biovar Orientalis	[20 34 18 20]	NO DATA	NO DATA
Yersinia pestis	KIM5 P12 (Biovar Mediaevalis)	[20 34 18 20]	NO DATA	NO DATA
Yersinia pestis	91001	[20 34 18 20]	NO DATA	NO DATA
Haemophilus influenzae	RW20	NO DATA	NO DATA	NO DATA
Pseudomonas aeruginosa	PAO1	[19 35 21 17]	[16 36 28 22]	NO DATA
Pseudomonas fluorescens	Pf0-1	NO DATA	[18 35 26 23]	NO DATA
Pseudomonas putida	KT2440	NO DATA	[16 35 28 23]	NO DATA
Legionella pneumophila	Philadelphia-1	NO DATA	NO DATA	NO DATA
Francisella tularensis	schu 4	NO DATA	NO DATA	NO DATA
Bordetella pertussis	Tohama I	[20 31 24 17]	[15 34 32 21]	[26 25 34 19]
Burkholderia cepacia	J2315	[20 33 21 18]	[15 36 26 25]	[25 27 32 20]
Burkholderia pseudomallei	K96243	[19 34 19 20]	[15 37 28 22]	[25 27 32 20]
Neisseria gonorrhoese	FA 1090, ATCC 700825	NO DATA	NO DATA	NO DATA
Neisseria meningitidis	MC58 (serogroup B)	NO DATA	NO DATA	NO DATA
Neisseria meningitidis	serogroup C, FAM18	NO DATA	NO DATA	NO DATA
Neisseria meningitidis	Z2491 (serogroup A)	NO DATA	NO DATA	NO DATA
Chlamydophila pneumoniae	TW-183	NO DATA	NO DATA	NO DATA
Chlamydophila pneumoniae	AR39	NO DATA	NO DATA	NO DATA
Chlamydophila pneumoniae	CWL029	NO DATA	NO DATA	NO DATA
Chlamydophila pneumoniae	J138	NO DATA	NO DATA	NO DATA
Corynebacterium diphtheriae	NCTC13129	NO DATA	NO DATA	NO DATA
Mycobacterium avium	k10	[19 34 23 16]	NO DATA	[24 26 35 19]
Mycobacterium avium	104	[19 34 23 16]	NO DATA	[24 26 35 19]
Mycobacterium tuberculosis	CSU#93	[19 31 25 17]	NO DATA	[25 25 34 20]
Mycobacterium tuberculosis	CDC 1551	[19 31 24 18]	NO DATA	[25 25 34 20]
Mycobacterium tuberculosis	H37Rv (lab strain)	[19 31 24 18]	NO DATA	[25 25 34 20]
Mycoplasma pneumoniae	M129	NO DATA	NO DATA	NO DATA
Staphylococcus aureus	MRSA252	NO DATA	NO DATA	NO DATA
Staphylococcus aureus	MSSA476	NO DATA	NO DATA	NO DATA
Staphylococcus aureus	COL	NO DATA	NO DATA	NO DATA
Staphylococcus aureus	Mu50	NO DATA	NO DATA	NO DATA
Staphylococcus aureus	MW2	NO DATA	NO DATA	NO DATA
Staphylococcus	N315	NO DATA	NO DATA	NO DATA

aureus				
Staphylococcus aureus	NCTC 8325	NO DATA	NO DATA	NO DATA
Streptococcus agalactiae	NEM316	NO DATA	NO DATA	NO DATA
Streptococcus equi	NC_002955	NO DATA	NO DATA	NO DATA
Streptococcus pyogenes	MGAS8232	NO DATA	NO DATA	NO DATA
Streptococcus pyogenes	MGAS315	NO DATA	NO DATA	NO DATA
Streptococcus pyogenes	SSI-1	NO DATA	NO DATA	NO DATA
Streptococcus pyogenes	MGAS10394	NO DATA	NO DATA	NO DATA
Streptococcus pyogenes	Manfredo (M5)	NO DATA	NO DATA	NO DATA
Streptococcus pyogenes	SF370 (M1)	NO DATA	NO DATA	NO DATA
Streptococcus pneumoniae	670	NO DATA	NO DATA	NO DATA
Streptococcus pneumoniae	R6	[20 30 19 23]	NO DATA	NO DATA
Streptococcus pneumoniae	TIGR4	[20 30 19 23]	NO DATA	NO DATA
Streptococcus gordonii	NCTC7868	NO DATA	NO DATA	NO DATA
Streptococcus mitis	NCTC 12261	NO DATA	NO DATA	NO DATA
Streptococcus mutans	UA159	NO DATA	NO DATA	NO DATA

[0121] Four sets of throat samples from military recruits at different military facilities taken at different time points were analyzed using the primers of the present invention. The first set was collected at a military training center from November 1 to December 20, 2002 during one of the most severe outbreaks of pneumonia associated with group A *Streptococcus* in the United States since 1968. During this outbreak, fifty-one throat swabs were taken from both healthy and hospitalized recruits and plated on blood agar for selection of putative group A *Streptococcus* colonies. A second set of 15 original patient specimens was taken during the height of this group A *Streptococcus* -associated respiratory disease outbreak. The third set were historical samples, including twenty-seven isolates of group A *Streptococcus*, from disease outbreaks at this and other military training facilities during previous years. The fourth set of samples was collected from five geographically separated military facilities in the continental U.S. in the winter immediately following the severe November/December 2002 outbreak.

[0122] Pure colonies isolated from group A *Streptococcus*-selective media from all four collection periods were analyzed with the surveillance primer set. All samples showed base compositions that precisely matched the four completely sequenced strains of *Streptococcus pyogenes*. Shown in Figure 4 is a 3D diagram of base composition (axes A, G and C) of bioagent identifying amplicons obtained with primer pair number 14 (a precursor of primer pair

number 348 which targets 16S rRNA). The diagram indicates that the experimentally determined base compositions of the clinical samples closely match the base compositions expected for *Streptococcus pyogenes* and are distinct from the expected base compositions of other organisms.

[0123] In addition to the identification of *Streptococcus pyogenes*, other potentially pathogenic organisms were identified concurrently. Mass spectral analysis of a sample whose nucleic acid was amplified by primer pair number 349 (SEQ ID NOs: 49 and 405) exhibited signals of bioagent identifying amplicons with molecular masses that were found to correspond to analogous base compositions of bioagent identifying amplicons of *Streptococcus pyogenes* (A27 G32 C24 T18), *Neisseria meningitidis* (A25 G27 C22 T18), and *Haemophilus influenzae* (A28 G28 C25 T20) (see Figure 5 and Table 6B). These organisms were present in a ratio of 4:5:20 as determined by comparison of peak heights with peak height of an internal PCR calibration standard as described in commonly owned U. S. Patent Application Serial No: 60/545,425 which is incorporated herein by reference in its entirety.

[0124] Since certain division-wide primers that target housekeeping genes are designed to provide coverage of specific divisions of bacteria to increase the confidence level for identification of bacterial species, they are not expected to yield bioagent identifying amplicons for organisms outside of the specific divisions. For example, primer pair number 356 (SEQ ID NOs: 232:592) primarily amplifies the nucleic acid of members of the classes *Bacilli* and *Clostridia* and is not expected to amplify proteobacteria such as *Neisseria meningitidis* and *Haemophilus influenzae*. As expected, analysis of the mass spectrum of amplification products obtained with primer pair number 356 does not indicate the presence of *Neisseria meningitidis* and *Haemophilus influenzae* but does indicate the presence of *Streptococcus pyogenes* (Figures 3 and 6, Table 6B). Thus, these primers or types of primers can confirm the absence of particular bioagents from a sample.

[0125] The 15 throat swabs from military recruits were found to contain a relatively small set of microbes in high abundance. The most common were *Haemophilus influenza*, *Neisseria meningitides*, and *Streptococcus pyogenes*. *Staphylococcus epidermidis*, *Moraxella cattarhalis*, *Corynebacterium pseudodiphtheriticum*, and *Staphylococcus aureus* were present in fewer samples. An equal number of samples from healthy volunteers from three different geographic locations, were identically analyzed. Results indicated that the healthy volunteers have bacterial

flora dominated by multiple, commensal non-beta–hemolytic *Streptococcal* species, including the viridans group *streptococci* (*S. parasangunis, S. vestibularis, S. mitis, S. oralis* and *S. pneumoniae*; data not shown), and none of the organisms found in the military recruits were found in the healthy controls at concentrations detectable by mass spectrometry. Thus, the military recruits in the midst of a respiratory disease outbreak had a dramatically different microbial population than that experienced by the general population in the absence of epidemic disease.

[0126] Example 8: Drill-down Analysis for Determination of emm-Type of *Streptococcus pyogenes* in Epidemic Surveillance

[0127] As a continuation of the epidemic surveillance investigation of Example 7, determination of sub-species characteristics (genotyping) of *Streptococcus pyogenes*, was carried out based on a strategy that generates strain-specific signatures according to the rationale of Multi-Locus Sequence Typing (MLST). In classic MLST analysis, internal fragments of several housekeeping genes are amplified and sequenced (Enright et al. Infection and Immunity, 2001, 69, 2416-2427). In classic MLST analysis, internal fragments of several housekeeping genes are amplified and sequenced. In the present investigation, bioagent identifying amplicons from housekeeping genes were produced using drill-down primers and analyzed by mass spectrometry. Since mass spectral analysis results in molecular mass, from which base composition can be determined, the challenge was to determine whether resolution of *emm* classification of strains of *Streptococcus pyogenes* could be determined.

[0128] An alignment was constructed of concatenated alleles of seven MLST housekeeping genes (glucose kinase (gki), glutamine transporter protein (gtr), glutamate racemase (murI), DNA mismatch repair protein (mutS), xanthine phosphoribosyl transferase (xpt), and acetyl-CoA acetyl transferase (yqiL)) from each of the 212 previously *emm*-typed strains of *Streptococcus pyogenes*. From this alignment, the number and location of primer pairs that would maximize strain identification via base composition was determined. As a result, 6 primer pairs were chosen as standard drill-down primers for determination of *emm*-type of *Streptococcus pyogenes*. These six primer pairs are displayed in Table 7. This drill-down set comprises primers with T modifications (note TMOD designation in primer names) which constitutes a functional improvement with regard to prevention of non-templated adenylation (*vide supra*) relative to originally selected primers which are displayed below in the same row.

Table 7: Group A *Streptococcus* Drill-Down Primer Pairs

Primer Pair No.	Forward Primer Name	Forward Primer (SEQ ID NO:)	Reverse Primer Name	Reverse Primer (SEQ ID NO:)	Target Gene
442	SP101_SPET11_358_387_TMOD_F	311	SP101_SPET11_448_473_TMOD_R	569	gki
80	SP101_SPET11_358_387_F	310	SP101_SPET11_448_473_TMOD_R	568	gki
443	SP101_SPET11_600_629_TMOD_F	314	SP101_SPET11_686_714_TMOD_R	571	gtr
81	SP101_SPET11_600_629_F	313	SP101_SPET11_686_714_R	570	gtr
426	SP101_SPET11_1314_1336_TMOD_F	278	SP101_SPET11_1403_1431_TMOD_R	533	murI
86	SP101_SPET11_1314_1336_F	277	SP101_SPET11_1403_1431_R	532	murI
430	SP101_SPET11_1807_1835_TMOD_F	286	SP101_SPET11_1901_1927_TMOD_R	541	mutS
90	SP101_SPET11_1807_1835_F	285	SP101_SPET11_1901_1927_R	540	mutS
438	SP101_SPET11_3075_3103_TMOD_F	302	SP101_SPET11_3168_3196_TMOD_R	557	xpt
96	SP101_SPET11_3075_3103_F	301	SP101_SPET11_3168_3196_R	556	xpt
441	SP101_SPET11_3511_3535_TMOD_F	309	SP101_SPET11_3605_3629_TMOD_R	564	yqiL
98	SP101_SPET11_3511_3535_F	308	SP101_SPET11_3605_3629_R	563	yqiL

[0129] The primers of Table 7 were used to produce bioagent identifying amplicons from nucleic acid present in the clinical samples. The bioagent identifying amplicons which were subsequently analyzed by mass spectrometry and base compositions corresponding to the molecular masses were calculated.

[0130] Of the 51 samples taken during the peak of the November/December 2002 epidemic (Table 8A-C rows 1-3), all except three samples were found to represent *emm3*, a Group A *Streptococcus* genotype previously associated with high respiratory virulence. The three outliers were from samples obtained from healthy individuals and probably represent non-epidemic strains. Archived samples (Tables 8A-C rows 5-13) from historical collections showed a greater heterogeneity of base compositions and *emm* types as would be expected from different epidemics occurring at different places and dates. The results of the mass spectrometry analysis and *emm* gene sequencing were found to be concordant for the epidemic and historical samples.

Table 8A: Base Composition Analysis of Biosagent Identifying Amplicons of Group A *Streptococcus* samples from Six Military Installations Obtained with Primer Pair Nos. 426 and 430

# of Instances	emm-type by Mass Spectrometry	emm-Gene Sequencing	Location (sample)	Year	murI (Primer Pair No. 426)	mutS (Primer Pair No. 430)
48	3	3	MCRD San Diego (Cultured)	2002	A39 G25 C20 T34	A38 G27 C23 T33
2	6	6			A40 G24 C20 T34	A38 G27 C23 T33
1	28	28			A39 G25 C20 T34	A38 G27 C23 T33
15	3	ND			A39 G25 C20 T34	A38 G27 C23 T33
6	3	3	NHRC San Diego-Archive (Cultured)	2003	A39 G25 C20 T34	A38 G27 C23 T33
3	5,58	5			A40 G24 C20 T34	A38 G27 C23 T33
6	6	6			A40 G24 C20 T34	A38 G27 C23 T33
1	11	11			A39 G25 C20 T34	A38 G27 C23 T33
3	12	12			A40 G24 C20 T34	A38 G26 C24 T33
1	22	22			A39 G25 C20 T34	A38 G27 C23 T33
3	25,75	75			A39 G25 C20 T34	A38 G27 C23 T33
4	44/61,82,9	44/61			A40 G24 C20 T34	A38 G26 C24 T33
2	53,91	91			A39 G25 C20 T34	A38 G27 C23 T33
1	2	2	Ft. Leonard Wood (Cultured)	2003	A39 G25 C20 T34	A38 G27 C24 T32
2	3	3			A39 G25 C20 T34	A38 G27 C23 T33
1	4	4			A39 G25 C20 T34	A38 G27 C23 T33
1	6	6			A40 G24 C20 T34	A38 G27 C23 T33
11	25 or 75	75			A39 G25 C20 T34	A38 G27 C23 T33
1	25,75, 33, 34,4,52,84	75			A39 G25 C20 T34	A38 G27 C23 T33
1	44/61 or 82 or 9	44/61			A40 G24 C20 T34	A38 G26 C24 T33
2	5 or 58	5			A40 G24 C20 T34	A38 G27 C23 T33
3	1	1	Ft. Sill (Cultured)	2003	A40 G24 C20 T34	A38 G27 C23 T33
2	3	3			A39 G25 C20 T34	A38 G27 C23 T33
1	4	4			A39 G25 C20 T34	A38 G27 C23 T33
1	28	28			A39 G25 C20 T34	A38 G27 C23 T33
1	3	3	Ft. Benning (Cultured)	2003	A39 G25 C20 T34	A38 G27 C23 T33
1	4	4			A39 G25 C20 T34	A38 G27 C23 T33
3	6	6			A40 G24 C20 T34	A38 G27 C23 T33
1	11	11			A39 G25 C20 T34	A38 G27 C23 T33
1	13	94**			A40 G24 C20 T34	A38 G27 C23 T33
1	44/61 or 82 or 9	82			A40 G24 C20 T34	A38 G26 C24 T33
1	5 or 58	58			A40 G24 C20 T34	A38 G27 C23 T33
1	78 or 89	89			A39 G25 C20 T34	A38 G27 C23 T33
2	5 or 58	ND	Lackland AFB (Throat Swabs)	2003	A40 G24 C20 T34	A38 G27 C23 T33
1	2				A39 G25 C20 T34	A38 G27 C24 T32
1	81 or 90				A40 G24 C20 T34	A38 G27 C23 T33
1	78				A38 G26 C20 T34	A38 G27 C23 T33
3***	No detection				No detection	No detection
7	3	ND	MCRD San Diego (Throat Swabs)	2002	A39 G25 C20 T34	A38 G27 C23 T33
1	3	ND			No detection	A38 G27 C23 T33
1	3	ND			No detection	No detection
1	3	ND			No detection	No detection
2	3	ND			No detection	A38 G27 C23 T33
3	No detection	ND			No detection	No detection

Table 8B: Base Composition Analysis of Bioagent Identifying Amplicons of Group A *Streptococcus* samples from Six Military Installations Obtained with Primer Pair Nos. 438 and 441

# of Instances	emm-type by Mass Spectrometry	emm-Gene Sequencing	Location (sample)	Year	xpt (Primer Pair No. 438)	yqiL (Primer Pair No. 441)
48	3	3	MCRD San Diego (Cultured)	2002	A30 G36 C20 T36	A40 G29 C19 T31
2	6	6			A30 G36 C20 T36	A40 G29 C19 T31
1	28	28			A30 G36 C20 T36	A41 G28 C18 T32
15	3	ND			A30 G36 C20 T36	A40 G29 C19 T31
6	3	3	NHRC San Diego-Archive (Cultured)	2003	A30 G36 C20 T36	A40 G29 C19 T31
3	5,58	5			A30 G36 C20 T36	A40 G29 C19 T31
6	6	6			A30 G36 C20 T36	A40 G29 C19 T31
1	11	11			A30 G36 C20 T36	A40 G29 C19 T31
3	12	12			A30 G36 C19 T37	A40 G29 C19 T31
1	22	22			A30 G36 C20 T36	A40 G29 C19 T31
3	25,75	75			A30 G36 C20 T36	A40 G29 C19 T31
4	44/61,82,9	44/61			A30 G36 C20 T36	A41 G28 C19 T31
2	53,91	91			A30 G36 C19 T37	A40 G29 C19 T31
1	2	2	Ft. Leonard Wood (Cultured)	2003	A30 G36 C20 T36	A40 G29 C19 T31
2	3	3			A30 G36 C20 T36	A40 G29 C19 T31
1	4	4			A30 G36 C19 T37	A41 G28 C19 T31
1	6	6			A30 G36 C20 T36	A40 G29 C19 T31
11	25 or 75	75			A30 G36 C20 T36	A40 G29 C19 T31
1	25,75, 33, 34,4,52,84	75			A30 G36 C19 T37	A40 G29 C19 T31
1	44/61 or 82 or 9	44/61			A30 G36 C20 T36	A41 G28 C19 T31
2	5 or 58	5			A30 G36 C20 T36	A40 G29 C19 T31
3	1	1	Ft. Sill (Cultured)	2003	A30 G36 C19 T37	A40 G29 C19 T31
2	3	3			A30 G36 C20 T36	A40 G29 C19 T31
1	4	4			A30 G36 C19 T37	A41 G28 C19 T31
1	28	28			A30 G36 C20 T36	A41 G28 C18 T32
1	3	3	Ft. Benning (Cultured)	2003	A30 G36 C20 T36	A40 G29 C19 T31
1	4	4			A30 G36 C19 T37	A41 G28 C19 T31
3	6	6			A30 G36 C20 T36	A40 G29 C19 T31
1	11	11			A30 G36 C20 T36	A40 G29 C19 T31
1	13	94**			A30 G36 C20 T36	A41 G28 C19 T31
1	44/61 or 82 or 9	82			A30 G36 C20 T36	A41 G28 C19 T31
1	5 or 58	58			A30 G36 C20 T36	A40 G29 C19 T31
1	78 or 89	89			A30 G36 C20 T36	A41 G28 C19 T31
2	5 or 58	ND	Lackland AFB (Throat Swabs)	2003	A30 G36 C20 T36	A40 G29 C19 T31
1	2				A30 G36 C20 T36	A40 G29 C19 T31
1	81 or 90				A30 G36 C20 T36	A40 G29 C19 T31
1	78				A30 G36 C20 T36	A41 G28 C19 T31
3***	No detection				No detection	No detection
7	3	ND	MCRD San Diego (Throat Swabs)	2002	A30 G36 C20 T36	A40 G29 C19 T31
1	3	ND			A30 G36 C20 T36	A40 G29 C19 T31
1	3	ND			A30 G36 C20 T36	No detection
1	3	ND			No detection	A40 G29 C19 T31
2	3	ND			A30 G36 C20 T36	A40 G29 C19 T31
3	No detection	ND			No detection	No detection

Table 8C: Base Composition Analysis of Bioagent Identifying Amplicons of Group A *Streptococcus* samples from Six Military Installations Obtained with Primer Pair Nos. 438 and 441

# of Instances	emm-type by Mass Spectrometry	emm-Gene Sequencing	Location (sample)	Year	gki (Primer Pair No. 442)	gtr ((Primer Pair No. 443)
48	3	3	MCRD San Diego (Cultured)	2002	A32 G35 C17 T32	A39 G28 C16 T32
2	6	6			A31 G35 C17 T33	A39 G28 C15 T33
1	28	28			A30 G36 C17 T33	A39 G28 C16 T32
15	3	ND			A32 G35 C17 T32	A39 G28 C16 T32
6	3	3	NHRC San Diego-Archive (Cultured)	2003	A32 G35 C17 T32	A39 G28 C16 T32
3	5,58	5			A30 G36 C20 T30	A39 G28 C15 T33
6	6	6			A31 G35 C17 T33	A39 G28 C15 T33
1	11	11			A30 G36 C20 T30	A39 G28 C16 T32
3	12	12			A31 G35 C17 T33	A39 G28 C15 T33
1	22	22			A31 G35 C17 T33	A38 G29 C15 T33
3	25,75	75			A30 G36 C17 T33	A39 G28 C15 T33
4	44/61,82,9	44/61			A30 G36 C18 T32	A39 G28 C15 T33
2	53,91	91			A32 G35 C17 T32	A39 G28 C16 T32
1	2	2	Ft. Leonard Wood (Cultured)	2003	A30 G36 C17 T33	A39 G28 C15 T33
2	3	3			A32 G35 C17 T32	A39 G28 C16 T32
1	4	4			A31 G35 C17 T33	A39 G28 C15 T33
1	6	6			A31 G35 C17 T33	A39 G28 C15 T33
11	25 or 75	75			A30 G36 C17 T33	A39 G28 C15 T33
1	25,75, 33, 34,4,52,84	75			A30 G36 C17 T33	A39 G28 C15 T33
1	44/61 or 82 or 9	44/61			A30 G36 C18 T32	A39 G28 C15 T33
2	5 or 58	5			A30 G36 C20 T30	A39 G28 C15 T33
3	1	1	Ft. Sill (Cultured)	2003	A30 G36 C18 T32	A39 G28 C15 T33
2	3	3			A32 G35 C17 T32	A39 G28 C16 T32
1	4	4			A31 G35 C17 T33	A39 G28 C15 T33
1	28	28			A30 G36 C17 T33	A39 G28 C16 T32
1	3	3	Ft. Benning (Cultured)	2003	A32 G35 C17 T32	A39 G28 C16 T32
1	4	4			A31 G35 C17 T33	A39 G28 C15 T33
3	6	6			A31 G35 C17 T33	A39 G28 C15 T33
1	11	11			A30 G36 C20 T30	A39 G28 C16 T32
1	13	94**			A30 G36 C19 T31	A39 G28 C15 T33
1	44/61 or 82 or 9	82			A30 G36 C18 T32	A39 G28 C15 T33
1	5 or 58	58			A30 G36 C20 T30	A39 G28 C15 T33
1	78 or 89	89			A30 G36 C18 T32	A39 G28 C15 T33
2	5 or 58	ND	Lackland AFB (Throat Swabs)	2003	A30 G36 C20 T30	A39 G28 C15 T33
1	2				A30 G36 C17 T33	A39 G28 C15 T33
1	81 or 90				A30 G36 C17 T33	A39 G28 C15 T33
1	78				A30 G36 C18 T32	A39 G28 C15 T33
3***	No detection				No detection	No detection
7	3	ND	MCRD San Diego (Throat Swabs)	2002	A32 G35 C17 T32	A39 G28 C16 T32
1	3	ND			No detection	No detection
1	3	ND			A32 G35 C17 T32	A39 G28 C16 T32
1	3	ND			A32 G35 C17 T32	No detection
2	3	ND			A32 G35 C17 T32	No detection
3	No detection	ND			No detection	No detection

[0131] Example 9: Design of Calibrant Polynucleotides based on Bioagent Identifying Amplicons for Identification of Species of Bacteria (Bacterial Bioagent Identifying Amplicons)

[0132] This example describes the design of 19 calibrant polynucleotides based on bacterial bioagent identifying amplicons corresponding to the primers of the broad surveillance set (Table 4) and the *Bacillus anthracis* drill-down set (Table 5).

[0133] Calibration sequences were designed to simulate bacterial bioagent identifying amplicons produced by the T modified primer pairs shown in Table 4 (primer names have the designation "TMOD"). The calibration sequences were chosen as a representative member of the section of bacterial genome from specific bacterial species which would be amplified by a given primer pair. The model bacterial species upon which the calibration sequences are based are also shown in Table 9. For example, the calibration sequence chosen to correspond to an amplicon produced by primer pair no. 361 is SEQ ID NO: 722. In Table 9, the forward (_F) or reverse (_R) primer name indicates the coordinates of an extraction representing a gene of a standard reference bacterial genome to which the primer hybridizes e.g.: the forward primer name 16S_EC_713_732_TMOD_F indicates that the forward primer hybridizes to residues 713-732 of the gene encoding 16S ribosomal RNA in an *E. coli* reference sequence (in this case, the reference sequence is an extraction consisting of residues 4033120-4034661 of the genomic sequence of *E. coli* K12 (GenBank gi number 16127994). Additional gene coordinate reference information is shown in Table 10. The designation "TMOD" in the primer names indicates that the 5' end of the primer has been modified with a non-matched template T residue which prevents the PCR polymerase from adding non-templated adenosine residues to the 5' end of the amplification product, an occurrence which may result in miscalculation of base composition from molecular mass data (*vide supra*).

[0134] The 19 calibration sequences described in Tables 9 and 10 were combined into a single calibration polynucleotide sequence (SEQ ID NO: 741 - which is herein designated a "combination calibration polynucleotide") which was then cloned into a pCR®-Blunt vector (Invitrogen, Carlsbad, CA). This combination calibration polynucleotide can be used in conjunction with the primers of Table 9 as an internal standard to produce calibration amplicons for use in determination of the quantity of any bacterial bioagent. Thus, for example, when the combination calibration polynucleotide vector is present in an amplification reaction mixture, a calibration amplicon based on primer pair 346 (16S rRNA) will be produced in an amplification

reaction with primer pair 346 and a calibration amplicon based on primer pair 363 (rpoC) will be produced with primer pair 363. Coordinates of each of the 19 calibration sequences within the calibration polynucleotide (SEQ ID NO: 783) are indicated in Table 10.

Table 9: Bacterial Primer Pairs for Production of Bacterial Bioagent Identifying Amplicons and Corresponding Representative Calibration Sequences

Primer Pair No.	Forward Primer Name	Forward Primer (SEQ ID NO:)	Reverse Primer Name	Reverse Primer (SEQ ID NO:)	Calibration Sequence Model Species	Calibration Sequence (SEQ ID NO:)
361	16S_EC_1090_1111_2_FMOD_F	5	16S_EC_1175_1196_TMOD_R	370	*Bacillus anthracis*	764
346	16S_EC_713_732_TMOD_F	27	16S_EC_789_809_TMOD_R	389	*Bacillus anthracis*	765
347	16S_EC_785_806_TMOD_F	30	16S_EC_880_897_TMOD_R	392	*Bacillus anthracis*	766
348	16S_EC_960_981_TMOD_F	38	16S_EC_1054_1073_TMOD_R	363	*Bacillus anthracis*	767
349	23S_EC_1826_1843_TMOD_F	49	23S_EC_1906_1924_TMOD_R	405	*Bacillus anthracis*	768
360	23S_EC_2646_2667_TMOD_F	60	23S_EC_2745_2765_TMOD_R	416	*Bacillus anthracis*	769
350	CAPC_BA_274_303_TMOD_F	98	CAPC_BA_349_376_TMOD_R	452	*Bacillus anthracis*	770
351	CYA_BA_1353_1379_TMOD_F	128	CYA_BA_1448_1467_TMOD_R	483	*Bacillus anthracis*	771
352	INFB_EC_1365_1393_TMOD_F	161	INFB_EC_1439_1467_TMOD_R	516	*Bacillus anthracis*	772
353	LEF_BA_756_781_TMOD_F	175	LEF_BA_843_872_TMOD_R	531	*Bacillus anthracis*	773
356	RPLB_EC_650_679_TMOD_F	232	RPLB_EC_739_762_TMOD_R	592	*Clostridium botulinum*	774
449	RPLB_EC_690_710_F	237	RPLB_EC_737_758_R	589	*Clostridium botulinum*	775
359	RPOB_EC_1845_1866_TMOD_F	241	RPOB_EC_1909_1929_TMOD_R	597	*Yersinia Pestis*	776
362	RPOB_EC_3799_3821_TMOD_F	245	RPOB_EC_3862_3888_TMOD_R	603	*Burkholderia mallei*	777
363	RPOC_EC_2146_2174_TMOD_F	257	RPOC_EC_2227_2245_TMOD_R	621	*Burkholderia mallei*	778
354	RPOC_EC_2218_2241_TMOD_F	262	RPOC_EC_2313_2337_TMOD_R	625	*Bacillus anthracis*	779
355	SSPE_BA_115_137_TMOD_F	321	SSPE_BA_197_222_TMOD_R	687	*Bacillus anthracis*	780
367	TUFB_EC_957_979_TMOD_F	345	TUFB_EC_1034_1058_TMOD_R	701	*Burkholderia mallei*	781
358	VALS_EC_1105_1124_TMOD_F	350	VALS_EC_1195_1218_TMOD_R	712	*Yersinia Pestis*	782

Table 10: Primer Pair Gene Coordinate References and Calibration Polynucleotide Sequence Coordinates within the Combination Calibration Polynucleotide

Bacterial Gene and Species	Gene Extraction Coordinates of Genomic or Plasmid Sequence	Reference GenBank GI No. of Genomic (G) or Plasmid (P) Sequence	Primer Pair No.	Coordinates of Calibration Sequence in Combination Calibration Polynucleotide (SEQ ID NO: 783)
16S *E. coli*	4033120..4034661	16127994 (G)	346	16..109
16S *E. coli*	4033120..4034661	16127994 (G)	347	83..190
16S *E. coli*	4033120..4034661	16127994 (G)	348	246..353
16S *E. coli*	4033120..4034661	16127994 (G)	361	368..469
23S *E. coli*	4166220..4169123	16127994 (G)	349	743..837
23S *E. coli*	4166220..4169123	16127994 (G)	360	865..981
rpoB *E. coli*.	4178823..4182851 (complement strand)	16127994 (G)	359	1591..1672
rpoB *E. coli*	4178823..4182851 (complement strand)	16127994 (G)	362	2081..2167
rpoC *E. coli*	4182928..4187151	16127994 (G)	354	1810..1926
rpoC *E. coli*	4182928..4187151	16127994 (G)	363	2183..2279
infB *E. coli*	3313655..3310983 (complement strand)	16127994 (G)	352	1692..1791
tufB *E. coli*	4173523..4174707	16127994 (G)	367	2400..2498
rplB *E. coli*	3449001..3448180	16127994 (G)	356	1945..2060
rplB *E. coli*	3449001..3448180	16127994 (G)	449	1986..2055
valS *E. coli*	4481405..4478550 (complement strand)	16127994 (G)	358	1462..1572

capC *B. anthracis*	56074..55628 (complement strand)	6470151 (P)	350	2517..2616
cya *B. anthracis*	156626..154286 (complement strand)	4894216 (P)	351	1338..1449
lef *B. anthracis*	127442..129921	4894216 (P)	353	1121..1234
sspE *B. anthracis*	226496..226783	30253628 (G)	355	1007-1104

[0135] Example 10: Use of a Calibration Polynucleotide for Determining the Quantity of *Bacillus Anthracis* in a Sample Containing a Mixture of Microbes

[0136] The process described in this example is shown in Figure 7. The capC gene is a gene involved in capsule synthesis which resides on the pX02 plasmid of *Bacillus anthracis*. Primer pair number 350 (see Tables 9 and 10) was designed to identify *Bacillus anthracis* via production of a bacterial bioagent identifying amplicon. Known quantities of the combination calibration polynucleotide vector described in Example 3 were added to amplification mixtures containing bacterial bioagent nucleic acid from a mixture of microbes which included the Ames strain of *Bacillus anthracis*. Upon amplification of the bacterial bioagent nucleic acid and the combination calibration polynucleotide vector with primer pair no. 350, bacterial bioagent identifying amplicons and calibration amplicons were obtained and characterized by mass spectrometry. A mass spectrum measured for the amplification reaction is shown in Figure 8). The molecular masses of the bioagent identifying amplicons provided the means for identification of the bioagent from which they were obtained (Ames strain of *Bacillus anthracis*) and the molecular masses of the calibration amplicons provided the means for their identification as well. The relationship between the abundance (peak height) of the calibration amplicon signals and the bacterial bioagent identifying amplicon signals provides the means of calculation of the copies of the pX02 plasmid of the Ames strain of *Bacillus anthracis*. Methods of calculating quantities of molecules based on internal calibration procedures are well known to those of ordinary skill in the art.

[0137] Averaging the results of 10 repetitions of the experiment described above, enabled a calculation that indicated that the quantity of Ames strain of *Bacillus anthracis* present in the sample corresponds to approximately 10 copies of pX02 plasmid.

[0138] Example 11: Drill-down Genotyping of *Campylobacter* Species

[0139] A series of drill-down primers were designed as described in Example 1 with the objective of identification of different strains of *Campylobacter jejuni*. The primers are listed in Table 11 with the designation "CJST_CJ." Housekeeping genes to which the primers hybridize and produce bioagent identifying amplicons include: tkt (transketolase), glyA (serine

hydroxymethyltransferase), gltA (citrate synthase), aspA (aspartate ammonia lyase), glnA (glutamine synthase), pgm (phosphoglycerate mutase), and uncA (ATP synthetase alpha chain).

Table 11: *Campylobacter* Drill-down Primer Pairs

Primer Pair No.	Forward Primer Name	Forward Primer (SEQ ID NO:)	Reverse Primer Name	Reverse Primer (SEQ ID NO:)	Target Gene
1053	CJST_CJ_1080_1110_F	102	CJST_CJ_1166_1198_R	456	gltA
1064	CJST_CJ_1680_1713_F	107	CJST_CJ_1795_1822_R	461	glyA
1054	CJST_CJ_2060_2090_F	109	CJST_CJ_2148_2174_R	463	pgm
1049	CJST_CJ_2636_2668_F	113	CJST_CJ_2753_2777_R	467	tkt
1048	CJST_CJ_360_394_F	119	CJST_CJ_442_476_R	472	aspA
1047	CJST_CJ_584_615_F	121	CJST_CJ_663_692_R	474	glnA

[0140] The primers were used to amplify nucleic acid from 50 food product samples provided by the USDA, 25 of which contained *Campylobacter jejuni* and 25 of which contained *Campylobacter coli*. Primers used in this study were developed primarily for the discrimination of *Campylobacter jejuni* clonal complexes and for distinguishing *Campylobacter jejuni* from *Campylobacter coli*. Finer discrimination between *Campylobacter coli* types is also possible by using specific primers targeted to loci where closely-related *Campylobacter coli* isolates demonstrate polymorphisms between strains. The conclusions of the comparison of base composition analysis with sequence analysis are shown in Tables 12A-C.

Table 12A — Results of Base Composition Analysis of 50 *Campylobacter* Samples with Drill-down MLST Primer Pair Nos: 1048 and 1047

Group	Species	Isolate origin	MLST type or Clonal Complex by Base Composition analysis	MLST Type or Clonal Complex by Sequence analysis	Strain	Base Composition of Biosgent Identifying Ampliocn Obtained with Primer Pair No: 1049 (aspA)	Base Composition of Biosgent Identifying Ampliocn Obtained with Primer Pair No: 1047 (glnA)
J-1	C. jejuni	Goose	ST 690 /692/707/991	ST 991	RM3673	A30 G25 C16 T46	A47 G21 C16 T25
J-2	C. jejuni	Human	Complex 206/48/353	ST 356, complex 353	RM4192	A30 G25 C16 T46	A48 G21 C17 T23
J-3	C. jejuni	Human	Complex 354/179	ST 436	RM4194	A30 G25 C15 T47	A48 G21 C18 T22
J-4	C. jejuni	Human	Complex 257	ST 257, complex 257	RM4197	A30 G25 C16 T46	A48 G21 C18 T22
J-5	C. jejuni	Human	Complex 52	ST 52, complex 52	RM4277	A30 G25 C16 T46	A48 G21 C17 T23
J-6	C. jejuni	Human	Complex 443	ST 51, complex 443	RM4275	A30 G25 C15 T47	A48 G21 C17 T23
					RM4279	A30 G25 C15 T47	A48 G21 C17 T23
J-7	C. jejuni	Human	Complex 42	ST 604, complex 42	RM1864	A30 G25 C15 T47	A48 G21 C18 T22
J-8	C. jejuni	Human	Complex 42/49/362	ST 362, complex 362	RM3193	A30 G25 C15 T47	A48 G21 C18 T22
J-9	C. jejuni	Human	Complex 45/293	ST 147, Complex 45	RM3203	A30 G25 C15 T47	A47 G21 C18 T23
	C. jejuni	Human	Consistent	ST 828	RM4183	A31 G27 C20 T39	A48 G21 C16 T24

C-1	C. coli	Poultry	with 74 closely related sequence types (none belong to a clonal complex)	ST 832	RM1169	A31 G27 C20 T39	A48 G21 C16 T24
				ST 1056	RM1857	A31 G27 C20 T39	A48 G21 C16 T24
				ST 889	RM1166	A31 G27 C20 T39	A48 G21 C16 T24
				ST 829	RM1182	A31 G27 C20 T39	A48 G21 C16 T24
				ST 1050	RM1518	A31 G27 C20 T39	A48 G21 C16 T24
				ST 1051	RM1521	A31 G27 C20 T39	A48 G21 C16 T24
				ST 1053	RM1523	A31 G27 C20 T39	A48 G21 C16 T24
				ST 1055	RM1527	A31 G27 C20 T39	A48 G21 C16 T24
				ST 1017	RM1529	A31 G27 C20 T39	A48 G21 C16 T24
				ST 860	RM1840	A31 G27 C20 T39	A48 G21 C16 T24
				ST 1063	RM2219	A31 G27 C20 T39	A48 G21 C16 T24
				ST 1066	RM2241	A31 G27 C20 T39	A48 G21 C16 T24
				ST 1067	RM2243	A31 G27 C20 T39	A48 G21 C16 T24
				ST 1068	RM2439	A31 G27 C20 T39	A48 G21 C16 T24
		Swine		ST 1016	RM3230	A31 G27 C20 T39	A48 G21 C16 T24
				ST 1069	RM3231	A31 G27 C20 T39	A48 G21 C16 T24
				ST 1061	RM1904	A31 G27 C20 T39	A48 G21 C16 T24
		Unknown		ST 825	RM1534	A31 G27 C20 T39	A48 G21 C16 T24
				ST 901	RM1505	A31 G27 C20 T39	A48 G21 C16 T24
C-2	C. coli	Human	ST 895	ST 895	RM1532	A31 G27 C19 T40	A48 G21 C16 T24
C-3	C. coli	Poultry	Consistent with 63 closely related sequence types (none belong to a clonal complex)	ST 1064	RM2223	A31 G27 C20 T39	A48 G21 C16 T24
				ST 1082	RM1178	A31 G27 C20 T39	A48 G21 C16 T24
				ST 1054	RM1525	A31 G27 C20 T39	A48 G21 C16 T24
				ST 1049	RM1517	A31 G27 C20 T39	A48 G21 C16 T24
		Marmoset		ST 891	RM1531	A31 G27 C20 T39	A48 G21 C16 T24

Table 12B – Results of Base Composition Analysis of 50 *Campylobacter* Samples with Drill-down MLST Primer Pair Nos: 1053 and 1064

Group	Species	Isolate origin	MLST type or Clonal Complex by Base Composition analysis	MLST Type or Clonal Complex by Sequence analysis	Strain	Base Composition of Biosgent Identifying Amplicon Obtained with Primer Pair No: 1053 (gltA)	Base Composition of Biosgent Identifying Amplicon Obtained with Primer Pair No: 1064 (glyA)
J-1	*C. jejuni*	Goose	ST 690 /692/707/991	ST 991	RM3673	A24 G25 C23 T47	A40 G29 C29 T45
J-2	*C. jejuni*	Human	Complex 206/48/353	ST 356, complex 353	RM4192	A24 G25 C23 T47	A40 G29 C29 T45
J-3	*C. jejuni*	Human	Complex 354/179	ST 436	RM4194	A24 G25 C23 T47	A40 G29 C29 T45
J-4	*C. jejuni*	Human	Complex 257	ST 257, complex 257	RM4197	A24 G25 C23 T47	A40 G29 C29 T45
J-5	*C. jejuni*	Human	Complex 52	ST 52, complex 52	RM4277	A24 G25 C23 T47	A39 G30 C26 T48
J-6	*C. jejuni*	Human	Complex 443	ST 51, complex 443	RM4275	A24 G25 C23 T47	A39 G30 C28 T46
					RM4279	A24 G25 C23 T47	A39 G30 C28 T46
J-7	*C. jejuni*	Human	Complex 42	ST 604, complex 42	RM1864	A24 G25 C23 T47	A39 G30 C26 T48

J-8	C. *jejuni*	Human	Complex 42/49/362	ST 362, complex 362	RM3193	A24 G25 C23 T47	A38 G31 C28 T46
J-9	C. *jejuni*	Human	Complex 45/283	ST 147, Complex 45	RM3203	A24 G25 C23 T47	A38 G31 C28 T46
	C. *jejuni*			ST 828	RM4183	A23 G24 C26 T46	A39 G30 C27 T47
		Human		ST 832	RM1169	A23 G24 C26 T46	A39 G30 C27 T47
				ST 1056	RM1857	A23 G24 C26 T46	A39 G30 C27 T47
				ST 889	RM1166	A23 G24 C26 T46	A39 G30 C27 T47
				ST 829	RM1182	A23 G24 C26 T46	A39 G30 C27 T47
				ST 1050	RM1518	A23 G24 C26 T46	A39 G30 C27 T47
				ST 1051	RM1521	A23 G24 C26 T46	A39 G30 C27 T47
				ST 1053	RM1523	A23 G24 C26 T46	A39 G30 C27 T47
			Consistent with 74 closely related sequence types (none belong to a clonal complex)	ST 1055	RM1527	A23 G24 C26 T46	A39 G30 C27 T47
		Poultry		ST 1017	RM1529	A23 G24 C26 T46	A39 G30 C27 T47
C-1	C. *coli*			ST 860	RM1840	A23 G24 C26 T46	A39 G30 C27 T47
				ST 1063	RM2219	A23 G24 C26 T46	A39 G30 C27 T47
				ST 1066	RM2241	A23 G24 C26 T46	A39 G30 C27 T47
				ST 1067	RM2243	A23 G24 C26 T46	A39 G30 C27 T47
				ST 1068	RM2439	A23 G24 C26 T46	A39 G30 C27 T47
				ST 1016	RM3230	A23 G24 C26 T46	A39 G30 C27 T47
		Swine		ST 1069	RM3231	A23 G24 C26 T46	NO DATA
				ST 1061	RM1904	A23 G24 C26 T46	A39 G30 C27 T47
		Unknown		ST 825	RM1534	A23 G24 C26 T46	A39 G30 C27 T47
				ST 901	RM1505	A23 G24 C26 T46	A39 G30 C27 T47
C-2	C. *coli*	Human	ST 895	ST 895	RM1532	A23 G24 C26 T46	A39 G30 C27 T47
			Consistent with 63 closely related sequence types (none belong to a clonal complex)	ST 1064	RM2223	A23 G24 C26 T46	A39 G30 C27 T47
C-3	C. *coli*	Poultry		ST 1082	RM1178	A23 G24 C26 T46	A39 G30 C27 T47
				ST 1054	RM1525	A23 G24 C25 T47	A39 G30 C27 T47
				ST 1049	RM1517	A23 G24 C26 T46	A39 G30 C27 T47
		Marmoset		ST 891	RM1531	A23 G24 C26 T46	A39 G30 C27 T47

Table 12C – Results of Base Composition Analysis of 50 *Campylobacter* Samples with Drill-down MLST Primer Pair Nos: 1054 and 1049

Group	Species	Isolate origin	MLST type or Clonal Complex by Base Composition analysis	MLST Type or Clonal Complex by Sequence analysis	Strain	Base Composition of Bioagent Identifying Amplicon Obtained with Primer Pair No: 1054 (pgm)	Base Composition of Bioagent Identifying Amplicon Obtained with Primer Pair No: 1049 (tkt)
J-1	C. *jejuni*	Goose	ST 690 /692/707/991	ST 991	RM3673	A26 G33 C18 T38	A41 G28 C35 T38
J-2	C. *jejuni*	Human	Complex 206/48/353	ST 356, complex 353	RM4192	A26 G33 C19 T37	A41 G28 C36 T37
J-3	C. *jejuni*	Human	Complex 354/179	ST 436	RM4194	A27 G32 C19 T37	A42 G28 C36 T36
J-4	C. *jejuni*	Human	Complex 257	ST 257, complex 257	RM4197	A27 G32 C19 T37	A41 G29 C35 T37
J-5	C. *jejuni*	Human	Complex 52	ST 52, complex 52	RM4277	A26 G33 C18 T38	A41 G28 C36 T37

J-6	*C. jejuni*	Human	Complex 443	ST 51, complex 443	RM4275	A27 G31 C19 T38	A41 G28 C36 T37
					RM4279	A27 G31 C19 T38	A41 G28 C36 T37
J-7	*C. jejuni*	Human	Complex 42	ST 604, complex 42	RM1864	A27 G32 C19 T37	A42 G28 C35 T37
J-8	*C. jejuni*	Human	Complex 42/43/362	ST 362, complex 362	RM3193	A26 G33 C19 T37	A42 G28 C35 T37
J-9	*C. jejuni*	Human	Complex 45/283	ST 147, Complex 45	RM3203	A28 G31 C19 T37	A43 G28 C36 T35
	C. jejuni			ST 828	RM4183	A27 G30 C19 T39	A46 G28 C32 T36
C-1	*C. coli*	Human	Consistent with 74 closely related sequence types (none belong to a clonal complex)	ST 832	RM1169	A27 G30 C19 T39	A46 G28 C32 T36
				ST 1056	RM1857	A27 G30 C19 T39	A46 G28 C32 T36
		Poultry		ST 889	RM1166	A27 G30 C19 T39	A46 G28 C32 T36
				ST 829	RM1182	A27 G30 C19 T39	A46 G28 C32 T36
				ST 1050	RM1518	A27 G30 C19 T39	A46 G28 C32 T36
				ST 1051	RM1521	A27 G30 C19 T39	A46 G28 C32 T36
				ST 1053	RM1523	A27 G30 C19 T39	A46 G28 C32 T36
				ST 1055	RM1527	A27 G30 C19 T39	A46 G28 C32 T36
				ST 1017	RM1529	A27 G30 C19 T39	A46 G28 C32 T36
				ST 860	RM1840	A27 G30 C19 T39	A46 G28 C32 T36
				ST 1063	RM2219	A27 G30 C19 T39	A46 G28 C32 T36
				ST 1066	RM2241	A27 G30 C19 T39	A46 G28 C32 T36
				ST 1067	RM2243	A27 G30 C19 T39	A46 G28 C32 T36
				ST 1068	RM2439	A27 G30 C19 T39	A46 G28 C32 T36
		Swine		ST 1016	RM3230	A27 G30 C19 T39	A46 G28 C32 T36
				ST 1069	RM3231	A27 G30 C19 T39	A46 G28 C32 T36
				ST 1061	RM1904	A27 G30 C19 T39	A46 G28 C32 T36
		Unknown		ST 825	RM1534	A27 G30 C19 T39	A46 G28 C32 T36
				ST 901	RM1505	A27 G30 C19 T39	A46 G28 C32 T36
C-2	*C. coli*	Human	ST 895	ST 895	RM1532	A27 G30 C19 T39	A45 G29 C32 T36
C-3	*C. coli*	Poultry	Consistent with 63 closely related sequence types (none belong to a clonal complex)	ST 1064	RM2223	A27 G30 C19 T39	A45 G29 C32 T36
				ST 1082	RM1178	A27 G30 C19 T39	A45 G29 C32 T36
				ST 1054	RM1525	A27 G30 C19 T39	A45 G29 C32 T36
				ST 1049	RM1517	A27 G30 C19 T39	A45 G29 C32 T36
		Marmoset		ST 891	RM1531	A27 G30 C19 T39	A45 G29 C32 T36

[0141] The base composition analysis method was successful in identification of 12 different strain groups. *Campylobacter jejuni* and *Campylobacter coli* are generally differentiated by all loci. Ten clearly differentiated *Campylobacter jejuni* isolates and 2 major *Campylobacter coli* groups were identified even though the primers were designed for strain typing of

Campylobacter jejuni. One isolate (RM4183) which was designated as *Campylobacter jejuni* was found to group with *Campylobacter coli* and also appears to actually be *Campylobacter coli* by full MLST sequencing.

[0142] Example 12: Identification of *Acinetobacter baumannii* Using Broad Range Survey and Division-Wide Primers in Epidemiological Surveillance

[0143] To test the capability of the broad range survey and division-wide primer sets of Table 4 in identification of *Acinetobacter* species, 183 clinical samples were obtained from individuals participating in, or in contact with individuals participating in Operation Iraqi Freedom (including US service personnel, US civilian patients at the Walter Reed Army Institute of Research (WRAIR), medical staff, Iraqi civilians and enemy prisoners). In addition, 34 environmental samples were obtained from hospitals in Iraq, Kuwait, Germany, the United States and the USNS Comfort, a hospital ship.

[0144] Upon amplification of nucleic acid obtained from the clinical samples, primer pairs 346-349, 360, 361, 354, 362 and 363 (Table 4) all produced bacterial bioagent amplicons which identified *Acinetobacter baumannii* in 215 of 217 samples. The organism *Klebsiella pneumoniae* was identified in the remaining two samples. In addition, 14 different strain types (containing single nucleotide polymorphisms relative to a reference strain of *Acinetobacter baumannii*) were identified and assigned arbitrary numbers from 1 to 14. Strain type 1 was found in 134 of the sample isolates and strains 3 and 7 were found in 46 and 9 of the isolates respectively.

[0145] The epidemiology of strain type 7 of *Acinetobacter baumannii* was investigated. Strain 7 was found in 4 patients and 5 environmental samples (from field hospitals in Iraq and Kuwait). The index patient infected with strain 7 was a pre-war patient who had a traumatic amputation in March of 2003 and was treated at a Kuwaiti hospital. The patient was subsequently transferred to a hospital in Germany and then to WRAIR. Two other patients from Kuwait infected with strain 7 were found to be non-infectious and were not further monitored. The fourth patient was diagnosed with a strain 7 infection in September of 2003 at WRAIR. Since the fourth patient was not related involved in Operation Iraqi Freedom, it was inferred that the fourth patient was the subject of a nosocomial infection acquired at WRAIR as a result of the spread of strain 7 from the index patient.

[0146] The epidemiology of strain type 3 of *Acinetobacter baumannii* was also investigated. Strain type 3 was found in 46 samples, all of which were from patients (US service members, Iraqi civilians and enemy prisoners) who were treated on the USNS Comfort hospital ship and subsequently returned to Iraq or Kuwait. The occurrence of strain type 3 in a single locale may provide evidence that at least some of the infections at that locale were a result of a nosocomial infections.

[0147] This example thus illustrates an embodiment of the present invention wherein the methods of analysis of bacterial bioagent identifying amplicons provide the means for epidemiological surveillance.

[0148] Example 13: Selection and Use of MLST *Acinetobacter baumanii* Drill-down Primers

[0149] To combine the power of high-throughput mass spectrometric analysis of bioagent identifying amplicons with the sub-species characteristic resolving power provided by multi-locus sequence typing (MLST) such as the MLST methods of the MLST Databases at the Max-Planck Institute for Infectious Biology (web.mpiib-berlin.mpg.de/mlst/dbs/Mcatarrhalis/documents/primersCatarrhalis_html), an additional 21 primer pairs were selected based on analysis of housekeeping genes of the genus *Acinetobacter*. Genes to which the drill-down MLST analogue primers hybridize for production of bacterial bioagent identifying amplicons include anthranilate synthase component I (trpE), adenylate kinase (adk), adenine glycosylase (mutY), fumarate hydratase (fumC), and pyrophosphate phospho-hydratase (ppa). These 21 primer pairs are indicated with reference to sequence listings in Table 13. Primer pair numbers 1151-1154 hybridize to and amplify segments of trpE. Primer pair numbers 1155-1157 hybridize to and amplify segments of adk. Primer pair numbers 1158-1164 hybridize to and amplify segments of mutY. Primer pair numbers 1165-1170 hybridize to and amplify segments of fumC. Primer pair number 1171 hybridizes to and amplifies a segment of ppa. The primer names given in Table 13 indicates the coordinates to which the primers hybridize to a reference sequence which comprises a concatenation of the genes TrpE, efp (elongation factor p), adk, mutT, fumC, and ppa. For example, the forward primer of primer pair 1151 is named AB_MLST-11-OIF007_62_91_F because it hybridizes to the *Acinetobacter* MLST primer reference sequence of strain type 11 in sample 007 of Operation Iraqi Freedom (OIF) at positions 62 to 91.

Table 13: MLST Drill-Down Primers for Identification of Sub-species characteristics (Strain Type) of Members of the Bacterial Genus *Acinetobacter*

Primer Pair No.	Forward Primer Name	Forward Primer (SEQ ID NO:)	Reverse Primer Name	Reverse Primer (SEQ ID NO:)
1151	AB_MLST-11-OIF007_62_91_F	83	AB_MLST-11-OIF007_169_203_R	426
1152	AB_MLST-11-OIF007_185_214_F	76	AB_MLST-11-OIF007_291_324_R	432
1153	AB_MLST-11-OIF007_260_289_F	79	AB_MLST-11-OIF007_364_393_R	434
1154	AB_MLST-11-OIF007_206_239_F	78	AB_MLST-11-OIF007_318_344_R	433
1155	AB_MLST-11-OIF007_522_552_F	80	AB_MLST-11-OIF007_587_610_R	435
1156	AB_MLST-11-OIF007_547_571_F	81	AB_MLST-11-OIF007_656_686_R	436
1157	AB_MLST-11-OIF007_601_627_F	82	AB_MLST-11-OIF007_710_736_R	437
1158	AB_MLST-11-OIF007_1202_1225_F	65	AB_MLST-11-OIF007_1266_1296_R	420
1159	AB_MLST-11-OIF007_1202_1225_F	65	AB_MLST-11-OIF007_1299_1316_R	421
1160	AB_MLST-11-OIF007_1234_1264_F	66	AB_MLST-11-OIF007_1335_1362_R	422
1161	AB_MLST-11-OIF007_1327_1356_F	67	AB_MLST-11-OIF007_1422_1448_R	423
1162	AB_MLST-11-OIF007_1345_1369_F	68	AB_MLST-11-OIF007_1470_1494_R	424
1163	AB_MLST-11-OIF007_1351_1375_F	69	AB_MLST-11-OIF007_1470_1494_R	424
1164	AB_MLST-11-OIF007_1387_1412_F	70	AB_MLST-11-OIF007_1470_1494_R	424
1165	AB_MLST-11-OIF007_1542_1569_F	71	AB_MLST-11-OIF007_1656_1680_R	425
1166	AB_MLST-11-OIF007_1566_1593_F	72	AB_MLST-11-OIF007_1656_1680_R	425
1167	AB_MLST-11-OIF007_1611_1638_F	73	AB_MLST-11-OIF007_1731_1757_R	427
1168	AB_MLST-11-OIF007_1726_1752_F	74	AB_MLST-11-OIF007_1790_1821_R	428
1169	AB_MLST-11-OIF007_1792_1826_F	75	AB_MLST-11-OIF007_1876_1909_R	429
1170	AB_MLST-11-OIF007_1792_1826_F	75	AB_MLST-11-OIF007_1895_1927_R	430
1171	AB_MLST-11-	77	AB_MLST-11-OIF007_2097_2118_R	431

	OIF007_197C 2002 F			

[0150] Analysis of bioagent identifying amplicons obtained using the primers of Table 13 for over 200 samples from Operation Iraqi Freedom resulted in the identification of 50 distinct strain type clusters. The largest cluster, designated strain type 11 (ST11) includes 42 sample isolates, all of which were obtained from US service personnel and Iraqi civilians treated at the 28th Combat Support Hospital in Baghdad. Several of these individuals were also treated on the hospital ship USNS Comfort. These observations are indicative of significant epidemiological correlation/linkage.

[0151] All of the sample isolates were tested against a broad panel of antibiotics to characterize their antibiotic resistance profiles. As an example of a representative result from antibiotic susceptibility testing, ST11 was found to consist of four different clusters of isolates, each with a varying degree of sensitivity/resistance to the various antibiotics tested which included penicillins, extended spectrum penicillins, cephalosporins, carbipenem, protein synthesis inhibitors, nucleic acid synthesis inhibitors, anti-metabolites, and anti-cell membrane antibiotics. Thus, the genotyping power of bacterial bioagent identifying amplicons, particularly drill-down bacterial bioagent identifying amplicons, has the potential to increase the understanding of the transmission of infections in combat casualties, to identify the source of infection in the environment, to track hospital transmission of nosocomial infections, and to rapidly characterize drug-resistance profiles which enable development of effective infection control measures on a time-scale previously not achievable.

[0152] Various modifications of the invention, in addition to those described herein, will be apparent to those skilled in the art from the foregoing description. Such modifications are also intended to fall within the scope of the appended claims. Each reference (including, but not limited to, journal articles, U.S. and non-U.S. patents, patent application publications, international patent application publications, gene bank accession numbers, internet web sites, and the like) cited in the present application is incorporated herein by reference in its entirety.

WHAT IS CLAIMED IS:

1. An oligonucleotide primer selected from the group consisting of: an oligonucleotide primer 16 to 35 nucleobases in length comprising 80% to 100% sequence identity with SEQ ID NO: 26, an oligonucleotide primer 20 to 27 nucleobases in length comprising at least a 20 nucleobase portion of SEQ ID NO: 388, an oligonucleotide primer 22 to 35 nucleobases in length comprising SEQ ID NO: 29, an oligonucleotide primer 18 to 35 nucleobases in length comprising SEQ ID NO: 391, an oligonucleotide primer 22 to 26 nucleobases in length comprising SEQ ID NO: 37, an oligonucleotide primer 20 to 30 nucleobases in length comprising SEQ ID NO: 362, an oligonucleotide primer 13 to 35 nucleobases in length comprising 70% to 100% sequence identity with SEQ ID NO: 48, an oligonucleotide primer 19 to 35 nucleobases in length comprising SEQ ID NO: 404, an oligonucleotide primer 21 to 35 nucleobases in length comprising 70% to 100% sequence identity with SEQ ID NO: 160, an oligonucleotide primer 21 to 35 nucleobases in length comprising at least a 16 nucleobase portion of SEQ ID NO: 515, an oligonucleotide primer 17 to 35 nucleobases in length comprising 70% to 100% sequence identity with SEQ ID NO: 261, an oligonucleotide primer 18 to 35 nucleobases in length comprising at least a 16 nucleobase portion of SEQ ID NO: 624, an oligonucleotide primer 21 to 35 nucleobases in length comprising 70% to 100% sequence identity with SEQ ID NO: 231, an oligonucleotide primer 17 to 35 nucleobases in length comprising 70% to 100% sequence identity with SEQ ID NO: 591; an oligonucleotide primer 14 to 35 nucleobases in length comprising 70% to 100% sequence identity with SEQ ID NO: 349, an oligonucleotide primer 17 to 35 nucleobases in length comprising 70% to 100% sequence identity with SEQ ID NO: 711, an oligonucleotide primer 16 to 35 nucleobases in length comprising 70% to 100% sequence identity with SEQ ID NO: 240, an oligonucleotide primer 15 to 35 nucleobases in length comprising 70% to 100% sequence identity with SEQ ID NO: 596, an oligonucleotide primer 16 to 35 nucleobases in length comprising 70% to 100% sequence identity with SEQ ID NO: 58, an oligonucleotide primer 21 to 35 nucleobases in length comprising at least a 16 nucleobase portion of SEQ ID NO:414, an oligonucleotide primer 16 to 35 nucleobases in length comprising at least a 16 nucleobase portion of SEQ ID NO: 6, an oligonucleotide primer 16 to 35 nucleobases in length comprising at least a 16 nucleobase portion of SEQ ID NO:369, an oligonucleotide primer 16 to 35 nucleobases in length comprising 70% to 100% sequence identity with SEQ ID NO: 246, an oligonucleotide primer 19 to 35 nucleobases in length comprising 70% to 100% sequence identity with SEQ ID NO: 602, an oligonucleotide primer 21 to 35 nucleobases in length comprising 70% to 100% sequence identity with SEQ ID NO: 256, an oligonucleotide primer 14 to 35 nucleobases in length

comprising 70% to 100% sequence identity with SEQ ID NO: 620, an oligonucleotide primer 16 to 35 nucleobases in length comprising 70% to 100% sequence identity with SEQ ID NO: 344, an oligonucleotide primer 18 to 35 nucleobases in length comprising 70% to 100% sequence identity with SEQ ID NO: 700, an oligonucleotide primer 16 to 35 nucleobases in length comprising 70% to 100% sequence identity with SEQ ID NO: 235, an oligonucleotide primer 16 to 35 nucleobases in length comprising 70% to 100% sequence identity with SEQ ID NO: 587;

wherein said primer comprises a non-templated T residue on the 5'-end, or at least one non-template tag.

2. A composition comprising one or more of the oligonucleotide primers of claim 1.

3. A composition comprising two or more of the oligonucleotide primers of claim 1.

4. The composition of claim 3 wherein either or both of said oligonucleotide primers comprises at least one modified nucleobase.

5. The composition of claim 3 wherein either or both of said oligonucleotide primers comprises a non-templated T residue on the 5'-end.

6. The composition of claim 3 wherein either or both of said oligonucleotide primers comprises at least one non-template tag.

7. The composition of claim 3 wherein either or both of said oligonucleotide primers comprises at least one molecular mass modifying tag.

8. An oligonucleotide primer selected from the group consisting of: an oligonucleotide primer 16 to 35 nucleobases in length comprising 70% to 100% sequence identity with SEQ ID NO: 322, and an oligonucleotide primer 19 to 35 nucleobases in length comprising 70% to 100% sequence identity with SEQ ID NO: 686.

9. A composition comprising one or both of the oligonucleotide primers of claim 8.

10. The composition of claim 9 wherein either or both of said oligonucleotide primers comprises at least one modified nucleobase.

11. The composition of claim 9 wherein either or both of said oligonucleotide primers comprises a non-templated T residue on the 5'-end.

12. The composition of claim 9 wherein either or both of said oligonucleotide primers comprises at least one non-template tag.

13. The composition of claim 9 wherein either or both of said oligonucleotide primers comprises at least one molecular mass modifying tag.

14. A kit comprising the composition of claim 3 or claim 9.

15. The kit of claim 14 further comprising at least one calibration polynucleotide.

16. The kit of claim 14 further comprising at least one ion exchange resin linked to magnetic beads.

17. A method for identification of an unknown bacterium comprising:

amplifying nucleic acid from said bacterium using the composition of claim 3 or claim 9 to obtain an amplification product;

determining the molecular mass of said amplification product;

optionally determining the base composition of said amplification product from said molecular mass; and

comparing said molecular mass or base composition of said amplification product with a plurality of molecular masses or base compositions of known bacterial bioagent identifying amplicons, wherein a match between said molecular mass or base composition of said amplification product and the molecular mass or base composition of a member of said plurality of molecular masses or base compositions identifies said unknown bacterium.

18. The method of claim 17 wherein said molecular mass is determined by mass spectrometry.

19. A method of determining the presence or absence of a bacterium of a particular clade, genus, species, or sub-species in a sample comprising:

amplifying nucleic acid from said sample using the composition of claim 3 or claim 9 to obtain an amplification product;

determining the molecular mass of said amplification product;

optionally determining the base composition of said amplification product from said molecular mass; and

comparing said molecular mass or base composition of said amplification product with the known molecular masses or base compositions of one or more known clade, genus, species, or sub-species bioagent identifying amplicons, wherein a match between said molecular mass or base composition of said amplification product and the molecular mass or base composition of one or more known clade, genus, species, or sub-species bioagent identifying amplicons indicates the presence of said clade, genus, species, or sub-species in said sample.

20. The method of claim 19 wherein said molecular mass is determined by mass spectrometry.

21. A method for determination of the quantity of an unknown bacterium in a sample comprising:

contacting said sample with the composition of claim 3 or claim 9 and a known quantity of a calibration polynucleotide comprising a calibration sequence;

concurrently amplifying nucleic acid from said bacterium in said sample with the composition of claim 3 or claim 9 and amplifying nucleic acid from said calibration polynucleotide in said sample with the composition of claim 3 or claim 9 to obtain a first amplification product comprising a bacterial bioagent identifying amplicon and a second amplification product comprising a calibration amplicon;

determining the molecular mass and abundance for said bacterial bioagent identifying amplicon and said calibration amplicon; and

distinguishing said bacterial bioagent identifying amplicon from said calibration amplicon based on molecular mass, wherein comparison of bacterial bioagent identifying amplicon abundance and calibration amplicon abundance indicates the quantity of bacterium in said sample.

22. The method of claim 21 further comprising determining the base composition of said bacterial bioagent identifying amplicon.

Figure 1


A
E. coli K12
E. coli O157:H7
S. typhi
S. typhimurium
Y. pestis/
Y. pseudotuberculosis
Y. enterocolitica
G
C
Size by T
14
21

Figure 2


For each group of organisms
200
Identify candidate target sequences
210
Create/curate nucleotide alignment
220
Analyze nucleotide alignment
230
Primer Design
240
Select candidate primer pairs
300
In silico analysis
310
Seq. database
320
Product base composition database
330
In-silico specificity check
340
400
Lab PCR analysis
410
Organism collection
420
Validate primer sets
-- Sensitivity
-- Specificity
-- Reproducibility
Probability model for unknown organism identification
325

Figure 3


346-349, 360, 361
Bacteroidetes 354
Bacteroides fragilis
Capnocytophaga canimorsus
Porphyromonas sp.
Bacteroides thetaiotaomicron
Chryseobacterium meningosepticum
Prevotella sp.
Chlamydia
Chlamydia trachomatis
Chlamydophila psittaci
Chlamydophila pneumoniae
Parachlamydia acanthamoebae
Proteobacteria-α 358 354
Agrobacterium tumefaciens 359
Bartonella henselae
Bartonella quintana
Brucella abortus
Brucella melitensis
Brucella suis
Candidatus Liberibacter africanus
Candidatus Liberibacter asiaticus
362
Rickettsia prowazekii
Rickettsia rickettsii
Cowdria ruminatium
Anaplasma phagocytophilum
Orientia tsutsugamushi
Ehrlichia chaffeensis
Ehrlichia equi
Rickettsia conorii
Rickettsia typhi
Rickettsia felis
Proteobacteria-ε 358 354 356
359 449
Campylobacter fetus
Campylobacter jejuni
Helicobacter cinaedi
Helicobacter fennelliae
Helicobacter pylori
Spirochetes 354
Borrelia burgdorferi
Borrelia hermsii
Borrelia turicatae
Leptospira interrogans
Treponema pallidum
363
Proteobacteria-β 358
359
367
Eikenella corrodens
Neisseria gonorrhoeae
Neisseria meningitidis
Bordetella pertussis
Burkholderia cepacia
Achromobacter xylosoxidans
Burkholderia mallei
Burkholderia pseudomallei
Ralstonia mannitolilytica
Ralstonia pickettii
Ralstonia solanacearum
Acinetobacteria
Mycobacterium tuberculosis
Mycobacterium genavense
Mycobacterium avium
Mycobacterium bovis
Mycobacterium kansasii
Mycobacterium chelonae
Mycobacterium fortuitum
Mycobacterium leprae
Mycobacterium spp.
Mycobacterium simiae
Mycobacterium szulgai
Mycobacterium ulcerans
Rhodococcus equi
Rothia dentocariosa
Actinomyces israelli
Clavibacter michiganensis
Corynebacterium sepsis 354
Corynebacterium amycolatum
Corynebacterium bovis
Corynebacterium jeikeium
Corynebacterium sp.
Corynebacterium pseudodiphtheriticum
Corynebacterium diptheriae
Mycobacterium scrofulaceum
Mycobacterium xenopi
Norcardia nova
Norcardia asteroides
Propionibacterium acnes
Tropheryma whipplei
Actinomyces naeslundii
Proteobacteria-γ
Acinetobacter baumannii
Acinetobacter lwoffii
Acinetobacter anitratus
Tatlockia micdadei
Legionella longbeachae
Legionella pneumophila
Coxiella burnetii
Acinetobacter calcoaceticus
Acinetobacter radioresistans
Pseudomonas syringae pv. glycinea
Francisella tularensis
Proteobacteria-γ Haemophilus paraphrophilus 354
Haemophilus ducreyi Vibrio cholerae Haemophilus perainfluenzae
Haemophilus influenzae Xanthomonas oryzae pv. oryzicola
Pasteurella multocida Xylella fastidiosa
Aeromonas hydrophila Alteromonas tetradonis
Vibrio parahaemolyticus Haemophilus parahaemolyticus
Stenotrophomonas maltophila Haemophilus aegyptius
Xanthomonas malvacearum Haemophilus aphrophilus
Xanthomonas oryzae pv. Oryzae Vibrio vulnificus
Actinobacillus actinomycetemcomitans Aeromonas spp.
Mollicutes
Mycoplasma mycoides
Mycoplasma pneumonia
Pseudomonas aeruginosa 363
Pseudomonas alcaligenes
Pseudomonas fluorescens
Pseudomonas stutzeri
Pseudomonas putida
Firmicutes
Clostridia
Eubacterium sp.
Anaerococcus prevotii
Clostridium botulinum
Clostridium difficile
Peptostreptococcus anaerobius
Clostridium perfringens
Clostridium septicum
Clostridium tetani
Peptococcus niger
Veillonella dispar 356, 449
Fusobacteria 354
Fusobacterium necrophorum
Streptobacillus moniliformis
Bacilli 352
Streptococcus agalactiae
Streptococcus bovis
Streptococcus milleri
Streptococcus equi
Enterococcus faecalis
Staphylococcus epidermis
Streptococcus intermedius
Enterococcus faecium
Streptococcus pneumoniae
Streptococcus pyogenes
Enterococcus flavescens
Staphylococcus haemolyticus
Listeria monocytogenes
Staphylococcus intermedius
Staphylococcus aureus
Staphylococcus saprophyticus
Staphylococcus coagulase-neg.
Streptococcus viridans
355
350, 351, 353
Bacillus anthracis
Bacillus cereus
Bacillus thuringiensis
358, 359
Citrobacter freundii
Edwarsiella tarda
Enterobacter aerogenes
Klebsiella oxytoca
Moraxella catarrhalis
Morganella morganii
Plesiomonas shigelloides
Proteus mirabilis
Proteus vulgaris
Providencia sp.
Providencia stuartii
Salmonella choleraesuis
Yersinia pseudotuberculosis
Escherichia coli
Klebsiella pneumoniae
Salmonella enteritidis
Salmonella paratyphi
Salmonella typhi
Salmonella typhimurium
Serratia marcescens
Shigella dysenteriae
Shigella flexneri
Shigella sonnei
Yersinia enterocolitica
Yersinia pestis
Enterobacter cloacae

Figure 4


Base Composition Signatures from primer pair 14 (16S rRNA)
Strep pneumonia
Staph epidermidis
Staph aureus
Strep mutans
Strep pyogenes
NHRC Test Samples
Bacillus anthracis
A
C
G

Figure 5


Primer Pair 349: 23S rDNA
Molecular mass: 31224.20776
Base composition: [A28 G28 C23 T20]
Identified as: Haemophilus influenzae
Molecular mass: 28480.75124
Base composition:
[A25 G27 C22 T16]
Identified as: Neisseria meningitidis
Molecular mass: 31329.22654
Base composition:
[A28 G31 C23 T19]
Identified as:
Streptococcus pyogenes
Amplitude: echanges
0
100
200
300
400
500
600
700
1010
1015
1020
1025
1030
1035
M/z

Figure 6


Primer 356: rplB
Molecular Mass: 37410.26497
Base composition: [A36 G31 C29 T23]
Identified as Streptococcus pyogenes
PCR Calibrant
[A34 G29 C27 T26]
Amplitude: #charges
m/z
1800
1600
1400
1200
1000
800
600
400
200
0
-200
1000
1005
1010
1015
1020
1025
1030

Figure 7


primer pair
500
Sample containing Unknown bioagent nucleic acid
505
Known Quantity of Calibration polynucleotide
510
Amplification products
515
Molecular mass and abundance data
520
Molecular mass of bioagent identifying amplicon
525
Identification of bioagent
530
Molecular mass of Calibration amplicon
535
Identification of Calibration amplicon
540
Abundance of Bioagent identifying amplicon
545
Abundance of Calibration amplicon
550
Calculation of quantity of identified bioagent

Figure 8


Amplification of nucleic acid in a sample mixture of bacteria with Primer Pair No. 350 (capC gene on Plasmid pX02 of B. anthracis)
CapC Calibration Amplicons
Bacterial Bioagent Identifying Amplicons of B. anthracis
Concentration #charges
M/Z
0
500
1000
1500
2000
2500
3000
3500
985
990
995
1000
1005
1010
1015
1020

SEQUENCE LISTING

<110> Isis Pharmaceuticals, Inc.
Sampath, Rangarajan
Hall, Thomas A.
Ecker, David J.
Eshoo, Mark. W.
Massire, Christian
Science Applications International Corporation
Larson, Brons M.
Leighton, Terrance

<120> COMPOSITIONS FOR USE IN IDENTIFICATION OF BACTERIA

<130> IBIS0074-500WO (DIBIS-0057WO1)

<150> 60/545,425
<151> 2004-02-18

<150> 60/559,754
<151> 2004-04-05

<150> 60/632,862
<151> 2004-12-03

<150> 60/639,068
<151> 2004-12-22

<150> 60/648,188
<151> 2005-01-28

<160> 785

<170> FastSEQ for Windows Version 4.0

<210> 1
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1
gtgagatgtt gggttaagtc ccgtaacgag 30

<210> 2
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 2
atgttgggtt aagtcccgc 19

<210> 3
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 3
atgttgggtt aagtcccgca acgag 25

<210> 4
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 4
ttaagtcccg caacgagcgc aa 22

<210> 5
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 5
tttaagtccc gcaacgagcg caa 23

<210> 6
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 6
ttaagtcccg caacgatcgc aa 22

<210> 7
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 7
tagtcccgca acgagcgc 18

<210> 8
<211> 17
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 8

caacgagcgc aaaccctt 17

<210> 9
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 9
caagtcatca tggccctta 19

<210> 10
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 10
gctacacacg tgctacaatg 20

<210> 11
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 11
cggattggag tctgcaactc g 21

<210> 12
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 12
aagtcggaat cgctagtaat cg 22

<210> 13
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 13
tacggtgaat acgttcccgg g 21

<210> 14
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 14
gccttgtaca cacctcccgt c 21

<210> 15
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 15
cttgtacaca ccgcccgtc 19

<210> 16
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 16
ttgtacacac cgcccgtcat ac 22

<210> 17

<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 17
tgaacgctgg tggcatgctt aacac 25

<210> 18
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 18
cactggaact gagacacgg 19

<210> 19
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 19

gtggcatgcc taatacatgc aagtcg 26

<210> 20
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 20
tgagtgatga aggccttagg gttgtaaa 28

<210> 21
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 21
taacacatgc aagtcgaacg 20

<210> 22
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 22
ccagcagccg cggtaatac 19

<210> 23
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 23
cggaattact gggcgtaaag 20

<210> 24
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 24
gtgtagcggt gaaatgcg 18

<210> 25
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 25
gagagtttga tcctggctca gaacgaa 27

<210> 26
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 26
agaacaccga tggcgaaggc 20

<210> 27
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 27
tagaacaccg atggcgaagg c 21

<210> 28
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 28
gggagcaaac aggattagat ac 22

<210> 29
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 29
ggattagaga ccctggtagt cc 22

<210> 30
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 30
tggattagag accctggtag tcc 23

<210> 31
<211> 26
<212> DNA

<213> Artificial Sequence

<220>
<223> Primer

<400> 31
ggattagata ccctggtagt ccacgc 26

<210> 32
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 32
tagataccct ggtagtccac gc 22

<210> 33
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 33
gataccctgg tagtccacac cg 22

<210> 34
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 34
agagtttgat catggctcag 20

<210> 35
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 35

accacgccgt aaacgatga 19

<210> 36
<211> 18
<212> DNA

<213> Artificial Sequence

<220>
<223> Primer

<400> 36
aagcggtgga gcatgtgg 18

<210> 37
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 37
ttcgatgcaa cgcgaagaac ct 22

<210> 38
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 38
tttcgatgca acgcgaagaa cct 23

<210> 39
<211> 17
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 39
acgcgaagaa ccttacc 17

<210> 40
<211> 17
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 40
acgcgaagaa ccttacc 17

<210> 41
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 41

gcgaagaacc ttaccaggtc 20

<210> 42
<211> 14
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 42
cgaagaacct tacc 14

<210> 43
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 43
tgcgcggaag atgtaacggg 20

<210> 44
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 44
tgcatacaaa cagtcggagc ct 22

<210> 45
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 45
aaactagata acagtagaca tcac 24

<210> 46
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 46
taccccaaac cgacacagg 19

<210> 47
<211> 19

<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 47
ccgtaacttc gggagaagg 19

<210> 48
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 48
ctgacacctg cccggtgc 18

<210> 49
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 49
tctgacacct gcccggtgc 19

<210> 50
<211> 16
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 50
gacgcctgcc cggtgc 16

<210> 51
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 51
acctgcccag tgctggaag 19

<210> 52
<211> 21
<212> DNA
<213> Artificial Sequence

<220>

<223> Primer

<400> 52
gggaactgaa acatctaagt a 21

<210> 53
<211> 15
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 53
ggtggatgcc ttggc 15

<210> 54
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 54
aaggtactcc ggggataaca ggc 23

<210> 55
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 55
tagaacgtcg cgagacagtt cg 22

<210> 56
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 56
gacagttcgg tccctatc 18

<210> 57
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 57
ctgtccctag tacgagagga ccgg 24

<210> 58
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 58
tctgtcccta gtacgagagg accgg 25

<210> 59
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 59
ctgttcttag tacgagagga cc 22

<210> 60
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 60
tctgttctta gtacgagagg acc 23

<210> 61
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 61
ctagtacgag aggaccgg 18

<210> 62
<211> 17
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 62
tagtacgaga ggaccgg 17

<210> 63
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 63
ggggagtgaa agagatcctg aaaccg 26

<210> 64
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 64
cgagagggaa acaacccaga cc 22

<210> 65
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 65
tcgtgcccgc aatttgcata aagc 24

<210> 66
<211> 31
<212> DNA
<213> Artificial Sequence

<220>

<223> Primer

<400> 66
ttgtagcaca gcaaggcaaa tttcctgaaa c 31

<210> 67
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 67
taggtttacg tcagtatggc gtgattatgg 30

<210> 68
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 68
tcgtgattat ggatggcaac gtgaa 25

<210> 69
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 69
ttatggatgg caacgtgaaa cgcgt 25

<210> 70
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 70
tctttgccat tgaagatgac ttaagc 26

<210> 71
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 71
tactagcggt aagcttaaac aagattgc 28

<210> 72
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 72
ttgccaatga tattcgttgg ttagcaag 28

<210> 73
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 73
tcggcgaaat ccgtattcct gaaaatga 28

<210> 74
<211> 27

<212> DNA

<213> Artificial Sequence

<220>
<223> Primer

<400> 74
taccactatt aatgtcgctg gtgcttc 27

<210> 75
<211> 35
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 75
ttataactta ctgcaatcta ttcagttgct tggtg 35

<210> 76
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 76
tattgtttca aatgtacaag gtgaagtgcg 30

<210> 77
<211> 33
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 77
tggttatgta ccaaatactt tgtctgaaga tgg 33

<210> 78
<211> 34
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 78
tgaagtgcgt gatgatatcg atgcacttga tgta 34

<210> 79
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 79

tggaacgtta tcaggtgccc caaaaattcg 30

<210> 80
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 80
tcggtttagt aaaagaacgt attgctcaac c 31

<210> 81
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 81
tcaacctgac tgcgtgaatg gttgt 25

<210> 82
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 82
tcaagcagaa gctttggaag aagaagg 27

<210> 83
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 83
tgagattgct gaacatttaa tgctgattga 30

<210> 84
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 84
ttgcttaaag ttggttttat tggttggcg 29

<210> 85
<211> 34
<212> DNA

<213> Artificial Sequence

<220>
<223> Primer

<400> 85
tcagttttaa tgtctcgtat gatcgaatca aaag 34

<210> 86
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 86
gcacaacctg cggctgcg 18

<210> 87
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 87
tctagtaata ataggaccct cagc 24

<210> 88
<211> 15
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 88
tatggctcta ctcaa 15

<210> 89
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 89
tgagtcactt gaagttgata caaatcctct 30

<210> 90
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 90
gaatagcaat taatcc□aaat 20

<210> 91
<211> 24
<212> DNA

<213> Artificial Sequence

<220>
<223> Primer

<400> 91
tcagttccgt tatcgc□catt gcat 24

<210> 92
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 92
tggaactatt gcaact□gcta atg 23

<210> 93
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 93
tcactcttac atata■ggaa ggcgctc 27

<210> 94
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 94
tcaggatgga aataac□cacc aattcactac 30

<210> 95
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 95
gttatttagc actgt□tttt aatcagcc 28

<210> 96
<211> 20

<212> DNA
<213> Artificial Sequence

<220>

<223> Primer

<400> 96
actcgttttt aatcagcccg 20

<210> 97
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 97
gattattgtt atcctgttat gccatttgag 30

<210> 98
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 98
tgattattgt tatcctgtta tgccatttga g 31

<210> 99
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 99
ttattgttat cctgttatgc c 21

<210> 100
<211> 21
<212> DNA
<213> Artificial Sequence

<220>

<223> Primer

<400> 100
gttatcctgt tatgccattt g 21

<210> 101
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 101
ccgtggtatt ggagttattg 20

<210> 102
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 102
ttgagggtat gcaccgtctt tttgattctt t 31

<210> 103
<211> 32
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 103
agttataaac acggctttcc tatggcttat cc 32

<210> 104
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 104
tggcttatcc aaatttagat cgtggtttta c 31

<210> 105
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 105
ttatcgtttg tggagctagt gcttatgc 28

<210> 106
<211> 33
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 106
tgctcgagtg attgactttg ctaaatttag aga 33

<210> 107
<211> 34
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 107
tgattttgct aaatttagag aaattgcgga tgaa 34

<210> 108
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 108
tcccaattaa ttctgccatt tttccaggta t 31

<210> 109
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 109
tcccggactt aatatcaatg aaaattgtgg a 31

<210> 110
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 110
tgcggatcgt ttggtggttg tagatgaaaa 30

<210> 111

<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 111
tcgtttggtg gtggtagatg aaaaagg 27

<210> 112
<211> 28
<212> DNA

<213> Artificial Sequence

<220>
<223> Primer

<400> 112
tagatgaaaa gggcgaagtg gctaatgg 28

<210> 113
<211> 33
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 113
tgcctagaag atcttaaaaa tttccgccaa ctt 33

<210> 114
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 114
tccccaggac accctgaaat ttcaac 26

<210> 115
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 115

tggcatttct tatgaagctt gttctttagc a 31

<210> 116
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 116
tgaagcttgt tctttagcag gacttca 27

<210> 117
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 117
tttgatttta cgccgtcctc caggtcg 27

<210> 118
<211> 34
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 118
tcctgttatc cctgaagtag ttaatcaagt ttgt 34

<210> 119
<211> 35
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 119
tcctgttatc cctgaagtag ttaatcaagt ttgtt 35

<210> 120
<211> 35
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 120
taggcgaaga tatacaaaga gtattagaag ctaga 35

<210> 121
<211> 33
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 121
tccaggacaa atgtatgaaa aatgtccaag aag 33

<210> 122
<211> 34
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 122
tgaaaaatgt ccaagaagca tagcaaaaaa agca 34

<210> 123
<211> 26
<212> DNA

<213> Artificial Sequence

<220>
<223> Primer

<400> 123
tcttatgcca agaggacaga gtgagt 26

<210> 124
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 124
tgtattaggg gcatacagtc ctcatcc 27

<210> 125
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 125
gaaagagttc ggattggg 18

<210> 126
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 126
acaacgaagt acaatacaag ac 22

<210> 127
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 127
cgaagtacaa tacaagacaa aagaagg 27

<210> 128
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 128
tcgaagtaca atacaagaca aaagaagg 28

<210> 129
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 129
acaatacaag acaaaagaag g 21

<210> 130
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 130
caggtttagt accagaacat gcag 24

<210> 131
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 131
ggtttagtac cagaacatgc 20

<210> 132
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 132
cggcgtactt caacgacagc ca 22

<210> 133
<211> 32
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 133
ttatcagcta gacctttag gtaaagctaa gc 32

<210> 134
<211> 32

<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 134
tccaaggtac actaaactta cttgagctaa tg 32

<210> 135
<211> 32
<212> DNA
<213> Artificial Sequence

<220>

<223> Primer

<400> 135
tcaaaaagcc ctaggtaaag agattccata tc 32

<210> 136
<211> 33
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 136
tccgttctta caaatagcaa tagaacttga agc 33

<210> 137
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 137
tggagcttga agctatcgct cttaaagatg 30

<210> 138
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 138
tggaacttga agctctcgct cttaaagatg 30

<210> 139
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 139
tgggacttga agctatcgct cttaaagatg 30

<210> 140
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 140
tcttctcatc ctatggctat tatgcttgc 29

<210> 141
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 141
ggtgaaagaa gttgcctcta aagc 24

<210> 142
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 142
atggacaagg ttggcaagga agg 23

<210> 143
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 143
aaggaaggcg tgatcaccgt tgaaga 26

<210> 144
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 144
tggaagatct gggtcaggc 19

<210> 145
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 145
tctgcccgtg tcgttggtga 20

<210> 146

<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 146
tccattgttc gtatggctca agact 25

<210> 147
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 147

tcaggtggct tacacggcgt ag 22

<210> 148
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 148
tctttcttga atgctggtgt acgtatcg 28

<210> 149
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 149
tcaacgaagg taaaaaccat ctcaacg 27

<210> 150
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 150
tgttcgctgt ttcacaaaca acattcca 28

<210> 151
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 151
tacttacttg agaatccaca agctgcaa 28

<210> 152
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 152
tggcgaacct ggtgaacgaa gc 22

<210> 153
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 153
tagttgctca aacagctggg ct 22

<210> 154
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 154
tcccggagct tttatgacta aagcagat 28

<210> 155
<211> 23
<212> DNA

<213> Artificial Sequence

<220>
<223> Primer

<400> 155

tcgccgtgga aaaatcctac gct 23

<210> 156
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 156
ttcctgaccg acccattatt ccctttatc 29

<210> 157
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 157
tcctgaccga cccattattc cctttatc 28

<210> 158
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 158
gtcgtgaaaa cgagctggaa ga 22

<210> 159
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 159
tgcgtttacc gcaatgcgtg c 21

<210> 160
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 160
tgctcgtggt gcacaagtaa cggatatta 29

<210> 161
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 161
ttgctcgtgg tgcacaagta acggatatta 30

<210> 162
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 162
cgtcagggta aattccgtga agttaa 26

<210> 163
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 163
tggtaacaga gccttatagg cgca 24

<210> 164
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 164
tggctccttg gtatgactct gcttc 25

<210> 165
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 165
tgctgaggcc tggaccgatt atttac 26

<210> 166
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 166
ttatttacct gcactcccac aactg 25

<210> 167
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 167
tccttgaccg cctttccgat ac 22

<210> 168
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 168
tgaggaccgt gtcgcgctca 20

<210> 169
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 169
tcagaccatg ctcgcagaga aactt 25

<210> 170
<211> 26
<212> DNA
<213> Artificial Sequence

<220>

<223> Primer

<400> 170
tcagtatgta tccaccgtag ccagtc 26

<210> 171
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 171
tgggtgacat tcatcaattt catcgttc 28

<210> 172
<211> 17
<212> DNA

<213> Artificial Sequence

<220>
<223> Primer

<400> 172

tcaagaagaa aaagagc 17

<210> 173
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 173
caagaagaaa aagagcttct aaaaagaata c 31

<210> 174
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 174
agcttttgca tattatatcg agccac 26

<210> 175
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 175
tagcttttgc atattatatc gagccac 27

<210> 176
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 176
cttttgcata ttatatcgag c 21

<210> 177
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 177
tttacagctt tatgcaccg 19

<210> 178
<211> 17
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 178
caacggatgc tggcaag 17

<210> 179
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 179

tgtagccgct aagcactacc atcc 24

<210> 180
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 180
tggacggcat cacgattctc tac 23

<210> 181
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 181
tgaagtagaa atgactgaac gtccga 26

<210> 182
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 182
taaaacaaac tacggtaaca ttgatcgca 29

<210> 183

<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 183
tcaggtactg ctatccaccc tcaa 24

<210> 184
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 184
tgtactgcta tccaccctca a 21

<210> 185
<211> 11
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 185
tccaccctca a 11

<210> 186
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 186
tcaccaggtt caactcaaaa aatattaaca 30

<210> 187
<211> 27
<212> DNA

<213> Artificial Sequence

<220>
<223> Primer

<400> 187
ttacacatat cgtgagcaat gaactga 27

<210> 188
<211> 30
<212> DNA
<213> Artificial Sequence

<220>

<223> Primer

<400> 188
ttactccatt attgcttggt tacactttcc 30

<210> 189
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 189
tacacaacaa tggcggtaaa gatgg 25

<210> 190
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 190
tgcgcagctc ttggtatcga gtt 23

<210> 191
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 191
tgcctcgaag ctgaatataa ccaagtt 27

<210> 192
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 192
tcaacggtaa cttctatgtt acttctg 27

<210> 193
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 193
tcaagccgta cgtattatta ggtgctg 27

<210> 194

<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 194
tccgtaagta ttattaggtg ctggtca 27

<210> 195
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 195
tcgtacgtat tattaggtgc tggtcact 28

<210> 196
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 196
tgttggtgct ttctgggcgt taa 23

<210> 197
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 197
tggtgctttc tggcgcttaa acga 24

<210> 198
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 198
tctactgatt ttggtaatct tgcagcacag 30

<210> 199
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 199
tgcaagtggt acttcaacat gggg 24

<210> 200
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 200
ttacaggaag tttaggtggt aatctaaaag g 31

<210> 201
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 201
cagaatcaag ttcccagggg 20

<210> 202
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 202
agaatcaagt tcccaggggt tac 23

<210> 203
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 203
aatctgctat ttggtcagg 19

<210> 204
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 204
gaaggatata cggttgatgt c 21

<210> 205

<211> 20
<212> DNA
<213> Artificial Sequence

<220>

<223> Primer

<400> 205
tcctgaaaaa tggagcacgg 20

<210> 206
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 206
tggagcacgg cttctgatc 19

<210> 207
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 207

ggctcagcca tttagttacc gctat 25

<210> 208
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 208
tcagcgcgta cagtgggtga t 21

<210> 209
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 209
tggtgactcg gcatgttatg aagc 24

<210> 210
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 210
ttataccgga aacttcccga aaggag 26

<210> 211
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 211

tgacatccgg ctcacgttat tatggt 26

<210> 212
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 212
tccggctcac gttattatgg tac 23

<210> 213
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 213
tgcaaaggag gtactcagac cat 23

<210> 214
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 214
tgacatgctt gtccgttcag gc 22

<210> 215
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 215

tggtacatgt gccttcattg atgctg 26

<210> 216
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 216
tggcacggcc atctccgtg 19

<210> 217
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 217
tgcgggtagg gagcttgagc 20

<210> 218
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 218
tcctagagga atggctgcca cg 22

<210> 219
<211> 23
<212> DNA

<213> Artificial Sequence

<220>
<223> Primer

<400> 219
taccccaggg aaagtgccac aga 23

<210> 220
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 220
taaaccccat cgggagcaag accgaata 28

<210> 221
<211> 19
<212> DNA

<213> Artificial Sequence

<220>
<223> Primer

<400> 221
gaggaaagtc catgctcgc 19

<210> 222
<211> 29

<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 222
taaggatagt gcaacagaga tataccgcc 29

<210> 223
<211> 17
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 223
gaggaaagtc cgggctc 17

<210> 224
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 224
tctaaatggt cgtgcagttg cgtg 24

<210> 225
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 225
tggtaagagc gcaccggtaa gttggtaaca 30

<210> 226
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 226
taagagcgca ccggtaagtt gg 22

<210> 227
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 227
tgcataccgg taagttggca aca 23

<210> 228
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 228
tccaccaaga gcaagatcaa ataggc 26

<210> 229
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 229
gaggaaagtc catgctcac 19

<210> 230
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 230
tccgcggagt tgactgggt 19

<210> 231
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 231
gacctacagt aagaggttct gtaatgaacc 30

<210> 232
<211> 31
<212> DNA

<213> Artificial Sequence

<220>
<223> Primer

<400> 232
tgacctacag taagaggttc tgtaatgaac c 31

<210> 233
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 233
tgtaatgaac cctaatgacc atccacacgg 30

<210> 234
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 234
taatgaaccc taatgaccat ccacacggtg 30

<210> 235
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 235
catccacacg gtggtggtga agg 23

<210> 236
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 236
tcatccacac ggtggtggtg aagg 24

<210> 237
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 237
tccacacggt ggtggtgaag g 21

<210> 238
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 238
gaccacctcg gcaaccgt 18

<210> 239
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 239
tcagctgtcg cagttcatgg acc 23

<210> 240
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 240
tatcgctcag gcgaactcca ac 22

<210> 241
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 241
ttatcgctca ggcgaactcc aac 23

<210> 242
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 242
tcgttcctgg aacacgatga cgc 23

<210> 243
<211> 29

<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 243

tcaacaacct cttggaggta aagctcagt 29

<210> 244
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 244
cttggaggta agtctcattt tggtgggca 29

<210> 245
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 245
tgggcagcgt ttcggcgaaa tgga 24

<210> 246
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 246
gggcagcgtt tcggcgaaat gga 23

<210> 247
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 247
cagcgtttcg gcgaaatgga 20

<210> 248
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 248
caaaacttat taggtaagcg tgttgact 28

<210> 249
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 249
cgtgttgact attcggggcg ttcag 25

<210> 250
<211> 27
<212> DNA

<213> Artificial Sequence

<220>
<223> Primer

<400> 250
taagaagcgg gaaaccatca actaccg 27

<210> 251
<211> 22
<212> DNA

<213> Artificial Sequence

<220>
<223> Primer

<400> 251
acccagtgct gctgaaccgt gc 22

<210> 252
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 252
cgccgacttc gacggtgacc 20

<210> 253
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 253
tcgccgactt cgacggtgac c 21

<210> 254
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 254
tggcccgaaa gaagctgagc g 21

<210> 255
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 255
tcaggagtcg ttcaactcga tctacatgat g 31

<210> 256
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 256
caggagtcgt tcaactcgat ctacatgat 29

<210> 257
<211> 30

<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 257
tcaggagtcg ttcaactcga tctacatgat 30

<210> 258
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 258
tgattccggt gcccgtggt 19

<210> 259
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 259
tgattctggt gcccgtggt 19

<210> 260
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 260
cttgctggta tgcgtggtct gatg 24

<210> 261
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 261
ctggcaggta tgcgtggtct gatg 24

<210> 262
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 262
tctggcaggt atgcgtggtc tgatg 25

<210> 263
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 263
tggtatgcgt ggtctgatgg c 21

<210> 264
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 264
tgctcgtaag ggtctggcgg atac 24

<210> 265
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 265
cgtcgtgtaa ttaacgtaa caaccg 26

<210> 266
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 266
cgtcgggtga ttaaccgtaa caaccg 26

<210> 267
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 267
tattggacaa cggtcgtcgc gg 22

<210> 268
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 268
tctggataac ggtcgtcgcg g 21

<210> 269
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 269
caaaggtaag caaggacgtt tccgtca 27

<210> 270
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 270
caaaggtaag caaggtcgtt tccgtca 27

<210> 271
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 271
aaccttaatt ggaaagaaac ccaagaagt 29

<210> 272
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 272
taaccttaat tggaaagaaa cccaagaagt 30

<210> 273
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 273
caataccgca acagcggtgg cttggg 26

<210> 274
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 274
tcaataccgc aacagcggtg gcttggg 27

<210> 275
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 275

gctggtgaaa ataacccaga tgtcgtcttc 30

<210> 276
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 276
tgctggtgaa aataacccag atgtcgtctt c 31

<210> 277
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 277
cgcaaaaaaa tccagctatt agc 23

<210> 278
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 278
tcgcaaaaaa atccagctat tagc 24

<210> 279
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 279
cgagtatagc taaaaaaata gtttatgaca 30

<210> 280
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 280
tcgagtatag ctaaaaaaat agtttatgac a 31

<210> 281
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 281
cctatattaa tcgtttacag aaactggct 29

<210> 282
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 282
tcctatatta atcgtttaca gaaactggct 30

<210> 283
<211> 23
<212> DNA

<213> Artificial Sequence

<220>
<223> Primer

<400> 283
ctggctaaaa ctttggcaac ggt 23

<210> 284
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 284
tctggctaaa actttggcaa cggt 24

<210> 285
<211> 29
<212> DNA

<213> Artificial Sequence

<220>
<223> Primer

<400> 285
atgattacaa ttcaagaagg tcgtcacgc 29

<210> 286
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 286
tatgattaca attcaagaag gtcgtcacgc 30

<210> 287
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 287
taacggttat catggcccag atggg 25

<210> 288
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 288
ttaacggtta tcatggccca gatggg 26

<210> 289

<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 289
agcaggtggt gaaatcggcc acatgatt 28

<210> 290
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 290
tagcaggtgg tgaaatcggc cacatgatt 29

<210> 291
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 291
cagagaccgt tttatcctat cagc 24

<210> 292

<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 292
tcagagaccg ttttatccta tcagc 25

<210> 293
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 293
tctaaaacac caggtcaccc agaag 25

<210> 294
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 294
ttctaaaaca ccaggtcacc cagaag 26

<210> 295
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 295
atggccatgg cagaagctca 20

<210> 296
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 296
tatggccatg gcagaagctc a 21

<210> 297
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 297
cttgtacttg tggctcacac ggctgtttgg 30

<210> 298
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 298
tcttgtactt gtggctcaca cggctgtttg g 31

<210> 299
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 299
accatgacag aaggcatttt gaca 24

<210> 300
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 300
taccatgaca gaaggcattt tgaca 25

<210> 301
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 301
gatgactttt tagctaatgg tcaggcagc 29

<210> 302
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 302
tgatgacttt ttagctaatg gtcaggcagc 30

<210> 303

<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 303
tagctaatgg tcaggcagcc 20

<210> 304
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 304
gtcaaagtgg cacgtttact ggc 23

<210> 305
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 305
tgtcaaagtg gcacgtttac tggc 24

<210> 306
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 306
agcgtaaagg tgaacctt 18

<210> 307
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 307

tagcgtaaag gtgaacctt 19

<210> 308
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 308
gcttcaggaa tcaatgatgg agcag 25

<210> 309
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 309
tgcttcagga atcaatgatg gagcag 26

<210> 310
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 310
ggggattcag ccatcaaagc agctattgac 30

<210> 311
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 311
tggggattca gccatcaaag cagctattga c 31

<210> 312
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 312
tcagccatca aagcagctat tg 22

<210> 313
<211> 30
<212> DNA
<213> Artificial Sequence

<220>

<223> Primer

<400> 313

ccttacttcg aactatgaat cttttggaag 30

<210> 314
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 314
tccttacttc gaactatgaa tcttttggaa g 31

<210> 315
<211> 27
<212> DNA

<213> Artificial Sequence

<220>
<223> Primer

<400> 315
ggggattgat atcaccgata agaagaa 27

<210> 316
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 316
tggggattga tatcaccgat aagaagaa 28

<210> 317
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 317
tcgccaatca aaactaaggg aatggc 26

<210> 318
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 318
ttcgccaatc aaaactaagg gaatggc 27

<210> 319
<211> 29
<212> DNA

<213> Artificial Sequence

<220>
<223> Primer

<400> 319
gggcaacagc agcggattgc gattgcgcg 29

<210> 320
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 320
tgggcaacag cagcggattg cgattgcgcg 30

<210> 321
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 321
tcaagcaaac gcacaatcag aagc 24

<210> 322
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 322
caagcaaacg cacaatcaga agc 23

<210> 323
<211> 17
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 323
aacgcacaat cagaagc 17

<210> 324

<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 324
tgcacaatca gaagctaaga aagcgcaagc t 31

<210> 325
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 325
tgcaagcttc tggtgctagc att 23

<210> 326
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 326
tgcttctggt gctagcatt 19

<210> 327
<211> 13
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 327
tggtgctagc att 13

<210> 328
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 328
tgctagttat ggtacagagt ttgcgac 27

<210> 329
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 329
tggtacagag tttgcgac 18

<210> 330
<211> 15

<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 330
tacagagttt gcgac 15

<210> 331
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 331
tcgattaggc agcaacgaaa gccg 24

<210> 332
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 332
tcgacctttg gcaggaacta gac 23

<210> 333
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 333
tcaaatgtac aaggtgaagt gcgtga 26

<210> 334
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 334
tggatggcat ggtgaaatgg atatgtc 27

<210> 335
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 335
atgtcgattg caatccgtac ttgtg 25

<210> 336
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 336
gtgcatgcgg atacagagca gag 23

<210> 337
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 337
tgcaagcgcg accacatacg 20

<210> 338
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 338
gcactatgca cacgtagatt gtcctgg 27

<210> 339
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 339

ttgactgccc aggtcacgct g 21

<210> 340
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 340
tagactgccc aggacacgct g 21

<210> 341
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 341
tgcacgccga ctatgttaag aacatgat 28

<210> 342
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 342
tgatcactgg tgctgctcag atgga 25

<210> 343
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 343
aagacgacct gcacgggc 18

<210> 344
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 344
ccacacgccg ttcttcaaca act 23

<210> 345
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 345
tccacacgcc gttcttcaac aact 24

<210> 346
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 346
aactaccgtc ctcagttcta cttcc 25

<210> 347
<211> 25
<212> DNA

<213> Artificial Sequence

<220>
<223> Primer

<400> 347
aactaccgtc cgcagttcta cttcc 25

<210> 348
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 348
ccacagttct acttccgtac tactgacg 28

<210> 349
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 349
cgtggcggcg tggttatcga 20

<210> 350
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 350
tcgtggcggc gtggttatcg a 21

<210> 351
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 351
tatgctgacc gaccagtggt acgt 24

<210> 352
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 352
cgacgcgctg cgcttcac 18

<210> 353
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 353
cttctgcaac aagctgtgga acgc 24

<210> 354
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 354
accgagcaag gagaccagc 19

<210> 355
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 355
tcttgctctt tcgtgagttc agtaaatg 28

<210> 356
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 356
tcgatctggt ttcatgctgt ttcagt 26

<210> 357
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 357
ttactcaccc gtccgccgct 20

<210> 358
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 358
tgttactcac ccgtctgcca ct 22

<210> 359

<211> 17
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 359
ttactcaccc gtccgcc 17

<210> 360
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 360
acaaccatgc accacctgtc 20

<210> 361
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 361
tacgcattac tcacccgtcc gc 22

<210> 362
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 362

acgagctgac gacagccatg 20

<210> 363
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 363
tacgagctga cgacagccat g 21

<210> 364
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 364
acgacacgag ctgacgac 18

<210> 365
<211> 12
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 365
acacgagctg ac 12

<210> 366
<211> 15
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 366
tccccacctt cctcc 15

<210> 367
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 367
gacgtcatcc ccaccttcct cc 22

<210> 368
<211> 21
<212> DNA

<213> Artificial Sequence

<220>
<223> Primer

<400> 368
gacgtcatcc ccaccttcct c 21

<210> 369
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 369
tgacgtcatc cccaccttcc tc 22

<210> 370
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 370
ttgacgtcat ccccaccttc ctc 23

<210> 371
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 371

ttgacgtcat ccccaccttc ctc 23

<210> 372
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 372
tgacgtcatg gccaccttcc 20

<210> 373
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 373
tgacgtcatg cccaccttcc 20

<210> 374
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 374
tgacgtcatc cccaccttcc 20

<210> 375
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 375
attgtagcac gtgtgtagcc c 21

<210> 376
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 376
cgagttgcag actgcgatcc g 21

<210> 377
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 377
cgagttgcag actgcgatcc g 21

<210> 378
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 378
gacgggcggt gtgtacaag 19

<210> 379
<211> 22

<212> DNA

<213> Artificial Sequence

<220>
<223> Primer

<400> 379
accttgttac gacttcaccc ca 22

<210> 380
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 380
ccttgttacg acttcacccc 20

<210> 381
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 381
cacggctacc ttgttacgac 20

<210> 382
<211> 17
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 382
aaggaggtga tccagcc 17

<210> 383
<211> 17
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 383
actgctgcct cccgtag 17

<210> 384
<211> 21
<212> DNA
<213> Artificial Sequence

<220>

<223> Primer

<400> 384
cggctgctgg cacgaagtta g 21

<210> 385
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 385
ctttacgccc agtaattccg 20

<210> 386
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 386
cgcatttcac cgctacac 18

<210> 387
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 387
gtatctaatc ctgtttgctc cc 22

<210> 388
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 388
cgtggactac cagggtatct a 21

<210> 389
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 389
tcgtggacta ccagggtatc ta 22

<210> 390
<211> 15
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 390
cgtactcccc aggcg 15

<210> 391
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 391
ggccgtactc cccaggcg 18

<210> 392
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 392
tggccgtact ccccaggcg 19

<210> 393
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 393
gcgaccgtac tccccagg 18

<210> 394

<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 394
gccttgcgac cgtactccc 19

<210> 395
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 395
ccccgtcaa ttcctttgag t 21

<210> 396
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 396
ggtaaggttc ttcgcgttg 19

<210> 397
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 397
tcgcaggctt acagaacgct ctccta 26

<210> 398
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 398
tcggactcgc tttcgctacg 20

<210> 399
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 399
gtgcgccctt tctaactt 18

<210> 400
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 400
tggctgcttc taagccaac 19

<210> 401
<211> 16
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 401
gggtttcccc attcgg 16

<210> 402
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 402
ccttctcccg aagttacg 18

<210> 403
<211> 15
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 403

caccgggcag gcgtc 15

<210> 404
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 404
gaccgttata gttacggcc 19

<210> 405
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 405
tgaccgttat agttacggcc 20

<210> 406
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 406
tcgctaccttt aggaccgt 18

<210> 407
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 407
ccgacaagga atttcgctac c 21

<210> 408
<211> 15
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 408
ttcgctcgcc gctac 15

<210> 409
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 409
agccgacatc gaggtgccaa ac 22

<210> 410
<211> 17
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 410
ccggtcctct cgtacta 17

<210> 411
<211> 20
<212> DNA

<213> Artificial Sequence

<220>
<223> Primer

<400> 411

agtccatccc ggtcctctcg 20

<210> 412
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 412
ttagatgctt tcagcactta tc 22

<210> 413
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 413
acttagatgc tttcagcggt 20

<210> 414
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 414

tgcttagatg ctttcagc 18

<210> 415
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 415
ttcgtgctta gatgctttca g 21

<210> 416
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 416
tttcgtgctt agatgctttc ag 22

<210> 417
<211> 24

<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 417
gtttcatgct tagatgcttt cagc 24

<210> 418
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 418
acaaaaggca cgccatcacc c 21

<210> 419
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 419
acaaaaggta cgccgtcacc c 21

<210> 420
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 420
taatgccggg tagtgcaatc cattcttcta g 31

<210> 421
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 421
tgcacctgcg gtcgagcg 18

<210> 422
<211> 28
<212> DNA

<213> Artificial Sequence

<220>
<223> Primer

<400> 422
tgccatccat aatcacgcca tactgacg 28

<210> 423
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 423
tgccagtttc cacatttcac gttcgtg 27

<210> 424
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 424
tcgcttgagt gtagtcatga ttgcg 25

<210> 425
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 425
tgagtcgggt tcactttacc tggca 25

<210> 426
<211> 35
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 426
ttgtacattt gaaacaatat gcatgacatg tgaat 35

<210> 427
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 427
taccggaagc accagcgaca ttaatag 27

<210> 428
<211> 32

<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 428
tgcaactgaa tagattgcag taagttataa gc 32

<210> 429
<211> 34
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 429
tgaattatgc aagaagtgat caattttctc acga 34

<210> 430
<211> 33
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 430
tgccgtaact aacataagag aattatgcaa gaa 33

<210> 431
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 431
tgacggcatc gataccaccg tc 22

<210> 432
<211> 34
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 432
tcacaggttc tacttcatca ataatttcca ttgc 34

<210> 433
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 433
tccgccaaaa actcccctttcacagg 27

<210> 434
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 434
ttgcaatcga catatccatt tcaccatgcc 30

<210> 435
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 435

ttctgcttga ggaatagtgc gtgg 24

<210> 436
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 436
tacgttctac gatttcttca tcaggtacat c 31

<210> 437
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 437
tacaacgtga taaacacgac cagaagc 27

<210> 438
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 438
tccatattgt tgcataaaac ctgttggc 28

<210> 439

<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 439
tgagatgtcg aaaaaaacgt tggcaaaata c 31

<210> 440
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 440
acggcacgag gtagtcgc 18

<210> 441
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 441
taaccatttc gcgtaagatt caa 23

<210> 442
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 442
tcatgtgcta atgttactgc tggatctg 28

<210> 443
<211> 14
<212> DNA

<213> Artificial Sequence

<220>
<223> Primer

<400> 443
tgttactgct ggat 14

<210> 444
<211> 17
<212> DNA
<213> Artificial Sequence

<220>

<223> Primer

<400> 444
ttacttctaa cccactc 17

<210> 445
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 445
tgcgggctgg ttcaacaaga g 21

<210> 446
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 446
tgatgcgggc tggttcaac 19

<210> 447
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 447
tcctgtttta tagccgccaa gagtaag 27

<210> 448
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 448
tcaaggttct caccgtttac cttaggag 28

<210> 449
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 449
tgaatcttga aacaccatac gtaacg 26

<210> 450

<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 450
tgaatcttga aacaccatac g 21

<210> 451
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 451
gtaacccttg tctttgaatt gtatttgc 28

<210> 452
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 452
tgtaacccct gtctttgaat tgtatttgc 29

<210> 453
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 453
ggtaacccct gtctttgaat 20

<210> 454
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 454
tggtaaccct tgtctttg 18

<210> 455
<211> 34
<212> DNA
<213> Artificial Sequence

<220>

<223> Primer

<400> 455
tcccttattt ttctttctac taccttcgga taat 34

<210> 456
<211> 33
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 456
tcccctcatg tttaaatgat caggataaaa agc 33

<210> 457
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 457
tcggtttaag ctctacatga tcgtaaggat a 31

<210> 458
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 458
tttgctcatg atctgcatga agcataaa 28

<210> 459
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 459
tgcaatgtgt gctatgtcag caaaaagat 29

<210> 460
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 460
tgagcgtgtg gaaaaggact tggatg 26

<210> 461
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 461
tatgtgtagt tgagcttact acatgagc 28

<210> 462
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 462
tggttcttac ttgctttgca taaactttcc a 31

<210> 463
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 463
tcgatccgca tcaccatcaa aagcaaa 27

<210> 464
<211> 32
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 464
tccacactgg attgtaattt accttgttct tt 32

<210> 465
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 465
tctctttcaa agcaccattg ctcattatag t 31

<210> 466
<211> 34
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 466
tgaattcttt caaagcacca ttgctcatta tagt 34

<210> 467
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 467

ttgctgccat agcaaagcct acagc 25

<210> 468
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 468
tgtgcttttt ttgctgccat agcaaagc 28

<210> 469
<211> 34
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 469
tgcttcaaaa cgcattttta cattttcgtt aaag 34

<210> 470
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 470
tcctccttgt gcctcaaaac gcatttttta 29

<210> 471
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 471
tcaaagaacc cgcacctaat tcatcattta 30

<210> 472
<211> 35
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 472
tcaactggtt caaaaacatt aagttgtaat tgtcc 35

<210> 473
<211> 35
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 473
tacaactggt tcaaaaacat taagctgtaa ttgtc 35

<210> 474
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 474
ttcatttttct ggtccaaagt aagcagtatc 30

<210> 475
<211> 33
<212> DNA

<213> Artificial Sequence

<220>
<223> Primer

<400> 475
tcccgaacaa tgagttgtat caactatttt tac 33

<210> 476
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 476
tgcctaacaa atcccgtctg agttc 25

<210> 477
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 477
tgtcatcaag caccccaaaa tgaact 26

<210> 478
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 478
ccacttttaa taaggtttgt agc 23

<210> 479
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 479
tgttgaccat gcttcttag 19

<210> 480
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 480
cttctacatt tttagccatc ac 22

<210> 481
<211> 15
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 481
cggcttcaag acccc 15

<210> 482
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 482
tgttaacggc ttcaagaccc 20

<210> 483
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 483
ttgttaacgg cttcaagacc c 21

<210> 484
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 484
accactttta ataaggtttg tagctaac 28

<210> 485
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 485
cgcggtcggc tcgttgatga 20

<210> 486
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 486
tcacctacag ctttaaagcc agcaaaatg 29

<210> 487
<211> 33
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 487
tcttctgtaa agggtggttt attattcatc cca 33

<210> 488
<211> 25
<212> DNA
<213> Artificial Sequence

<220>

<223> Primer

<400> 488
tagccttggc aacatcagca aaact 25

<210> 489
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 489
ttggcgacgg tataccata gctttata 28

<210> 490
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 490
tgaacatttg cgacggtata cccat 25

<210> 491
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 491
tgtgaacatt tgcgacggta tacccat 27

<210> 492
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 492
tggtgggtat cttagcaatc attctaatag c 31

<210> 493
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 493

tgcgatggta ggtatcttag caatcattct 30

<210> 494
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 494
caatctgctg acggatctga gc 22

<210> 495
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 495
ttcaggtcca tcgggttcat gcc 23

<210> 496
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 496
ccgcggtcga attgcatgcc ttc 23

<210> 497
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 497
tagccgcggt cgaattgcat 20

<210> 498
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 498
tcgaaccgaa gttaccctga ccat 24

<210> 499

<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 499

tgccagctta gtcatacgga cttc 24

<210> 500
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 500
tattgcgggat caccatgatg atattcttgc 30

<210> 501
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 501
tcgttgagat ggtttttacc ttcgttg 27

<210> 502
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 502
tttgtgaaac agcgaacatt ttcttggta 29

<210> 503
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 503
tcacgcgcat catcaccagt ca 22

<210> 504
<211> 27
<212> DNA
<213> Artificial Sequence

<220>

<223> Primer

<400> 504
tcctgcaata tctaatgcac tcttacg 27

<210> 505
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 505
acctgcaata tctaatgcac tcttacg 27

<210> 506
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 506
ctttcgcttt ctcgaactca accat 25

<210> 507
<211> 22
<212> DNA

<213> Artificial Sequence

<220>
<223> Primer

<400> 507
tagcccagct gtttgagcaa ct 22

<210> 508
<211> 32
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 508
tccctaatag tagaaataac tgcatcagta gc 32

<210> 509
<211> 32
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 509
tccctaatag tagaaataac tgcatcagta gc 32

<210> 510
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 510
taggattttt ccacggcggc atc 23

<210> 511
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 511
tagccttttc tccggcgtag atct 24

<210> 512
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 512
catgatggtc acaaccgg 18

<210> 513
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 513
tcggcatcac gccgtcgtc 19

<210> 514
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 514
tgctgctttc gcatggttaa ttgcttcaa 29

<210> 515
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 515
ttgctgcttt cgcatggtta attgcttcaa 30

<210> 516
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 516
aacttcgcct tcggtcatgt t 21

<210> 517
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 517
ttgcgttgca gattatcttt accaa 25

<210> 518
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 518
tgttaagtgt gttgcggctg tctttatt 28

<210> 519
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 519
tcacgcgacg agtgccatcc attg 24

<210> 520
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 520
tgacccaaag ctgaaagctt tactg 25

<210> 521
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 521
ttttccagcc atgcagcgac 20

<210> 522
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 522
tccttctgat gcctgatgga ccaggag 27

<210> 523
<211> 19
<212> DNA
<213> Artificial Sequence

<220>

<223> Primer

<400> 523
tgtcactccc gacacgcca 19

<210> 524
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 524
taaacgtccg ataccaatgg ttcgctc 27

<210> 525
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 525
tcaacaacac ctccttattc ccactc 26

<210> 526
<211> 17
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 526
gaatatcaat ttgtagc 17

<210> 527
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 527
agataaagaa tcacgaatat caatttgtag c 31

<210> 528
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 528
aggatagatt tatttcttgt tcg 23

<210> 529
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 529
tcttccaagg atagatttat ttcttgttcg 30

<210> 530
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 530
ttcttccaag gatagattta tttcttgttc g 31

<210> 531
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 531

tcttgacagc atccgttg 18

<210> 532
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 532
cagataaaga atcgctccag 20

<210> 533
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 533
tctcatcccg atattaccgc catga 25

<210> 534
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 534
tggcaacagc tcaacacctt tgg 23

<210> 535
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 535
tgatcctgaa tgtttatatc tttaacgcct 30

<210> 536
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 536
tcccaatcta acttccacat accatct 27

<210> 537
<211> 27

<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 537
tggatagacg tcatatgaag gtgtgct 27

<210> 538
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 538
tattcttcgt tactcatgcc ataca 25

<210> 539
<211> 11
<212> DNA

<213> Artificial Sequence

<220>
<223> Primer

<400> 539
tactcatgcc a 11

<210> 540
<211> 11
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 540
tattcttcgt t 11

<210> 541
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 541
taaccacccc aagatttatc tttttgrcca 29

<210> 542
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 542
tgtgatatgg aggtgtagaa ggtgtta 27

<210> 543
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 543
gagctgcgcc aacgaataaa tcgtc 25

<210> 544
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 544
tacgtcgcct ttaacttggt tatattcagc 30

<210> 545
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 545
tgccgtaaca tagaagttac cgttgatt 28

<210> 546
<211> 33
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 546
tcgggcgtag tttttagtaa ttaaatcaga agt 33

<210> 547
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 547
tcgtcgtatt tatagtgacc agcaccta 28

<210> 548

<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 548
tcaacaccag cgttacctaa agtacctt 28

<210> 549
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 549
tttaagcgcc agaaagcacc aac 23

<210> 550
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 550
tcgtttaagc gccagaaagc accaa 25

<210> 551
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 551

taagccagca agagctgtat agttcca 27

<210> 552
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 552
tacaggagca gcaggcttca ag 22

<210> 553
<211> 28
<212> DNA
<213> Artificial Sequence

<220>

<223> Primer

<400> 553
tagcagcaaa agttatcaca cctgcagt 28

<210> 554
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 554
tggttgtagt tcctgtagtt gttgcattaa c 31

<210> 555
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 555
tcctgcagct ctacctgctc catta 25

<210> 556
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 556
ccctgtagta gaagaggtaa ccac 24

<210> 557
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 557
cctgtagtag aagaggtaac 20

<210> 558
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 558
tgattatcag cggaagtag 19

<210> 559
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 559
ccgtgctcca tttttcag 18

<210> 560
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 560
tcggataagc tgccacaagg 20

<210> 561
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 561
tcggataagc tgccacaagg 20

<210> 562
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 562
ttcccctgac cttcgattaa aggatagc 28

<210> 563
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 563

ggtataacgc atcgcagcaa aagattta 28

<210> 564
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 564
ttcggtataa cgcatcgcag ca 22

<210> 565
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 565
tcgctcagca ataattcact ataagccga 29

<210> 566
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 566
taatgcgata ctggcctgca agtc 24

<210> 567
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 567
tgtaaattcc gcaaagactt tggcattag 29

<210> 568
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 568
tggtctgagt acctcctttg c 21

<210> 569
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 569
tattggaaat accggcagca tctc 24

<210> 570
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 570
ttcaagtgct tgctcaccat tgtc 24

<210> 571
<211> 24
<212> DNA

<213> Artificial Sequence

<220>
<223> Primer

<400> 571
tggctcataa gacgcgcttg taga 24

<210> 572
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 572
tcgtttcacc ctgtcatgcc g 21

<210> 573
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 573
tccgataagc cggattctgt gc 22

<210> 574
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 574
tgccgataag ccggattctg tgc 23

<210> 575
<211> 27

<212> DNA

<213> Artificial Sequence

<220>
<223> Primer

<400> 575
tctcttaccc caccctttca cccttac 27

<210> 576
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 576
tgcctcgtgc aacccacccg 20

<210> 577
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 577
tgcctcgcgc aacctacccg 20

<210> 578
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 578
gtaagccatg ttttgttcca tc 22

<210> 579
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 579
tttacctcgc ctttccaccc ttacc 25

<210> 580
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 580

tgctcttacc tcaccgttcc acccttacc 29

<210> 581
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 581
ataagccggg ttctgtcg 18

<210> 582
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 582
tctatagagt ccggactttc ctcgtga 27

<210> 583
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 583
tcaagcgatc taccccgcatt acaa 24

<210> 584
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 584
ataagccatg ttctgttcca tc 22

<210> 585
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 585
tgactttcct ccccttatc agtctcc 27

<210> 586
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 586
ccaagtgctg gtttacccca tggagta 27

<210> 587
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 587
gtgctggttt accccatgga gt 22

<210> 588
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 588
tgtgctggtt taccccatgg agt 23

<210> 589
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 589
tgtgctggtt taccccatgg ag 22

<210> 590
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 590
tccaagtgct ggtttacccc atggag 26

<210> 591
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 591
tccaagtgct ggtttacccc atgg 24

<210> 592
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 592
ttccaagtgc tggtttaccc catgg 25

<210> 593
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 593
tgttttgtat ccaagtgctg gtttacccc 29

<210> 594
<211> 18
<212> DNA

<213> Artificial Sequence

<220>
<223> Primer

<400> 594
ttcgctctcg gcctggcc 18

<210> 595
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 595

tcgtcgcgga cttcgaagcc 20

<210> 596
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 596
gctggattcg cctttgctac g 21

<210> 597

<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 597
tgctggattc gcctttgcta cg 22

<210> 598
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 598
ttgacgttgc atgttcgagc ccat 24

<210> 599
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 599
cgtataagct gcaccataag cttgtaatgc 30

<210> 600
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 600
tttcttgaag agtatgagct gctccgtaag 30

<210> 601
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 601
cgacttgacg gttaacattt cctg 24

<210> 602
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 602
gtccgacttg acggtcaaca tttcctg 27

<210> 603
<211> 28
<212> DNA

<213> Artificial Sequence

<220>
<223> Primer

<400> 603
tgtccgactt gacggtcaac atttcctg 28

<210> 604
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 604
tgtccgactt gacggttagc atttcctg 28

<210> 605
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 605
tgtccgactt gacggtcagc atttcctg 28

<210> 606
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 606
tccagcaggt tctgacggaa acg 23

<210> 607
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 607
ttaccgagca ggttctgacg gaaacg 26

<210> 608

<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 608
cgaacggcca gagtagtcaa cacg 24

<210> 609
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 609
cgaacggcct gagtagtcaa cacg 24

<210> 610
<211> 30

<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 610
tcaagcgcca tctctttcgg taatccacat 30

<210> 611
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 611
tcaagcgcca tttcttttgg taaaccacat 30

<210> 612
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 612
attcaagagc catttctttt ggtaaaccac 30

<210> 613
<211> 21
<212> DNA
<213> Artificial Sequence

<220>

<223> Primer

<400> 613
gttcaaatgc ctggataccc a 21

<210> 614
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 614
gagcatcagc gtgcgtgct 19

<210> 615
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 615
tgagcatcag cgtgcgtgct 20

<210> 616
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 616
acgcgggcat gcagagatgc c 21

<210> 617
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 617
ggcgcttgta cttaccgcac 20

<210> 618
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 618
ttggccatca gaccacgcat ac 22

<210> 619

<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 619
ttggccatca ggccacgcat ac 22

<210> 620
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 620
acgccatcag gccacgcat 19

<210> 621
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 621
tacgccatca ggccacgcat 20

<210> 622
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 622
ttacgccatc aggccacgca 20

<210> 623
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 623
cgcaccatgc gtagagatga agtac 25

<210> 624
<211> 25
<212> DNA
<213> Artificial Sequence

<220>

<223> Primer

<400> 624
cgcaccgtgg gttgagatga agtac 25

<210> 625
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 625
tcgcaccgtg ggttgagatg aagtac 26

<210> 626
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 626
tgctagacct ttacgtgcac cgtg 24

<210> 627
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 627

tactagacga cgggtcaggt aacc 24

<210> 628
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 628
gtttttcgct gcgtacgatg atgtc 25

<210> 629
<211> 27
<212> DNA

<213> Artificial Sequence

<220>
<223> Primer

<400> 629

acgtttttcg ttttgaacga taatgct 27

<210> 630
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 630
gaccccaacc tggccttttg tcgttga 27

<210> 631
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 631
tgaccccaac ctggcctttt gtcgttga 28

<210> 632
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 632
aaactatttt tttagctata ctcgaacac 29

<210> 633
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 633
taaactattt ttttagctat actcgaacac 30

<210> 634
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 634
ggataattgg tcgtaacaag ggatagtgag 30

<210> 635
<211> 31
<212> DNA

<213> Artificial Sequence

<220>
<223> Primer

<400> 635
tggataattg gtcgtaacaa gggatagtga g 31

<210> 636
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 636
atatgattat cattgaactg cggccg 26

<210> 637
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 637
tatatgatta tcattgaact gcggccg 27

<210> 638
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 638
gcgtgacgac cttcttgaat tgtaatca 28

<210> 639
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 639
tgcgtgacga ccttcttgaa ttgtaatca 29

<210> 640
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 640
ttggacctgt aatcagctga atactgg 27

<210> 641
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 641
tttggacctg taatcagctg aatactgg 28

<210> 642
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 642
attgcccaga aatcaaatca tc 22

<210> 643
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 643
tattgcccag aaatcaaatc atc 23

<210> 644
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 644
tgtggccgat ttcaccacct gctcct 26

<210> 645
<211> 27

<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 645
ttgtggccga tttcaccacc tgctcct 27

<210> 646
<211> 23

<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 646
tctgggtgac ctggtgtttt aga 23

<210> 647
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 647
ttctgggtga cctggtgttt taga 24

<210> 648
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 648
agctgctaga tgagcttctg ccatggcc 28

<210> 649
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 649
tagctgctag atgagcttct gccatggcc 29

<210> 650
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 650
ccataaggtc accgtcacca ttcaaagc 28

<210> 651
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 651
tccataaggt caccgtcacc attcaaagc 29

<210> 652
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 652
ggaatttacc agcgatagac acc 23

<210> 653
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 653
tggaatttac cagcgataga cacc 24

<210> 654
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 654
tgccactttg acaactcctg ttgctg 26

<210> 655
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 655
ttgccacttt gacaactcct gttgctg 27

<210> 656
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 656
aatcgacgac catcttggaa agatttctc 29

<210> 657

<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 657
taatcgacga ccatcttgga aagatttctc 30

<210> 658
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 658
tcgacgacca tcttggaaag atttc 25

<210> 659
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 659

ccagcagtta ctgtccccctc atctttg 27

<210> 660
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 660
tccagcagtt actgtcccct catctttg 28

<210> 661
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 661
gctgctttga tggctgaatc cccttc 26

<210> 662
<211> 27
<212> DNA
<213> Artificial Sequence

<220>

<223> Primer

<400> 662
tgctgctttg atggctgaat ccccttc 27

<210> 663
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 663
gggtctacac ctgcacttgc ataac 25

<210> 664
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 664
tgggtctaca cctgcacttg cataac 26

<210> 665
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 665
atcccctgct tctgctgcc 19

<210> 666
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 666
tatcccctgc ttctgctgcc 20

<210> 667
<211> 24
<212> DNA

<213> Artificial Sequence

<220>
<223> Primer

<400> 667
taccttttcc acaacagaat cagc 24

<210> 668
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 668
ccaacctttt ccacaacaga atcagc 26

<210> 669
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 669
tccaacctt tccacaacag aatcagc 27

<210> 670
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 670
cccatttttt cacgcatgct gaaaatatc 29

<210> 671
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 671
tcccatttttt tcacgcatgc tgaaaatatc 30

<210> 672
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 672
gattggcgat aaagtgatat tttctaaaa 29

<210> 673
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 673
tgattggcga taaagtgata ttttctaaaa 30

<210> 674
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 674
gcccaccaga aagactagca ggataa 26

<210> 675
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 675
tgcccaccag aaagactagc aggataa 27

<210> 676
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 676
cctacccaac gttcaccaag ggcag 25

<210> 677
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 677
tcctacccaa cgttcaccaa gggcag 26

<210> 678
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 678
catgacagcc aagacctcac ccacc 25

<210> 679
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 679
tcatgacagc caagacctca cccacc 26

<210> 680
<211> 15

<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 680
tgtgctttga atgct 15

<210> 681
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 681
tcatttgtgc tttgaatgct 20

<210> 682
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 682
tcataactag catttgtgct ttgaatgct 29

<210> 683
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 683
ttgcacgtct gtttcagttg caaattc 27

<210> 684
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 684
ttgcacgtct gtttcagttg caaattc 27

<210> 685
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 685
tctgtttcag ttgcaaattc 20

<210> 686
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 686
tgcacgtctg tttcagttgc aaattc 26

<210> 687
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 687
ttgcacgtct gtttcagttg caaattc 27

<210> 688
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 688
tttcacagca tgcacgtctg tttcagttgc 30

<210> 689
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 689

ttgtgattgt tttgcagctg attgtg 26

<210> 690
<211> 13
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 690
tgcagctgat tgt 13

<210> 691
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 691

tgattgtttt gcagctgatt gt 22

<210> 692
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 692
ttcaaaacct tgctctcgcc aaacaa 26

<210> 693
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 693
tacatcgttt cgcccaagat caatca 26

<210> 694
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 694
tcctcttttc acaggctcta cttcatc 27

<210> 695
<211> 30
<212> DNA

<213> Artificial Sequence

<220>
<223> Primer

<400> 695
tatttgggtt tcattccact cagattctgg 30

<210> 696
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 696
tgcgcgagct tttatttggg tttc 24

<210> 697
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 697
ttcaaaatgc ggaggcgtat gtg 23

<210> 698
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 698
tgcccaggta caacctgcat 20

<210> 699
<211> 30
<212> DNA

<213> Artificial Sequence

<220>
<223> Primer

<400> 699
tccaggcatt accatttcta ctccttctgg 30

<210> 700
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 700
ggcatcacca tttccttgtc cttcg 25

<210> 701
<211> 26
<212> DNA
<213> Artificial Sequence

<220>

<223> Primer

<400> 701
tggcatcacc atttccttgt ccttcg 26

<210> 702
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 702
gttgtcacca ggcattacca tttc 24

<210> 703
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 703
gttgtcgcca ggcataacca tttc 24

<210> 704
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 704
gccgtccatt tgagcagcac c 21

<210> 705
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 705
gccgtccatc tgagcagcac c 21

<210> 706
<211> 26

<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 706
tatagcacca tccatctgag cggcac 26

<210> 707
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 707
tatgtgctca cgagtttgcg gcat 24

<210> 708
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 708
tggatgtgct cacgagtctg tggcat 26

<210> 709
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 709
gcgctccacg tcttcacgc 19

<210> 710
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 710
acgaactgga tgtcgccgtt 20

<210> 711
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 711
cggtacgaac tggatgtcgc cgtt 24

<210> 712
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 712
tcggtacgaa ctggatgtcg ccgtt 25

<210> 713
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 713
ttcgcgcatc caggagaagt acatgtt 27

<210> 714
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 714
gcgttccaca gcttgttgca gaag 24

<210> 715
<211> 23

<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 715
tcgcagttca tcagcacgaa gcg 23

<210> 716
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 716
tataacgcac atcgtcaggg tga 23

<210> 717

<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 717
caagcggttt gcctcaaata gtca 24

<210> 718
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 718
tggcacgagc ctgacctgt 19

<210> 719
<211> 1542
<212> DNA
<213> Artificial Sequence

<220>
<223> Escherichia coli

<400> 719
aaattgaaga gtttgatcat ggctcagatt gaacgctggc ggcaggccta acacatgcaa 60
gtcgaacggt aacaggaaga agcttgcttc tttgctgacg agtggcggac gggtgagtaa 120
tgtctgggaa actgcctgat ggagggggat aactactgga aacggtagct aataccgcat 180
aacgtcgcaa gaccaaagag ggggaccttc gggcctcttg ccatcggatg tgcccagatg 240
ggattagcta gtaggtgggg taacggctca cctaggcgac gatccctagc tggtctgaga 300
ggatgaccag ccacactgga actgagacac ggtccagact cctacgggag gcagcagtgg 360
ggaatattgc acaatgggcg caagcctgat gcagccatgc cgcgtgtatg aagaaggcct 420
tcgggttgta aagtactttc agcggggagg aagggagtaa agttaatacc tttgctcatt 480
gacgttaccc gcagaagaag caccggctaa ctccgtgcca gcagccgcgg taatacggag 540
ggtgcaagcg ttaatcggaa ttactgggcg taaagcgcac gcaggcggtt tgttaagtca 600
gatgtgaaat ccccgggctc aacctgggaa ctgcatctga tactggcaag cttgagtctc 660
gtagaggggg gtagaattcc aggtgtagcg gtgaaatgcg tagagatctg gaggaatacc 720
ggtggcgaag gcggcccct ggacgaagac tgacgctcag gtgcgaaagc gtggggagca 780
aacaggatta gataccctgg tagtccacgc cgtaaacgat gtcgacttgg aggttgtgcc 840
cttgaggcgt ggcttccgga gctaacgcgt taagtcgacc gcctggggag tacggccgca 900
aggttaaaac tcaaatgaat tgacgggggc ccgcacaagc ggtggagcat gtggtttaat 960
tcgatgcaac gcgaagaacc ttacctggtc ttgacatcca cggaagtttt cagagatgag 1020
aatgtgcctt cgggaaccgt gagacaggtg ctgcatggct gtcgtcagct cgtgttgtga 1080
aatgttgggt taagtcccgc aacgagcgca acccttatcc tttgttgcca gcggtccggc 1140
cgggaactca aaggagactg ccagtgataa actggaggaa ggtggggatg acgtcaagtc 1200
atcatggccc ttacgaccag ggctacacac gtgctacaat ggcgcataca aagagaagcg 1260
acctcgcgag agcaagcgga cctcataaag tgcgtcgtag tccggattgg agtctgcaac 1320
tcgactccat gaagtcggaa tcgctagtaa tcgtggatca gaatgccacg gtgaatacgt 1380
tcccgggcct tgtacacacc gcccgtcaca ccatgggagt gggttgcaaa agaagtaggt 1440
agcttaacct tcgggagggc gcttaccact ttgtgattca tgactggggt gaagtcgtaa 1500
caaggtaacc gtaggggaac ctgcggttgg atcacctcct ta 1542

<210> 720
<211> 2904

<212> DNA
<213> Artificial Sequence

<220>
<223> Escherichia coli

<400> 720
ggttaagcga ctaagcgtac acggtggatg ccctggcagt cagaggcgat gaaggacgtg 60
ctaatotgcg ataagcgtcg gtaaggtgat atgaaccgtt ataaccggcg atttccgaat 120
ggggaaaccc agtgtgtttc gacacactat cattaactga atccataggt taatgaggcg 180
aacgggggga actgaaacat ctaagtaccc cgaggaaaag aaatcaaccg agattccccc 240
agtagcggcg agcgaacggg gagcagccca gagcctgaat cagtgtgtgt gttagtggaa 300
gcgtctggaa aggcgcgcga tacagggtga cagccccgta cacaaaaatg cacatgctgt 360
gagctcgatg agtagggcgg gacacgtggt atcctgtctg aatatggggg gacccatcctc 420
caaggctaaa tactcctgac tgaccgatag tgaaccagta ccgtgaggga aaggcgaaaa 480
gaacccggc gaggggagtg aaaaagaacc tgaaaccgtg tacgtcaagg cagtgggagc 540
acgcttaggc gtgtgactgc gtacctttg tataatgggt cagcgactta tattctgtag 600
caaggttaac cgaatagggg agccgaaggg aaaccgagtc ttaactgggc gttaagttgc 660
agggtataga cccgaaaccc ggtgatctag ccatgggcag gttgaaggtt gggtaacact 720
aactggagga ccgaaccgac taatgttgaa aaattagcgg atgacttgtg gctgggggtg 780
aaaggccaat caaaccggga gatagctggt tctccccgaa agctatttag gtagcgcctc 840
gtgaattcat ctccgggggt agagcactgt ttcggcaagg gggtcatccc gacttaccaa 900
cccgatgcaa actgcgaata ccggagaatg ttatcacggg agacacacgg cgggtgctaa 960
cgtccgtcgt gaagagggaa acaacccaga ccgccagcta aggtcccaaa gtcatggtta 1020
agtgggaaac gatgtgggaa ggcccagaca gccaggatgt tggcttagaa gcagccatca 1080
tttaaagaaa gcgtaatagc tcactggtcg agtcggcctg cgcggaagat gtaacggggc 1140
taaaccatgc accgaagctg cggcagcgac gcttatgcgt tgttgggtag gggagcgttc 1200
tgtaagcctg cgaaggtgtg ctgtgaggca tgctggaggt atcagaagtg cgaatgctga 1260
cataagtaac gataaagcgg gtgaaaagcc cgctcgccgg aagaccaagg gttcctgtcc 1320
aacgttaatc ggggcagggt gagtcgaccc ctaaggcgag gccgaaaggc gtagtcgatg 1380
ggaaacaggt taatattoct gtacttggtg ttactgcgaa gggggggacgg agaaggctat 1440
gttggccggg cgacggttgt cccggtttaa gcgtgtaggc tggttttcca ggcaaatccg 1500
gaaaatcaag gctgaggcgt gatgacgagg cactacggtg ctgaagcaac aaatgccctg 1560
cttccaggaa aagcctctaa gcatcaggta acatcaaatc gtaccccaaa ccgacacagg 1620
tggtcaggta gagaatacca aggcgcttga gagaactcgg gtgaaggaac taggcaaaat 1680
ggtgcogtaa cttcgggaga aggcacgctg atatgtaggt gaggtccctc gcggatggag 1740
ctgaaatcag tcgaagatac cagctggctg caactgttta ttaaaaacac agcactgtgc 1800
aaacacgaaa gtggacgtat acggtgtgac gcctgcccgg tgccggaagg ttaattgatg 1860
gggttagcgc aagcgaagct cttgatcgaa gccccggtaa acggcggccg taactataac 1920
ggtcctaagg tagcgaaatt ccttgtcggg taagttccga cctgcacgaa tggcgtaatg 1980
atggccaggc tgtctccacc cgagactcag tgaaattgaa ctcgctgtga agatgcagtg 2040
taccccgcgc aagacggaaa gacccogtga acctttacta tagcttgaca ctgaacattg 2100
agccttgatg tgtaggatag gtgggaggct ttgaagtgtg gacgccagtc tgcatggagc 2160
cgaccttgaa ataccaccct ttaatgtttg atgttctaac gttgacccgt aatccgggtt 2220
gcggacagtg tctggtgggt agtttgactg gggcggtctc ctcctaaaga gtaacggagg 2280
agcacgaagg ttggctaatc ctggtcggac atcaggaggt tagtgcaatg gcataagcca 2340
gcttgactgc gagcgtgacg gcgcgagcag gtgcgaaagc aggtcatagt gatccggtgg 2400
ttctgaatgg aagggccatc gctcaacgga taaaaggtac tccgggataa acaggctgat 2460
accgcccaag agttcatatc gacggcggtg tttggcacct cgatgtcggc tcatcacatc 2520
ctgggggtga agtaggtccc aagggtatgg ctgttcgcca tttaaagtgg tacgcgagct 2580
gggtttagaa cgtcgtgaga cagttcggtc cctatctgcc gtgggcgctg gagaactgag 2640
gggggctgct cctagtacga gaggaccgga gtggacgcat cactggtgtt cggggttgta 2700
tgccaatggc actgcccggt agctaaatgc ggaagagata agtgctgaaa gcatctaagc 2760
acgaaacttg ccccgagatg agttctccct gaccctttaa ggtcctgaaa ggaacgttga 2820
agacgacgac gttgataggc cgggtgtgta agcgcagcga tgcgttgagc taaccggtac 2880
taatgaaccg tgaggcttaa cctt 2904

<210> 721
<211> 447
<212> DNA
<213> Artificial Sequence

<220>
<223> Bacillus anthracis

<400> 721
atgtttggat cagatttata tattgcatta gtattaggag ttacactgag ccttattttt 60
acagaaagaa caggtatttt acctgcaggt ttagttgtac ctggttattt agcactcgtt 120
tttaatcagc ccgtatttat gttggttgtt ttatttatca gtattttaac atatgtaatc 180
gttacgtatg gtgtttcaag attcatgatt ttatatggcc gtagaaaatt tggcggcaacg 240
ctaattacag gtatttgttt aaaactttta tttgattatt gtattcctgt tatgccattt 300
gagatttttg aattccgtgg tattggagtt attgttccag gattaattgc aaatacaatt 360
caaagacaag ggttaccatt aacaattgga actacaattt tgttaagtgg tgcaacattt 420
gcaatcatga atatttatta cttattt 447

<210> 722
<211> 2339
<212> DNA
<213> Artificial Sequence

<220>
<223> Bacillus anthracis

<400> 722
atgactagaa ataaatttat acctaataag tttagtatta tatccttttc agtattacta 60
tttgctatat cctcctcaca ggctatagaa gtaaatgcta tgaatgaaca ttacactgag 120
agtgatatta aaagaaacca taaaactgaa aaaaataaaa ctgaaaaaga aaaatttaaa 180
gacagtatta atacttagt taaaacagaa tttaccaatg aaactttaga taaaatacag 240
cagacacaag acttattaaa aaagatacct aaggatgtac ttgaaattta tagtgaatta 300
ggaggagaaa tctatttttac agatatagat ttagtagaac ataaggagtt acaagattta 360
agtgaagaag agaaaaatag tatgaatagt agaggtgaaa aagttccgtt tgcatccogt 420
tttgtatttg aaaagaaaag ggaaacacct aaattaatta taaatatcaa agattatgca 480
attaatagtg aacaaagtaa agaagtatat tatgaaattg gaaaggggat ttctcttgat 540
attataagta aggataaatc tctagatcca gagtttttaa atttaattaa ggagtttaagc 600
gatgatagtg atagtagcga ccttttattt agtcaaaaat ttaaagagaa gctagaattg 660
aataataaaa gtatagatat aaattttata aaagaaaatt taactgaatt tccagcatgcg 720
ttttctttag cgttttctta ttattttgca cctgaccata gaacggtatt agagttatat 780
gccccgaca tgtttgagta tatgaataag ttagaaaaag ggggatttga gaaaataagt 840
gaaagtttga agaaagaagg tgtggaaaaa gataggattg atgtgctgaa aggagaaaaa 900
gcacttaaag cttcaggttt agtaccagaa catgcagatg cttttaaaaa aattgctaga 960
gaattaaata catatattct ttttaggcct gttaataagt tagctacaaa cctttattaaa 1020
agtggtgtgg ctacaaaggg attgaatgtt catggaaaga gttcggattg gggccctgta 1080
gctggataca taccatttga tcaagattta tctaagaagc atggtcaaca attagctgtc 1140
gagaaaggaa atttagaaaa taaaaaatca attacagagc atgaaggtga aataggtaaa 1200
atacccattaa agttagacca tttaagaata gaagaaatgg aggaaaatgg gtaatttttg 1260
aagggtaaaa aagaaattga taatggtaaa aaatattatt tgttagaatc gaatatcag 1320
gtatatgaat ttagaattag cgatgaaaac aacgaagtac aatacagacc aaaagaaggt 1380
aaaattactg ttttagggga aaaattcaat tggagaaata tagaagtgat gggctaaaaat 1440
gtagaagggg tcttgaagcc gttaacagct gactatgatt tatttgccat tgccccaagt 1500
ttaacagaaa taaaaaaaca aataccacaa aaagaatggg ataaagtagt taacacccca 1560
aattcattag aaaagcaaaa aggtgttact aatttattga ttaaatatgg aattgagagg 1620
aaaccggatt caactaaggg aactttatca aattggcaaa aacaaatgct tgatcgtttg 1680
aatgaagcag tcaaatatac aggatataca ggggggatg tggttaacca tggcacagag 1740
caagataatg aagactttcc tgaaaaagat aacgaaattt ttataattaa tccagaaggt 1800
gaatttatat taactaaaaa ttgggagatg acaggtagat ttatagaaaa aaacattacg 1860
ggaaaagatt atttatatta ttttaaccgt tcttatataa aaatagctcc tggtaataaa 1920
gcttatattg agtggactga tccgattaca aaagccaaaa taaataccat ccctacgtca 1980
gcagagttta taaaaaactt atccagtatc agaagatctt caaatgtagg agtttataaa 2040
gatagtggcg acaaagacga atttgcaaaa aaagaaagcg tgaaaaaaat tgcaggatat 2100
ttgtcagact attacaattc agcaaatcat atttttttctc aggaaaaaaa gcgtaaaata 2160
tcaatatttc gtggaatcca agcctataat gaaattgaaa atgttctaaa atctaaacaa 2220
atagcaccag aatacaaaaa ttattttcaa tatttaaagg aaaggattac caatcaagtt 2280

caattgcttc taacacatca aaaatctaat attgaattta aattattgta taaacaatt 2339

<210> 723
<211> 1917
<212> DNA
<213> Artificial Sequence

<220>
<223> Escherichia coli

<400> 723
atgggtaaaa taattggtat cgacctgggt actaccaact cttgtgtagc gattatggat 60
ggcaccactc ctcgcgtgct ggagaacgcc gaaggcgatc gcaccacgcc ttctatcatt 120
gcctataccc aggatggtga aactctagtt ggtcagccgg ctaaacgtca ggcagtgacg 180
aacccgcaaa acactctgtt tgcgattaaa cgcctgattg gtcgccgctt ccaggacgaa 240
gaagtacagc gtgatgtttc catcatgccg ttcaaaatta ttgctgctga taacggcgac 300
gcatgggtcg aagttaaagg ccagaaaatg gcaccgccgc agatttctgc tgaagtgctg 360
aaaaaaatga agaaaaccgc tgaagattac ctgggtgaac cggtaactga agctgttatc 420
accgtaccgg catactttaa cgatgctcag cgtcaggcaa ccaaagacgc aggccgtatc 480
gctggtctgg aagtaaaacg tatcatcaac gaaccgaccg cagctgcgct ggcttacggt 540
ctggacaaag gcactggcaa ccgtactatc gcggtttatg acctgggtgg tggtactttc 600
gatatttcta ttatcgaaat cgacgaagtt gacggcgaaa aaaccttcga agttctggca 660
accaacggtg atacccacct ggggggtgaa gacttcgaca gccgtctgat caactatctg 720
gttgaagaat tcaagaaaga tcagggcatt gacctgcgca acgatccgct ggcaatgcag 780
cgcctgaaag aagcggcaga aaaagcgaaa atcgaactgt cttccgctca gcagaccgac 840
gttaacctgc catacatcac tgcagacgcg accggtcgca aacacatgaa catcaaagtg 900
actcgtgcga aactggaaag cctggttgaa gatctggtaa acccgttccat tgagccgctg 960
aaagttgcac tgcaggacgc tggcctgtcc gtatctgata tcgacgacgt tatcctcgtt 1020
ggtggtcaga ctcgtatgcc aatggttcag aagaaagttg ctgagttctt tggtaaagag 1080
ccgcgtaaag acgttaaccc ggacgaagct gtagcaatcg gtgctgctgt tcagggtggt 1140
gttctgactg gtgacgtaaa agacgtactg ctgctggacg ttaccccgct gtctctgggt 1200
atcgaaacca tgggcggtgt gatgacgacg gtgatcgcga aaaacaccac tatcccgacc 1260
aagcacagcc aggtgttctc taccgctgaa gacaaccagt ctgcggtaac catccatgtg 1320
ctgcagggtg aacgtaaacg tgcggctgat aacaaatctc tgggtcagtt caacctagat 1380
ggtatcaacc cggcaccgcg cggcatgccg cagatcgaag ttaccttcga tatcgatgct 1440
gacggtatcc tgcacgtttc cgcgaaagat aaaaacagcg gtaaagagca gaagatcacc 1500
atcaaggctt cttctggtct gaacgaagat gaaatccaga aaatggtacg cgacgcagaa 1560
gctaacgccg aagctgaccg taagtttgaa gagctggtac agactcgcaa ccagggcgac 1620
catctgctgc acagcacccg taagcaggtt gaagaagcag gcgacaaact gccggctgac 1680
gacaaaactg ctatcgagtc tgcgctgact gcactggaaa ctgctctgaa aggtgaagac 1740
aaagccgcta tcgaagcgaa aatgcaggaa ctggcacagg tttcccagaa actgatggaa 1800
atcgcccagc agcaacatgc ccagcagcag actgccggtg ctgatgcttc tgcaaaccaac 1860
gcgaaagatg acgatgttgt cgacgctgaa tttgaagaag tcaaagacaa aaaataa 1917

<210> 724
<211> 1647
<212> DNA
<213> Artificial Sequence

<220>
<223> Escherichia coli

<400> 724
atggcagcta aagacgtaaa attcggtaac gacgctcgtg tgaaaatgct gcgcggcgta 60
aacgtactgg cagatgcagt gaaagttacc ctcggtccaa aaggccgtaa cgtagttctg 120
gataaatctt tcggtgcacc gaccatcacc aaagatggtg tttccgttgc tcgtgaaatc 180
gaactggaag acaagttcga aaatatgggt gcgcagatgg tgaaagaagt tgcctctaaa 240
gcaaacgacg ctgcaggcga cggtaccacc actgcaaccg tactggctca ggcatatcatc 300
actgaaggtc tgaaagctgt tgctgcgggc atgaacccga tggacctgaa acgtggtatc 360
gacaaagcgg ttaccgctgc agttgaagaa ctgaaagcgc tgtccgtacc atgctctgac 420
tctaaagcga ttgctcaggt tggtaccatc tccgctaact ccgacgaaac cgtaggtaaa 480

ctgatcgctg aagcgatgga caaagtcggt aaagaaggcg ttatcaccgt tgaagacggt 540
accggtctgc aggacgaact ggacgtggtt gaaggtatgc agttcgaccg tggctacctg 600
tctccttact tcatcaacaa gccggaaact ggcgcagtag aactggaaag cccgttcatc 660
ctgctggctg acaagaaaat ctccaacatc cgcgaaatgc tgccggttct ggaagctgtt 720
gccaaagcag gcaaaccgct gctgatcatc gctgaagatg tagaaggcga agcgctggca 780
actctggttg ttaacaccat gcgtggcatc gtgaaagtcg ctgcggttaa agcaccgggc 840
ttcggcgatc gtcgtaaagc tatgctgcag gatatcgcaa ccctgactgg cggtaccgtg 900
atctctgaag agatcggtat ggagctggaa aaagcaaccc tggaagacct gggtcaggct 960
aaacgtgttg tgatcaacaa agacaccacc actatcatcg atggcgtggg tgaagaagct 1020
gcaatccagg gccgtgttgc tcagatccgt cagcagattg aagaagcaac ttctgactac 1080
gaccgtgaaa aactgcagga acgcgtagcg aaactggcag gcggcgttgc agttatcaaa 1140
gtgggtgctg ctaccgaagt tgaaatgaaa gagaaaaaag cacgcgttga agatgcctg 1200
cacgcgaccc gtgctgcggt agaagaaggc gtggttgctg gtggtggtgt tgcgctgatc 1260

cgcgtagcgt ctaaactggc tgacctgcgt ggtcagaacg aagaccagaa cgtgggtatc 1320
aaagttgcac tgcgtgcaat ggaagctccg ctgcgtcaga tcgtattgaa ctgcggcgaa 1380
gaaccgtctg ttgttgctaa caccgttaaa ggcggcgacg gcaactacgg ttacaacgca 1440
gcaaccgaag aatacggcaa catgatcgac atgggtatcc tggatccaac caaagtaact 1500
cgttctgctc tgcagtacgc agcttctgtg gctggcctga tgatcaccac cgaatgcatg 1560
gttaccgacc tgccgaaaaa cgatgcagct gacttaggcg ctgctggcgg tatgggcggc 1620
atgggtggca tgggcggcat gatgtaa 1647

<210> 725
<211> 1935
<212> DNA
<213> Artificial Sequence

<220>
<223> Escherichia coli

<400> 725
atggcgaaaa acctaatact ctggctggtc attgccgttg tgctgatgtc agtattccag 60
agctttgggc ccagcgagtc taatggccgt aaggtggatt actctacctt cctacaagag 120
gtcaataacg accaggttcg tgaagcgcgt atcaacggac gtgaaatcaa cgttaccaag 180
aaagatagta accgttatac cacttacatt ccggttcagg atccgaaatt actggataac 240
ctgttgacca agaacgtcaa ggttgtcggt gaaccgcctg aagaaccaag cgttctggct 300
tctatcttca tctcctggtt cccgatgctg ttgctgattg gtgtctggat cttcttcatg 360
cgtcaaatgc agggcggcgg tggcaaaggt gccatgtcgt ttggtaagag caaagcggcg 420
atgctgacgg aagatcagat caaaacgacc tttgctgacg ttgcgggctg cgacgaagca 480
aaagaagaag ctgctgaact ggttgagtat ctgcgcgagc cgagccgctt ccagcaaactc 540
ggcggtaaga tcccgaaagg cgtcttgatg gtcggtcctc cgggtaccgg taaaacgctg 600
ctggcgaaag cgattgcagg cgaagcgaaa gttccgttct ttactatctc cggttctgac 660
ttcgtagaaa tgttcgtcgg tgtgggtgca tcccgtgttc gtgacatgtt cgaacaggcg 720
aagaaagcgg caccgtgcat catctttatc gatgaaatcg acgccgtagg ccgccagcgt 780

ggcgctggtc tgggcggtgg tcacgatgaa cgtgaacaga ctctgaacca gatgctggtt 840
gagatggatg gcttcgaagg taacgaaggt atcatcgtta tcgccgcgac taaccgtccg 900
gacgttctcg acccggccct gctgcgtcct ggccgtttcg acccgtcaggt tgtggtcggc 960
ttgccagatg ttcgcggtcg tgagcagatc ctgaaagttc acatgcgtcg cgtaccattg 1020
gcaccccgta tcgacgcggc aatcattgcc cgtggtactc ctggtttctc cggtgctgac 1080
ctggcgaacc tggtgaacga agcggcactg ttcgctgctc gtggcaacaa acgcgttgtg 1140
tcgatggttg agttcgagaa agcgaaagac aaaatcatga tgggtgcgga acgtcgctcc 1200
atggtgatga cggaagcgca gaaagaatcg acggcttacc acgaagcggg tcatgcgatt 1260
atcggtcgcc tggtgccgga acacgatccg gtgcacaaag tgacgattat cccacgcggt 1320
cgtgcgctgg gtgtgacttt cttcttgcct gagggcgacg caatcagcgc cagccgtcag 1380
aaactggaaa gccagatttc tacgctgtac ggtggtcgtc tggcagaaga gatcatctac 1440
gggccggaac atgtatctac cggtgcgtcc aacgatatta aagttgcgac caacctggca 1500
cgtaacatgg tgactcagtg gggcttctct gagaaattgg gtccactgct gtacgcggaa 1560
gaagaaggtg aagtgttcct cggccgtagc gtagcgaaag cgaaacatat gtccgatgaa 1620
actgcacgta tcatcgacca ggaagtgaaa gcactgattg agcgtaacta tcatcgtgcg 1680
cgtcagcttc tgaccgacaa tatggatatt ctgcatgcga tgaaagatgc tctcatgaaa 1740

```
tatgagacta tcgacgcacc gcagattgat gacctgatgg cacgtcgcga tgtacgtccg 1800
ccagcgggct gggaagaacc aggcgcttct aacaatttctg gcgacaatgg tagtccaaag 1860
gctcctcgtc cggttgatga acCgcgtacg ccgaacccgg gtaacaccat gtcagagcag 1920
ttaggcgaca agtaa                                                  1935

<210> 726
<211> 2673
<212> DNA
<213> Artificial Sequence

<220>
<223> Escherichia coli


<400> 726
atgacagatg taacgattaa aacgctggcc gcagagcgac agacctccgt ggaacgcctg 60
gtacagcaat ttgctgatgc aggtatccgg aagtctgctg acgactctgt gtctgcacaa 120
gagaaacaga ctttgattga ccacctgaat cagaaaaatt caggcccgga caaattgacg 180
ctgcaacgta aaacacgcag cacccttaac attcctggta ccggtggaaa aagcaaatcg 240
gtacaaatcg aagtccgcaa gaaacgcacc tttgtgaaac gcgatccgca agaggctgaa 300
cgccttgcag cggaagagca agcgcagcgt gaagcggaag agcaagcccg tcgtgaggca 360
gaagaatcgg ctaaacgcga ggcgcaacaa aaagctgaac gtgaggccgc agaacagact 420
aagcgtgaag ctgctgaaca agcgaaacgt gaagctgcgg aaaaagacaa agtgagcaat 480
caacaagacg atatgactaa aaacgcccag gctgaaaaag cccgccgtga gcaggaagct 540
gcagagctca agcgtaaagc tgaagaagaa gcgcgtcgta aactcgaaga agaagcacgt 600
cgcgttgctg aagaagcacg tcgtatggcg gaagaaaaca aatggactga taacgcggaa 660
ccgactgaag attccagcga ttatcacgtc actacttctc aacatgctcg ccaggcagaa 720
gacgaaagcg atcgtgaagt cgaaggcggc cgtggccgtg gtcgtaacgc gaaagcgcg 780
cgtccgaaga aaggcaacaa acacgctgaa tcaaaagctg atcgtgaaga agcacgcgca 840
gcagtacgtg gcggtaaagg cggaaaacgt aaaggttctt cgctgcagca aggcttccag 900
aagcctgctc aggccgttaa ccgtgacgtt gtgatcggcg aaactatcac cgttggccaa 960
ctggcgaaca agatggcggt taaaggctct caggtcatca aagcgatgat gaaactgggc 1020
gcaatggcaa ccatcaacca ggttatcgat caggaaaccg cacagctggt tgctgaagag 1080
atgggccata aagttatcct gcgtcgtgaa aacgagctgg aagaggcggt aatgagccgc 1140
cgtgacacgg gtgctgcggc tgaaccgcgc gcgccggttg tgaccatcat gggtcacgtt 1200
gaccacggta aaacctctct gctggactac attcgttcaa cgaaagtggc ctctggcgaa 1260
gcgggcggca ttacccagca catggtgca taccacgttg aaactgaaaa cggcatgatc 1320
accttcctgg acaccccggg gcacgccgcg tttacttcaa tgcgtgctcg tggtgcgcag 1380
gcaacggaca tcgtagtcct ggttgttgct gccgacgacg gtgtgatgcc gcagaccatc 1440
gaagcaatcc agcacgcgaa agcggcgcag gtaccggtgg tggttgcagt gaacaagatc 1500
gataaaccag aagctgatcc ggatcgcgtt aagaacgaac tctcccagta cggcatcctg 1560
ccggaagagt gggcggtga aagccagttc gtacacgtat ctgcgaaagc gggtacccgt 1620
atcgatgaac tgctggacgc tatcctgctg caggcggaag ttctggagct gaaagcggta 1680
cgtaaaggta tggcgagcgg tgcggttatc gaatccttcc tcgataaagg tcgtggtccg 1740
gttgctaccg ttctggtacg tgaaggtact ctgcacaagg gcgatatcgt tctgtgtggc 1800
ttcgaatacg gtcgtgttcg tgcgatgcgt aacgaactgg gtcaggaagt gctggaagcg 1860
ggtccgtcca ttccggtgga aatcctcggc ctgtccggcg tacccgctgc gggtgatgaa 1920
gttaccgttg tacgtgacga gaagaaagcg cgtgaagttg cactctatcg tcagggtaaa 1980
ttccgcgaag ttaaactggc gcgtcagcag aaatctaaac tcgagaacat gttcgccaac 2040
atgaccgaag gcgaagttca cgaagtgaat atcgtcctga aggcagacgt acagggttct 2100
gtcgaagcga tctccgactc cttgctgaaa ctgtctactg acgaagttaa agtgaagatc 2160
atcggttctg gcgtaggtgg tatcaccgaa accgacgcca ccctggctgc ggcgtccaac 2220
gccatcctgg ttggctttaa cgtacgtgct gatgcctctg cacgtaaagt gattgaagcg 2280
gaaagcctgg atctgcgtta ctactccgtc atctataacc tgattgacga agtgaaagcg 2340
gcgatgagcg gtatgctgtc tccggaactg aaacagcaga ttatcggtct ggcggaagtt 2400
cgtgacgtgt tcaaatcgcc gaaatttggt gccatcgcag gctgtatggt taccgaaggt 2460
gtggttaaac gtcacaaccc gatccgcgtt ctgcgtgaca acgtggttat ctacgaaggc 2520
gagctggagt ccctgcgccg cttcaaagat gacgttaacg aagtccgtaa cggtatggaa 2580
tgtggtatcg gcgttaagaa ctacaacgac gtccgcactg gcgatgtgat cgaagtattc 2640
gaaatcatcg agatccaacg taccattgct taa                              2673
```

<210> 727
<211> 2480
<212> DNA
<213> Artificial Sequence

<220>
<223> Bacillus anthracis

<400> 727
atgaatataa aaaaagaatt tataaaagta attagtatgt catgtttagt aacagcaatt 60
actttgagtg gtcccgtctt tatccccctt gtacaggggg cgggcggtca tggtgatgta 120
ggtatgcacg taaaagagaa agagaaaaat aaagatgaga ataagagaaa agatgaagaa 180
cgaaataaaa cacaggaaga gcatttaaag gaaatcatga aacacattgt aaaaatagaa 240
gtaaaagggg aggaagctgt taaaaaagag gcagcagaaa agctacttga gaaagtacca 300
tctgatgttt tagagatgta taaagcaatt ggaggaaaga tatatattgt ggatggtgat 360
attacaaaac atatatcttt agaagcatta tctgaagata agaaaaaaat aaaagacatt 420
tatgggaaag atgctttatt acatgaacat tatgtatatg caaaagaagg atatgaaccc 480
gtacttgtaa tccaatcttc ggaagattat gtagaaaata ctgaaaaggc actgaacgtt 540
tattatgaaa taggtaagat attatcaagg gatatttttaa gtaaaattaa tcaaccatat 600
cagaaatttt tagatgtatt aaataccatt aaaaatgcat ctgattcaga tggacaagat 660
cttttattta ctaatcagct taaggaacat cccacagact tttctgtaga attcttggaa 720
caaaatagca atgaggtaca agaagtattt gcgaaagctt ttgcatatta tatcgagcca 780
cagcatgctg atgttttaca gctttatgca ccggaagctt ttaattacat ggataaattt 840
aacgaacaag aaataaatct atccttggaa gaacttaaag atcaacggat gctgtcaaga 900
tatgaaaaat gggaaaagat aaaacagcac tatcaacact ggagcgattc tttatctgaa 960
gaaggaagag gacttttaaa aaagctgcag attcctattg agccaaagaa agatgacata 1020
attcattctt tatctcaaga agaaaaagag cttctaaaaa gaatacaaat tgatagtagt 1080
gatttttttat ctactgagga aaaagagttt ttaaaaaagc tacaaattga tattcgtgat 1140
tctttatctg aagaagaaaa agagctttta aatagaatac aggtggatag tagtaatcct 1200
ttatctgaaa aagaaaaaga gtttttaaaa aagctgaaac ttgatattca accatatgat 1260
attaatcaaa ggttgcaaga tacaggaggg ttaattgata gtccgtcaat taatcttgat 1320
gtaagaaagc agtataaaag ggatattcaa aatattgatg ctttattaca tcaatccatt 1380
ggaagtacct tgtacaataa aatttatttg tatgaaaata tgaatatcaa taaccttaca 1440
gcaaccctag gtgcggattt agttgattcc actgataata ctaaaattaa tagaggtatt 1500
ttcaatgaat tcaaaaaaaa tttcaaatat agtatttcta gtaactatat gattgttgat 1560
ataaatgaaa ggcctgcatt agataatgag cgtttgaaat ggagaatcca attatcacca 1620
gatactcgag caggatattt agaaaatgga aagcttatat tacaaagaaa catcggtctg 1680
gaaataaagg atgtacaaat aattaagcaa tccgaaaaag aatatataag gattgatgcg 1740
aaagtagtgc caaagagtaa aatagataca aaaattcaag aagcacagtt aaatataaat 1800
caggaatgga ataaagcatt agggttacca aaatatacaa agcttattac attcaacgtg 1860
cataatagat atgcatccaa tattgtagaa agtgcttatt taatattgaa tgaatggaaa 1920
aataatattc aaagtgatct tataaaaaag gtaacaaatt acttagttga tggtaatgga 1980
agatttgttt ttaccgatat tactctccct aatatagctg aacaatatac acatcaagat 2040
gagatatatg agcaagttca ttcaaaaggg ttatatgttc cagaatcccg ttctatatta 2100
ctccatggac cttcaaaagg tgtagaatta aggaatgata gtgagggttt tatacacgaa 2160
tttggacatg ctgtggatga ttatgctgga tatctattag ataagaacca atctgattta 2220
gttacaaatt ctaaaaaatt cattgatatt tttaaggaag aagggagtaa tttaacttcg 2280
tatgggagaa caaatgaagc ggaatttttt gcagaagcct ttaggttaat gcattctacg 2340
gaccatgctg aacgtttaaa agttcaaaaa aatgctccga aaactttcca atttattaac 2400
gatcagatta agttcattat taactcataa gtaatgtatt aaaaattttc aaatggattt 2460
aataataata ataataataa 2480

<210> 728
<211> 2295
<212> DNA
<213> Artificial Sequence

<220>
<223> Bacillus anthracis

<400> 728

atgaaaaaac gaaaagtgtt aataccatta atggcattgt ctacgatatt agtttcaagc 60
acaggtaatt tagaggtgat tcaggcagaa gttaaacagg agaaccggtt attaaatgaa 120
tcagaatcaa gttcccaggg gttactagga tactatttta gtgatttgaa ttttcaagca 180
cccatggtgg ttacctcttc tactacaggg gatttatcta ttcctagttc tgagttagaa 240
aatattccat cggaaaacca atattttcaa tctgctattt ggtcaggatt tatcaaagtt 300
aagaagagtg atgaatatac atttgctact tccgctgata atcatgtaac aatgtgggta 360
gatgaccaag aagtgattaa taaagcttct aattctaaca aaatcagatt agaaaaagga 420
agattatatc aaataaaaat tcaatatcaa cgagaaaatc ctactgaaaa aggattggat 480
ttcaagttgt actggaccga ttctcaaaat aaaaaagaag tgatttctag tgataactta 540
caattgccag aattaaaaca aaaatcttcg aactcaagaa aaaagcgaag tacaagtgct 600
ggacctacgg ttccagaccg tgacaatgat ggaatccctg attcattaga ggtagaagga 660
tatacggttg atgtcaaaaa taaaagaact tttctttcac catggatttc taatattcat 720
gaaaagaaag gattaaccaa atataaatca tctcctgaaa aatggagcac ggcttctgat 780
ccgtacagtg atttcgaaaa ggttacagga cggattgata agaatgtatc accagaggca 840
agacaccccc ttgtggcagc ttatccgatt gtacatgtag atatggagaa tattattctc 900
tcaaaaaatg aggatcaatc cacacagaat actgatagtc aaacgagaac aataagtaaa 960
aatacttcta caagtaggac acatactagt gaagtacatg gaaatgcaga agtgcatgcg 1020
tcgttctttg atattggtgg gagtgtatct gcaggattta gtaattcgaa ttcaagtacg 1080
gtcgcaattg atcattcact atctctagca ggggaaagaa cttgggctga aacaatgggt 1140
ttaaatacgg ctgatacagc aagattaaat gccaatatta gatatgtaaa tactgggacg 1200
gctccaatct acaacgtgtt accaacgact tcgttagtgt taggaaaaaa tcaaacactc 1260
gcgacaatta aagctaagga aaaccaatta agtcaaatac ttgcacctaa taattattat 1320
ccttctaaaa acttggcgcc aatcgcatta aatgcacaag acgatttcag ttctactcca 1380
attacaatga attacaatca atttcttgag ttagaaaaaa cgaaacaatt aagattagat 1440
acggatcaag tatatgggaa tatagcaaca tacaattttg aaaatggaag agtgagggtg 1500
gatacaggct cgaactggag tgaagtgtta ccgcaaattc aagaaacaac tgcacgtatc 1560
atttttaatg gaaaagattt aaatctggta gaaaggcgga tagcggcggt taatcctagt 1620
gatccattag aaacgactaa accggatatg acattaaaag aagccctaa aatagcattt 1680
ggatttaacg aaccgaatgg aaacttacaa tatcaaggga aagacataac cgaatttgat 1740
tttaatttcg atcaacaaac atctcaaaat atcaagaatc agttagcgga attaaacgca 1800
actaacatat atactgtatt agataaaatc aaattaaatg caaaaatgaa tattttaata 1860
agagataaac gttttcatta tgatagaaat aacatagcag ttggggcgga tgagtcagta 1920
gttaaggagg ctcatagaga agtaattaat tcgtcaacag agggattatt gttaaatatt 1980
gataaggata taagaaaaat attatcaggt tatattgtag aaattgaaga tactgaaggg 2040
cttaaagaag ttataaatga cagatatgat atgttgaata tttctagttt acggcaagat 2100
ggaaaaacat ttatagattt taaaaaatat aatgataaat taccgttata tataagtaat 2160
cccaattata aggtaaatgt atatgctgtt actaaagaaa acactattat taatcctagt 2220
gagaatgggg atactagtac caacgggatc aagaaaattt taatcttttc taaaaaaggc 2280
tatgagatag gataa 2295

<210> 729
<211> 822
<212> DNA
<213> Artificial Sequence

<220>
<223> Escherichia coli

<400> 729
atggcagttg ttaaatgtaa accgacatct ccgggtcgtc gccacgtagt taaagtggtt 60
aaccctgagc tgcacaaggg caaacctttt gctccgttgc tggaaaaaaa cagcaaatcc 120
ggtggtcgta acaacaatgg ccgtatcacc actcgtcata tcggtggtgg ccacaagcag 180
gcttaccgta ttgttgactt caaacgcaac aaagacggta tcccggcagt tgttgaacgt 240
cttgagtacg atccgaaccg ttccgcgaac atcgccgtgg ttctgtacaa agacggtgaa 300
cgccgttaca tcctggcccc taaaggcctg aaagctggcg accagattca gtctggcgtt 360
gatgctgcaa tcaaaccagg taacaccctg ccgatgcgca acatccggt tggttctact 420
gttcataacg tagaaatgaa accaggtaaa ggcggtcagc tggcacgttc cgctggtact 480
tacgttcaga tcgttgctcg tgatggtgct tatgtcaccc tgcgtctgcg ttctggtgaa 540
atgcgtaaag tagaagcaga ctgccgtgca actctgggcg aagttggcaa tgctgagcat 600
atgctgcgcg ttctgggtaa agcaggtgct gcacgctggc gtggtgttcg tccgacgttt 660
cgcggtaccg cgatgaaccc ggtagaccac ccacatggtg gtggtgaagg tcgtaacttt 720

ggtaagcacc cggtaactcc gtggggcgtt cagaccaaag gtaagaagac ccgcagcaac 780
aagcgtactg ataaattcat cgtacgtcgc cgtagcaaat aa 822

<210> 730
<211> 4029

<212> DNA
<213> Artificial Sequence

<220>
<223> Escherichia coli

<400> 730
atggtttact cctataccga gaaaaaacgt attcgtaagg attttggtaa acgtccacaa 60
gttctggatg tacattatct cctttctatc cagcttgact cgtttcagaa atttatcgag 120
caagatcctg aagggcagta tggtctggaa gctgctttcc gttccgtatt cccgattcag 180
agctacagcg gtaattccga gctgcaatac gtcagctacc gccttggcga accggtgttt 240
gacgtccagg aatgtcaaat ccgtggcgtg acctattccg caccgctgcg cgttaaactg 300
cgtctggtga tctatgagcg cgaagcgcgg gaaggcaccg taaaagacat taaagaacaa 360

gaagtctaca tgggcgaaat tccgctcatg acagacaacg gtacctttgt tatcaacggt 420
actgagcgtg ttatcgtttc ccagctgcac cgtagtccgg gcgtcttctt tgactccgac 480
aaaggtaaaa cccactcttc gggtaaagtg ctgtataacg cgcgtatcat cccttaccgt 540
ggttcctggc tggacttcga attcgatccg aaggacaacc tgttcgtacg tatcgaccgt 600
cgccgtaaac tgcctgcgac catcattctg cgcgccctga actcaccacc agagcagatc 660
ctcgacctgt tctttgaaaa agttatcttt gaaatccgtg ataacaagct gcagatggaa 720
ctggtgccgg aacgcctgcg tggtgaaacc gcatcttttg acatcgaagc taacggtaaa 780
gtgtacgtag aaaaaggcag ccgtatcact gcgcgccaca ttcgccagct ggaaaaagac 840
gacgtcaaac tgatcgaagt cccggttgag tacatcgcag gtaaagtggt tgctaaagac 900
tatattgatg agtctacccg cgagctgatc tgcgcagcga acatggagct gagcctggat 960
ctgctggcta agctgagcca gtctggtcac aagcgtatcg aaacgctgtt caccaacgat 1020
ctggatcacg gcccatatat ctctgaaacc ttacgtgtcg acccaactaa cgaccgtctg 1080
agcgcactgg tagaaatcta ccgcatgatg cgccctggcg agccgccgac tcgtgaagca 1140
gctgaaagcc tgttcgagaa cctgttcttc tccgaagacc gttatgactt gtctgcggtt 1200
ggtcgtatga agttcaacgg ttctctgctg cgcgaagaaa tcgaaggttc cggtatcctg 1260
agcaaagacg acatcattga tgttatgaaa aagctcatcg atatccgtaa cggtaaaggc 1320
gaagtcgatg atatcgacca cctcggcaac cgtcgtatcc gttccgttgg cgaaatggcg 1380
gaaaaccagt tccgcgttgg cctggtacgt gtagagcgtg cggtgaaaga gcgtctgtct 1440
ctggcgatc tggataccct gatgccacag gatatgatca acgccaagcc gatttccgca 1500
gcagtgaaag agttcttcgg ttccagccag ctgtctcagt ttatggacca gaacaacccg 1560
ctgtctgaga ttacgcacaa acgtcgtatc tccgcactcg gcccaggcgg tctgaccggt 1620
gaacgtgcag gcttcgaagt tcgagacgta cacccgactc actacggtcg cgtatgtcca 1680
atcgaaaccc ctgaaggtcc gaacatcggt ctgatcaact ctctgtcgtt gtacgcacag 1740
actaacgaat acggcttcct tgagactccg tatcgtaaag tgaccgacgg tgttgtaact 1800
gacgaaattc actacctgtc tgctatcgaa gaaggcaact acgttatcgc ccaggcgaac 1860
tccaacttgg atgaagaagg ccacttcgta gaagacctgg taacttgccg tagcaaaggc 1920
gaatccagct tgttcagccg cgaccaggtt gactacatgg acgtatccac ccagcaggtg 1980
gtatccgtcg gtgcgtccct gatccggttc ctggaacacg atgacgccaa ccgtgcattg 2040
atggtgtcga acatgcaacg tcaggccgtt ccgactctgc gcgctgataa gccgctggtt 2100
ggtactggta tggaacgtgc tgttgccgtt gactccggtg taactgcggt agctaaacgt 2160
ggtggtgtcg ttcagtacgt ggatgcttcc cgtatcgtta tcaaagttaa cgaagacgag 2220
atgtatccgg gtgaagcagg tatcgacatc tacaacctga ccaaatacac ccgttctaac 2280
cagaacacct gtatcaacca gatgccgtgt gtgtctctgg gtgaaccggt tgaacgtggc 2340
gacgtgctgg cagacggtcc gtccaccgac ctcggtgaac tggcgcttgg tcagaacatg 2400
cgcgtagcgt tcatgccgtg gaatggttac aacttcgaag actccatcct cgtatccgag 2460
cgtgttgttc aggaagaccg tttcaccacc atccacattc aggaactggc gtgtgtgtcc 2520
cgtgacacca agctgggtcc ggaagagatc accgctgaca tcccgaacgt gggtgaagct 2580
gcgctctcca aactggatga atccggtatc gtttacattg gtgcggaagt gaccggtggc 2640
gacattctgg ttggtaaggt aacgccgaaa ggtgaaactc agctgaccca agaagaaaaa 2700
ctgctgcgtg cgatcttcgg tgagaaagcc tctgacgtta aagactcttc tctgcgcgta 2760

```
ccaaacggtg tatccggtac ggttatcgac gttcaggtct ttactcgcga tggcgtagaa 2820
aaagacaaac gtgcgctgga aatcgaagaa atgcagctca aacaggcgaa gaaagacctg 2880
tctgaagaac tgcagatcct cgaagcgggt ctgttcagcc gtatccgtgc tgtgctggta 2940
gccggtggcg ttgaagctga gaagctcgac aaactgccgc gcgatccgtg gctggagctg 3000
ggcctgacag acgaagagaa acaaaatcag ctggaacagc tggctgagca gtatgacgaa 3060
ctgaaacacg agttcgagaa gaaactcgaa gcgaaacgcc gcaaaatcac ccagggcgac 3120
gatctggcac cgggcgtgct gaagattgtt aaggtatatc tggcggttaa acgccgtatc 3180
cagcctggtg acaagatggc aggtcgtcac ggtaacaagg gtgtaatttc taagatcaac 3240
ccgatcgaag atatgcctta cgatgaaaac ggtacgccgg tagacatcgt actgaacccg 3300
ctgggcgtac cgtctcgtat gaacatcggt cagatcctcg aaacccacct gggtatggct 3360
gcgaaaggta tcggcgacaa gatcaacgcc atgctgaaac agcagcaaga agtcgcgaaa 3420
ctgcgcgaat tcatccagcg tgcgtacgat ctgggcgctg acgttcgtca gaaagttgac 3480
ctgagtacct tcagcgatga agaagttatg cgtctggctg aaaacctgcg caaaggtatg 3540
ccaatcgcaa cgcoggtgtt cgacggtgcg aaagaagcag aaattaaaga gctgctgaaa 3600
cttggcgacc tgccgacttc cggtcagatc cgcctgtacg atggtcgcac tggtgaacag 3660
ttcgagcgtc cggtaaacgt tggttacatg tacatgctga aactgaacca cctggtcgac 3720
gacaagatgc acgcgcgttc cacccgtttct tacagcctgg ttactcagca gccgctgggt 3780
ggtaaggcac agttcggtgg tcagcgtttc ggggagatgg aagtgtgggc gctggaagca 3840
tacggcgcag catacaccct gcaggaaatg ctcaccgtta agtctgatga cgtgaacggt 3900
cgtaccaaga tgtataaaaa catcgtggac ggcaaccatc agatggagcc gggcatgcca 3960
gaatcottca acgtattgtt gaaagagatt cgttcgctgg gtatcaacat cgaactggaa 4020
gacgagtaa                                                        4029

<210> 731
<211> 4224
<212> DNA
<213> Artificial Sequence

<220>
<223> Escherichia coli

<400> 731
gtgaaagatt tattaaagtt tctgaaagcg cagactaaaa ccgaagagtt tgatgcgatc 60
aaaattgctc tggcttcgcc agacatgatc cgttcatggt ctttcggtga agttaaaaag 120
ccggaaacca tcaactaccg tacgttcaaa ccagaacgtg acggcctttt ctgcgcccgt 180
atctttggcc cggtaaaaga ttacgagtgc ctgtgcggta agtacaagcg cctgaaacac 240
cgtggcgtca tctgtgagaa gtgcggcgtt gaagtgaccc agactaaagt acgccgtgag 300
cgtatgggcc acatcgaact ggcttcccog actgcgcaca tctggttcct gaaatcgctg 360
ccgtcccgta tcggtctgct gctcgatatg ccgctgcgcg atatcgaacg cgtactgtac 420
tttgaatcct atgtggttat cgaaggcggt atgaccaacc tggaacgtca gcagatcctg 480
actgaagagc agtatctgga cgcgctggaa gagttcggtg acgaattcga cgcgaagatg 540
gggcggaag caatccaggc tctgctgaag agcatggatc tggagcaaga gtgcgaacag 600
ctgcgtgaag agctgaacga aaccaactcc gaaaccaagc gtaaaaagct gaccaagcgt 660
atcaaactgc tggaagcgtt cgttcagtct ggtaacaaac cagagtggat gatcctgacc 720
gttctgccgg tactgccgcc agatctgcgt ccgctggttc cgctggatgg tggtcgtttc 780
gcgacttctg acctgaacga tctgtatcgt cgcgtcatta accgtaacaa cgctctgaaa 840
cgtctgctgg atctggctgc gccggacatc atcgtacgta acgaaaaacg tatgctgcag 900
gaagcggtag acgccctgct ggataacggt cgtccgcggtc gtgcgatcac cggttctaac 960
aagcgtcctc tgaaatcttt ggccgacatg atcaaaggta aacagggtcg tttccgtcag 1020
aacctgctcg gtaagcgtgt tgactactcc ggtcgttctg taatcaccgt aggtccatac 1080
ctgcgtctgc atcagtgcgg tctgccgaag aaaatggcac tggagctgtt caaacogttc 1140
atctacggca agctggaact gcgtggtctt gctaccacca ttaaagctgc gaagaaaatg 1200
gttgagcgcg aagaagctgt cgtttgggat atcctggacg aagttatccg cgaacaccgg 1260
gtactgctga accgtgcacc gactctgcac cgtctgggta tccaggcatt tgaaccggta 1320
ctgatcgaag gtaaagctat ccagctgcac ccgctggttt gtgcggcata taacgccgac 1380
ttcgatggtg accagatggc tgttcacgta ccgctgacgc tggaagccca gctggaagcg 1440
cgtgcgctga tgatgtctac caacaacatc ctgtccccgg cgaacggcga accaatcatc 1500
gttccgtctc aggacgttgt actgggtctg tactacatga ccogtgactg tgttaacgcc 1560
aaaggcgaag gcatggtgct gactggcccg aaagaagcag aacgtctgta tcgctctggt 1620
ctggcttctc tgcatgcgcg cgttaaagtg cgtatcaccg agtatgaaaa agatgctaac 1680
ggtgaattag tagcgaaaac cagcctgaaa gacacgactg ttggccgtgc cattctgtgg 1740
```

atgattgtac cgaaaggtct gccttactcc atcgtcaacc aggcgctggg taaaaaagca 1800
atctccaaaa tgctgaacac ctgctaccgc attctcggtc tgaaaccgac cgttattttt 1860
gcggaccaga tcatgtacac cggcttcgcc tatgcagcgc gttctggtgc atctgttggt 1920
atcgatgaca tggtcatccc ggagaagaaa cacgaaatca tctccgaggc agaagcagaa 1980
gttgctgaaa ttcaggagca gttccagtct ggtctggtaa ctgcgggcga acgctacaac 2040
aaagttatcg atatctgggc tgcggcgaac gatcgtgtat ccaaagcgat gatggataac 2100
ctgcaaactg aaaccgtgat taaccgtgac ggtcaggaag agaagcaggt ttccttcaac 2160
agcatctaca tgatggccga ctccggtgcg cgtggttctg cggcacagat tcgtcagctt 2220
gctggtatgc gtggtctgat ggcgaagcog gatggctcca tcatcgaaac gccaatcacc 2280
gcgaacttcc gtgaaggtct gaacgtactc cagtacttca tctccacoca cggtgctcgt 2340
aaaggtctgg cggatacogc actgaaaact gcgaactccg gttacctgac tcgtcgtctg 2400
gttgacgtgg cgcaggacct ggtggttacc gaagacgatt gtggtaccca tgaaggtatc 2460
atgatgactc cggttatcga gggtggtgac gttaaagagc cgctgcgcga tcgcgtactg 2520
ggtcgtgtaa ctgctgaaga cgttctgaag ccgggtactg ctgatatcct cgttccgcgc 2580
aacacgctgc tgcacgaaca gtggtgtgac ctgctggaag agaactctgt cgacgcggtt 2640
aaagtacgtt ctgttgtatc ttgtgacacc gactttggtg tatgtgcgca ctgctacggt 2700
cgtgacctgg cgcgtggcca catcatcaac aagggtgaag caatcggtgt tatcgcggca 2760
cagtccatcg gtgaaccggg tacacagctg accatgcgta cgttccacat cggtggtgcg 2820
gcatctcgtg cggctgctga atccagcatc caagtgaaaa acaaaggtag catcaagctc 2880
agcaacgtga agtcggttgt gaactccagc ggtaaactgg ttatcacttc ccgtaatact 2940
gaactgaaac tgatcgacga attcggtcgt actaaagaaa gctacaaagt accttacggt 3000
gcggtactgg cgaaaggcga tggcgaacag gttgctggcg gcgaaaccgt tgcaaactgg 3060
gacccgcaca ccatgccggt tatcaccgaa gtaagcggtt ttgtacgctt tactgacatg 3120
atcgacggcc agaccattac gcgtcagacc gacgaactga ccggtctgtc ttcgctggtg 3180
gttctggatt ccgcagaacg taccgcaggt ggtaaagatc tgcgtccggc actgaaaatc 3240
gttgatgctc agggtaacga cgttctgatc ccaggtaccg atatgccagc gcagtacttc 3300
ctgccgggta aagcgattgt tcagctggaa gatggcgtac agatcagctc tggtgacacc 3360
ctggcgcgta ttccgcagga atccggcggt accaaggaca tcaccggtgg tctgccgcgc 3420
gttgcggacc tgttcgaagc acgtcgtccg aaagagccgg caatcctggc tgaaatcagc 3480
ggtatcgttt ccttcggtaa agaaaccaaa ggtaaacgtc gtctggttat cacccoggta 3540
gacggtagcg atccgtacga agagatgatt ccgaaatggc gtcagctcaa cgtgttcgaa 3600
ggtgaacgtg tagaacgtgg tgacgtaatt tccgacggtc cggaagcgcc gcacgacatt 3660
ctgcgtctgc gtggtgttca tgctgttact cgttacatcg ttaacgaagt acaggacgta 3720
taccgtctgc agggcgttaa gattaacgat aaacacatcg aagttatcgt tcgtcagatg 3780
ctgcgtaaag ctaccatccg taacgcgggt agctccgact tcctggaagg cgaacaggtt 3840
gaatactctc gcgtcaagat cgcaaaccgc gaactggaag cgaacggcaa agtgggtgca 3900
acttactccc gcgatctgct gggtatcacc aaagcgtctc tggcaaccga gtcttcatc 3960
tccgcggcat cgttccagga gaccactcgc gtgctgaccg aagcagccgt tgcgggcaaa 4020
cgcgacgaac tgcgcggcct gaaagagaac gttatcgtgg gtcgtctgat cccggcaggt 4080
accggttacg cgtaccacca ggatcgtatg cgtcgccgtg ctgcgggtga agctccggct 4140
gcaccgcagg tgactgcaga agacgcatct gccagcctgg cagaactgct gaacgcaggt 4200
ctgggcggtt ctgataacga gtaa 4224

<210> 732
<211> 3734
<212> DNA
<213> Artificial Sequence

<220>
<223> Concatenation of S. pyogenes genes

<220>
<221> misc_feature
<222> 499-598, 1049-1148, 1587-1686, 2093-2192, 2652-2751,
3201-3301
<223> n = A,T,C or G

<400> 732
aaccttaatt ggaaagaaac ccaagaagtc ggttccgttg ttgaaaaaga attgggcatt 60
ccttttgcca ttgacaatga tgccaatgtg gctgcccttg gtgaacgttg ggtaggtgct 120
ggtgaaaata acccagatgt cgtcttcatg acacttggaa caggtgtcgg tggaggcatt 180

attgctgatg gtaacttgat tcatggtgtt gcaggagcag gtggtgaaat cggccacatg 240
attgttgagc cagaaaatgg ctttgcttgt acttgtggct cacacggctg tttggaaaca 300
gtagcttcag caacaggagt tgtcaaagtg gcacgtttac tggcagaagc ctacgaaggg 360
gattcagcca tcaaagcagc tattgacaat ggtgaaggtg ttaccagtaa agacattttc 420
atggcggctg aagcagggga ttcctttgct gattctgttg tggaaaaggt tggttactac 480
cttggccttg cttcagcann nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 540
nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 600
cttacttcga accatgaatc ttttggaagt accaactaag ggacagatta ggtttgaggg 660
gattgatatt accgataaga agaatgatat tttcagcatg cgtgaaaaaa tgggaatggt 720
tttccagcag tttaacctct ttcccaatat gactatttta gaaaatatca ctttatcgcc 780
aatcaaaact aagggaatgg ctaaagcaga ggctgacaaa acagccttga gcttgttgga 840
caaagttgga ttatcagaaa aagccaaggc ttatcctgct agtctttctg gtgggcaaca 900
gcagcggatt gcgattgcgc gtggactggc tatggatcca gatgttttac tctttgatga 960
accaacttca gctctagacc cagaaatggt gggtgaggtc ttggctgtca tgcaagattt 1020
ggctaaatct gggatgacta tggttattnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 1080
nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 1140
nnnnnnnngc atgcaatacc gcaacagcgg tggcttggga agaagtaaaa gcagctttag 1200
atatttcctgt tttaggagtt gtcttaccgg gggcaagcgc agctattaaa tcaacgacaa 1260
aaggccaggt tggggtcatc ggaaccccaa tgacagtggc ttcagacatt tatcgcaaaa 1320
aaatccagct attagcacca tctattcaag taaggagtct tgcttgcccg aagtttgtac 1380
cgattgtgga atcaaatgag atgtgttcga gtatagctaa aaaaatagtt tatgacagtc 1440
tagcaccatt agtcggtaaa atagataccc ttgtactagg atgtactcac tatcccttgt 1500
tacgaccaat tatccaaaat gttatggggc catctgttaa gctgattgac agtggagcag 1560
aatgcgtccg agatatctct gtcttannnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 1620
nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 1680
nnnnnnacct atattaatcg tttacagaaa ctggctaaaa ttttggcaac ggtagatgtt 1740
ttgcaaagtt tagcagtcgt tgctgaaacc aatcattata tccggccgca gttcaatgat 1800
aatcatgtga ttacaattca agaaggtcgt cacgcggttg ttgaaaaggt tatgggagtg 1860
caggaataca ttcccaatag tatctctttt gaccaacaga ccagtattca gctgattaca 1920
ggtccaaata tgagtggtaa gtcgacttat atgagacagc tggccttaac ggttatcatg 1980
gcccagatgg gttcatttgt ggctgctgat catgttgatt taccttttatt tgatgcgatt 2040
tttacgcgta ttggggctgc tgatgatttg atttctgggc aatcaacctt tannnnnnnn 2100
nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 2160
nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnctatggcc tatgttcttt ggaatcactt 2220
catgaacatc aatcccaaaa caagccgtaa ttggtcaaac agagaccgtt ttatcctatc 2280
agcaggtcat ggaagtgcca tgctttatag cttgttacac ttagctggtt atgatttatc 2340
tgtagaagat ttaaagaact tccgtcaatg gggttctaaa acaccaggtc acccagaagt 2400
gaaccacaca gacggtgtcg aagcaaccac aggacctctt ggtcaaggga tcgcaaatgc 2460
cgttgggatg gccatggcag aagctcatct agcagctaaa tttaacaaac caggctttga 2520
catcgttgat cactacacat ttgctttgaa tggtgacggt gaccttatgg aaggggtcag 2580
ccaagaagca gcaagtatgg caggacattt aaaacttggg aaattggtct tgctatatga 2640
ttcaaacgac annnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 2700
nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn ngagagaata 2760
ttctaaaggt agataatttt ttaactcatc aagttgatta ccggttgatg aaagcaattg 2820
gtaaagtgtt tgctcaaaaa tatgctgagg ctggcattac aaaagtggtt acaatcgaag 2880
cttcaggtat tgcaccagcc gtatacgctg cagaagcaat ggatgttcct atgattttg 2940
cgaaaaaaca taaaaacatt accatgacag aaggcatttt gacagcagaa gtttattctt 3000
tcactaaaca agtgacgagc acggtgtcta tcgctggtaa attcctatct aaagaagaca 3060
aggttttgat tattgatgac tttttagcta atggtcaggc agccaaaggc ttgattgaga 3120
ttattggtca agcagggtca caagtcgtcg gcgttggtat tgtgattgag aaatctttcc 3180
aagatggtcg tcgattgatt nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 3240
nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 3300
nttgcagctg atagcccaacg taaagcccaa cttgccatag aaaaaggtcg tttcaaagaa 3360
gagattgcac ctgtcactat tcctcagcgt aaaggtgaac ctttactcgt tgatcaagat 3420
gaatacccta aatttggaac gacagtggat aagttagcaa agttacgccc tgcttttatc 3480
aaagatgagg ggacagtaac tgctggtaat gcttcaggaa tcaatgatgg agcagcggca 3540
attttattga tgagtaaaga aaaagctgaa gaattagggc tccctatttt agctaaaatc 3600
actagttatg caagtgcagg tgtagaccca agtattatgg gctgcggacc aatacctgct 3660
acgaaaaagg ctcttgcaaa ggctcagctg acaattgatg acattgattt gattgaagca 3720
aacgaagctt ttgc 3734

<210> 733
<211> 288
<212> DNA
<213> Artificial Sequence

<220>
<223> Bacillus anthracis

<400> 733
atgagtaaaa aacaacaagg ttataacaag gcaacttctg gtgctagcat tcaaagcaca 60
aatgctagtt atggtacaga gtttgcgact gaaacaaatg tacaagcagt aaaacaagca 120
aacgcacaat cagaagctaa gaaagcgcaa gcttctggtg ctagcattca aagcacaaat 180
gctagttatg gtacagaatt tgcaactgaa acagacgtgc atgctgtgaa aaaacaaaat 240
gcacaatcag ctgcaaaaca atcacaatct tctagttcaa atcagtaa 288

<210> 734
<211> 1185
<212> DNA
<213> Artificial Sequence

<220>
<223> Escherichia coli

<400> 734
atgtctaaag aaaagtttga acgtacaaaa ccgcacgtta acgtcggtac tatcggccac 60
gttgaccatg gtaaaacaac gctgaccgct gcaatcacta ccgtactggc taaaacctac 120
ggcggtgctg ctcgcgcatt cgaccagatc gataacgcgc cggaagaaaa agctcgtggt 180
atcaccatca acacttctca cgttgaatac gacacccgca cccgtcacta cgcacacgta 240
gactgcccgg ggcacgccga ctatgttaaa aacatgatca ccggtgctgc gcagatggac 300

ggcgcgatcc tggtagttgc tgcgactgac ggcccgatgc cgcagactcg tgagcacatc 360
ctgctgggtc gtcaggtagg cgttccgtac atcatcgtgt tcctgaacaa atgcgacatg 420
gttgatgacg aagagctgct ggaactggtt gaaatggaag ttcgtgaact tctgtctcag 480
tacgacttcc cgggcgacga cactccgatc gttcgtggtt ctgctctgaa agcgctggaa 540
ggcgacgcag agtgggaagc gaaaatcctg gaactggctg gcttcctgga ttcttacatt 600
ccggaaccag agcgtgcgat tgacaagccg ttcctgctgc cgatcgaaga cgtattctcc 660
atctccggtc gtggtaccgt tgttaccggt cgtgtagaac gcggtatcat caaagttggt 720
gaagaagttg aaatcgttgg tatcaaagag actcagaagt ctacctgtac tggcgttgaa 780
atgttccgca aactgctgga cgaaggccgt gctggtgaga acgtaggtgt tctgctgcgt 840
ggtatcaaac gtgaagaaat cgaacgtggt caggtactgg ctaagccggg caccatcaag 900
ccgcacacca agttcgaatc tgaagtgtac attctgtcca aagatgaagg cggccgtcat 960
actccgttct tcaaaggcta ccgtccgcag ttctacttcc gtactactga cgtgactggt 1020
accatcgaac tgccggaagg cgtagagatg gtaatgccgg gcgacaacat caaaatggtt 1080
gttaccctga tccacccgat cgcgatggac gacggtctgc gtttcgcaat ccgtgaaggc 1140
ggccgtaccg ttggcgcggg cgttgtagca aaagttctga gctaa 1185

<210> 735
<211> 2856
<212> DNA
<213> Artificial Sequence

<220>
<223> Escherichia coli

<400> 735
atggaaaaga catataaccc acaagatatc gaacagccgc tttacgagca ctgggaaaag 60
cagggctact ttaagcctaa tggcgatgaa agccaggaaa gtttctgcat catgatcccg 120
ccgccgaacg tcaccggcag tttgcatatg ggtcacgcct tccagcaaac catcatggat 180
accatgatcc gctatcagcg catgcagggc aaaaacaccc tgtggcaggt cggtactgac 240
cacgccggga tcgctaccca gatggtcgtt gagcgcaaga ttgccgcaga agaaggtaaa 300
acccgtcacg actacggccg cgaagctttc atcgacaaaa tctgggaatg gaaagcggaa 360

tctggcggca ccattacccg tcagatgcgc cgtctcggca actccgtcga ctgggagcgt 420
gaaccgcttca ccatggacga aggcctgtcc aatgcggtga aagaagtttt cgttcgtctg 480
tatataagaag acctgattta ccgtggcaaa cgcctggtaa actgggatcc gaaactgcgc 540
accgctatct ctgacctgga agtcgaaaac cgcgaatcga aaggttcgat gtggcacatc 600
cgctatccgc tggctgacgg tgcgaaaacc gcagacggta aagattatct ggtggtcgcg 660
actacccgtc cagaaaccct gctgggcgat actggcgtag ccgttaaccc ggaagatccg 720
cgttacaaag atctgattgg caaatatgtc attctgccgc tggttaaccg tcgtattccg 780
atcgttggcg acgaacacgc cgacatggaa aaaggcaccg gctgcgtgaa aatcactccg 840
gcgccacgact ttaacgacta tgaagtgggt aaacgtcacg cctgccgat gatcaacatc 900
ctgacctttg acggcgatat ccgtgaaagc gcccaggtgt tcgataccaa aggtaacgaa 960
tctgracgttt attccagcga aatccctgca gagttccaga aactggagcg ttttgctgca 1020
cgtaaagcag tcgttgccgc agttgacgcg cttggcctgc tggaagaaat taaaccgcac 1080
gacctgaccg ttcctacgg cgaccgtggc ggcgtagtta tcgaaccaat gctgaccgac 1140
cagtggtacg tgcgtgccga tgtcctggcg aaaccggcgg ttgaagcggt tgagaacggc 1200
gacattcagt tcgtaccgaa gcagtacgaa aacatgtact tctcctggat gcgcgatatt 1260
caggactggt gtatctctcg tcagttgtgg tggggtcacc gtatccccgc atggtatgac 1320
gaagcgggta acgtttatgt tggccgcaac gaagacgaag tgcgtaaaga aaataacctc 1380

ggtgctgatg ttgtcctgcg tcaggacgaa gacgttctcg atacctggtt ctcttctgcg 1440
ctgtggacct tctctaccct tggctggccg gaaaatacgg acgccctgcg tcagttccac 1500
ccaacgagcg tgatggtatc tggtttcgac atcatttttct tctggattgc ccgcatgatc 1560
atgatgacca tgcacttcat caaagatgaa aatggcaaac cgcaggtgcc gttccacacc 1620
gtttacatga ccggcctgat tcgtgatgac gaaggccaga agatgtccaa atccaagggt 1680
aacgttatcg acccactgga tatggttgac ggtatttcgc tgccagaact gctggaaaaa 1740
cgtacccgca atatgatgca gccgcagctg gcggacaaaa tccgtaagcg caccgagaag 1800
cagttcccga acggtattga gccgcacggt actgacgcgc tgcgcttcac cctggcggcg 1860
ctggcgtcta ccggtcgtga catcaactgg gatatgaagc gtctggaagg ttaccgtaac 1920
ttctgtaaca agctgtggaa cgccagccgc tttgtgctga tgaacacaga aggtcaggat 1980
tgcggcttca acggcggcga aatgacgctg tcgctggcgg accgctggat tctggcggag 2040
ttcaaccaga ccatcaaagc gtaccgcgaa gcgctggaca gcttccgctt cgatatcgcc 2100
gcaggcattc tgtatgagtt cacctggaac cagttctgtg actggtatct cgagctgacc 2160
aagccggtaa tgaacggtgg caccgaagca gaactgcgcg gtactcgcca tacgctggtg 2220
actgtactgg aaggtctgct gcgcctgcgg catccgatca ttccgttcat caccgaaacc 2280
atctggcagc gtgtgaaagt actttgcggt atcactgccg acaccatcat gctgcagccg 2340
ttcccgcagt acgatgcatc tcaggttgat gaagccgcac tggccgacac cgaatggctg 2400
aaacaggcga tcgttgcggt acgtaacatc cgtgcagaaa tgaacatcgc gccgggcaaa 2460
ccgctggagc tgctgctgcg tggttgcagc gcggatgcag aacgtcgcgt aaatgaaaac 2520
cgtggcttcc tgcaaaccct ggcgcgtctg gaaagtatca ccgtgctgcc tgccgatgac 2580
aaaggtccgg tttccgttac gaagatcatc gacggtgcag agctgctgat ccggatggct 2640
ggcctcatca acaaagaaga tgagctggcg cgtctggcga aagaagtggc gaagattgaa 2700
ggtgaaatca gccgtatcga gaacaaactg gcgaacgaag gctttgtcgc ccgcgcaccg 2760
gaagcggtca tcgcgaaaga gcgtgagaag ctggaaggct atgcggaagc gaaagcgaaa 2820
ctgattgaac agcaggctgt tatcgccgcg ctgtaa 2856

<210> 736
<211> 1770
<212> DNA
<213> Artificial Sequence

<220>
<223> Escherichia coli

<400> 736
atgcgtacag aatattgtgg acagctccgt ttgtcccacg tggggcagca ggtgactctg 60
tgtggttggg tcaaccgtcg tcgtgatctt ggtagcctga tcttcatcga tatgcgcgac 120
cgcgaaggta tcgtgcaggt atttttcgat ccggatcgtg cggacgcgtt aaagctggcc 180
tctgaactgc gtaatgagtt ctgcattcag gtcacgggca ccgtacgtgc gcgtgacgaa 240
aaaaatatta accgcgatat ggcgaccggc gaaatcgaag tgctggcgtc ctcgctgact 300
atcatcaacc gcgcagatgt tctgccgctt gactctaacc acgtcaacac cgaagaagcg 360
cgtctgaaat accgctacct cgacctgcgt cgtccggaaa tggctcagcg cctgaaaacc 420
cgcgctaaaa tcaccagcct ggtgcgccgt tttatggatg accacggctt cctcgacatc 480

gaaactccga tgctgaccaa agccacgccg gaaggcgcgc gtgactacct ggtgccttct 540
cgtgtgcaca aaggtaaatt ctacgcactg ccgcaatccc cgcagttgtt caaacagctg 600
ctgatgatgt ccggttttga ccgttactat cagatcgtta atgcttccgg tgacgaagac 660
ctgcgtgctg accgtcagcc tgaatttact cagatcgatg tggaaacttc tttcatgacc 720
gcgccgcaag tgcgtgaagt gatggaagcg ctggtgcgtc atctgtggct ggaagtgaag 780
ggtgtggatc tgggcgattt cccggtaatg acctttgcgg aagcagaacg ccgttatggt 840
tctgataaac cggatctgcg taacccgatg gaactgactg acgttgctga tctgctgaaa 900
tctgttgagt ttgctgtatt tgcaggtccg gcgaacgatc cgaaaggtcg cgtagcggct 960
ctgcgcgttc cgggcggcgc atcgctgacc cgtaagcaga tcgacgaata cggtaacttc 1020
gttaaaatct acggcgcgaa aggtctggct tacatcaaag ttaacgaacg cgcgaaaggt 1080
ctggaaggta tcaacagccc ggtagcgaag ttcctttaatg cagaaatcat cgaagacatc 1140
ctggatcgta ctgccgcgca agatggcgat atgatttttct tcggtgccga caacaagaaa 1200
attgttgccg acgcgatggg tgcactgcgc ctgaaagtgg gtaaagacct tggtctgacc 1260
gacgaaagca aatgggcacc gctgtgggtt atcgacttcc cgatgtttga agacgacggt 1320
gaaggcggcc tgacggcaat gcaccatccg ttcacctcac cgaaagatat gacggctgca 1380
gaactgaaag ctgcaccgga aaatgcggtg gcgaacgctt acgatatggt catcaatggt 1440
tacgaagtgg gcggtggttc agtacgtatc cataatggtg atatgcagca gacggtgttt 1500
ggtattctgg gtatcaacga agaggaacag cgcgagaaat tcggcttcct gctcgacgct 1560
ctgaaatacg gtactccgcc gcacgcaggt ctggcattcg gtcttgaccg tctgaccatg 1620
ctgctgaccg gcaccgacaa tatccgtgac gttatcgcct tcccgaaaac cacggcggca 1680
gcgtgtctga tgactgaagc accgagcttt gctaacccga ctgcactggc tgagctgagc 1740
attcaggttg tgaagaaggc tgagaataac 1770

<210> 737
<211> 3699
<212> DNA
<213> Artificial Sequence

<220>
<223> Yersinia pestis

<400> 737
atgatggttt tccagccaat cagtgagttt ctcttgataa ggaatgcggg aatgtctatg 60
tattttaata aaataatttc atttaatatt atttcacgaa tagttatttg tatcttttttg 120
atatgtggaa tgttcatggc tgggcttcca gaaaaatatg atgctaacgc accgcaacag 180
gtccagcctt attctgtctc ttcatctgca tttgaaaatc tccatcctaa taatgaaatg 240
gagagttcaa tcaatccctt ttccgcatcg gatacagaaa gaaatgctgc aataatagat 300
cgcgccaata aggagcagga gactgaagcg gtgaataaga tgataagcac cggggccagg 360
ttagctgcat caggcagggc atctgatgtt gctcactcaa tggtgggcga tgcggttaat 420
caagaaatca aacagtggtt aaatcgattc ggtacggctc aagttaatct gaatttgtac 480
aaaaatttttt cgctaaaaga aagctctctt gattggctgg ctccttggta tgactctgct 540
tcattcctct tttttagtca gttaggtatt cgcaataaag acagccgcaa cacacttaac 600
cttggcgtcg ggatacgtac attggagaac ggttggctgt acggacttaa tacttttttat 660
gataatgatt tgaccggcca caaccaccgt atcggtcttg gtgccgagcc ctggaccgat 720
tatttacagt tggctgccaa tgggtatttt cgcctcaatg gatggcactc gtcgcgtgat 780
ttctccgact ataaagagcg cccagccact ggggggggatt tgcgcgcgaa tgcttattta 840
cctgcactcc cacaactggg ggggaagttg atgtatgagc aatacaccgg tgagcgtgtt 900
gctttattgt gcccagaaaa ccccagcta ggctgggggt tcagtaaagc tttcagcttt 960
gggtcagtta taaaaacccc ttttgatttg ttaaaacagt ttgcggtctg gcaactgcaa 1020
atgttcaaca agaaatcaaa agggggtccc aatgagggat gaaaagagct tagcgcacac 1080
ccgatggaac tgtaaatatc atatagtttt tgcgccgaag taccgaaggc aggtgttcta 1140
cagggaaaaa cgcagagcga ttggcagtat tttaagaaaa ctgtgcgaat ggaaaacagt 1200
gaatatcctg gaagcagaat actgtgtgga tcacatccat atgcttctgg agatcccgcc 1260
caagatgagt gtctcgggat ttatggggta cctgaaggga aagagcagtc tgatgcttta 1320
tgagcagttt ggcgatttga agttcaaata ccgtaacagg gagttttggt gtcgagggta 1380
ttacgttgat acggtaggga aaaacacggc caggatacaa gaatacataa agcaccaatt 1440
ggaagaggat aaaatgggtg agcaactctc gatcccgtat cccggtagcc cgtttacggg 1500
ccgtaagtaa tccatagatg caaatgtcag atcgcgatgc gcctgttagg gcgcggctgg 1560
taacagagcc ttataggcgc atatgaaaaa cctccggcta tgccggagga tatttatttt 1620
ggtaaagata atctgcaacg caacccttat gccgtgactg ccgggatcaa ttacacccca 1680
gtgcctctac tcactgtcgg ggtagatcag cgtatgggga aaagcagtaa gcatgaaaca 1740

```
cagtggaacc tccaaatgaa ctatcgcctg ggcgagagtt ttcagtcgca acttagccct 1800
tcagcggtgg cgggaacacg tctactggct gagagccgct ataaccttgt cgatcgtaac 1860
aataatatcg tgttggagta tcagaaacag caggtggtta aactgacatt atcgcagcca 1920
actatctccg gcctgccggg tcaggtttat caggtgaacg cacaagtaca aggggcatct 1980
gctgtaaggg aaattgtctg gagtgatgcc gaactgattg ccgcgggcgg cacattaaca 2040
ccactgagta ccacacaatt caacttggtt ttaccgcctt ataacgcgac agcacaagtg 2100
agtcgggtaa cggacgacct gacagccaac ttttattcgc ttagtgcgct cgcggttgat 2160
caccaaggaa acagatctaa ctcattcaca ttgagcgtca ccgttcagca gcctcagttg 2220
acattaacgg cggccgtcat tggtgatggc gcaccggcta gtgggaaaac tgcaatcacc 2280
gttgagttca ccgttgctga ttttgagggg aaacccttag ccgggcagga agtggtgata 2340
accaccaata atggtgcgct accgaataaa atcacggaaa agacagatgc aaatggcgtc 2400
gcgcgcattg catttaacaa tacgacagat ggcgtgacgg tagtcacagc agcaagtgag 2460
gggcaacggc aaagtgttga taccacattt gttaaggata ctatcgcggc ggataaatcc 2520
actctggctg cggtacgtac atctatcatc gctgatggtc taatggcttc aaccatcacg 2580
ttggagttga aggatacctа tggggacccg caggctggcg cgaatgtggc ttttgacaca 2640
accttaggca atatgggcgt tatcacggat cacaatgacg gcacttatag cgcaccattg 2700
accagtacca cgttgggggt agcaacagta acggtgaaag tggatggggc tgcgttcagt 2760
gtgccgagtg tgacggttaa tttcacggca gatcctattc cagatgctgg ccgctccagt 2820
ttcaccgtct ccacaccgga tatcttggct gatggcacga tgagttccac attatccttt 2880
gtccctgtcg atagaatgg ccattttatc agtgggatgc agggcttgag ttttactcaa 2940
aacggtgtgc cggtgagtat tagccccatt accgagcagc cagatagcta tacccgcgacg 3000
gtggttggga ataccgccgg tgatgtcaca atcacgcctc tggttgatac cctgatactg 3060
agtacattgc agaaaaaaat atccctattc ccggtaccta cgctgaccgg tattctggtt 3120
aacgggcaaa atttcgctac ggataaaggg ttcccgaaaa cgatctttaa aaacgccaca 3180
ttccagttac agatggataa cgatgttgct aataatactc agtatgagtg gtcgtcgtca 3240
ttcacaccca atgtatcggt taacgatcag ggtcaggtga cgattaccta ccaaacctat 3300
agcgaagtgg ctgtgacggc gaaaagtaaa aaattcccaa gttattcggt gagttatcgg 3360
ttctaccaaa atcggtggat atacgatggc ggcacttcgc tggtatcgag tatcgaggcc 3420
agcagacaat gccaaggttc agatatgtct gcggttcttg aatcctcacg tgcaaccaac 3480
ggaacgcgtg cgcctgacgg gacatttgtg ggcgagtggg ggagcttgac cgcgtatagt 3540
tctgattggc aatctggcga atattgggtc aaaaggacca gcacggattt tgaaaccatg 3600
aatatgaaca ctggcctgct gcaaccaggg cctgcatact tggcgttccc gctctgtgcg 3660
ctgtcaatat aaccagataa cagatagcaa taagaacag                        3699
```

<210> 738
<211> 3891
<212> DNA
<213> Artificial Sequence

<220>
<223> Clostridium botulinum

<400> 738

```
atgcaatttg ttaataaaca atttaattat aaagatcctg taaatggtgt tgatattgct 60
tatataaaaa ttccaaatgt aggacaaatg caaccagtaa aagcttttaa aattcataat 120
aaaatatgcg ttattccaga aagagataca tttacaaatc ctgaagaagg agatttaaat 180
ccaccaccag aagcaaaaca agttccagtt tcatattatg attcaacata tttaagtaca 240
gataatgaaa aagataatta tttaaaggga gttacaaaat tatttgagag aatttattca 300
actgatcttg gaagaatgtt gttaacatca atagtaaggg gaataccatt ttggggtgga 360
agtacaatag atacagaatt aaaagttatt gatactaatt gtattaatgt gatacaacca 420
gatggtagtt atagatcaga agaacttaat ctagtaataa taggaccctc agctgatatt 480
atacagtttg aatgtaaaag ctttggacat gaagttttga atcttacgcg aaatggttat 540
ggctctactc aatacattag atttagccca gattttacat ttggttttga ggagtcactt 600
gaagttgata caaatcctct tttaggtgca ggcaaatttg ctacagatcc agcagtaaca 660
ttagcacatg aacttataca tgctggacat agattatatg gaatagcaat taatccaaat 720

agggttttta aagtaaatac taatgcctat tatgaaatga gtgggttaga agtaagcttt 780
gaggaactta gaacatttgg gggacatgat gcaaagttta tagatagttt acaggaaaac 840
gaatttcgtc tatattatta taataagttt aaagatatag caagtacact taataaagct 900
aaatcaatag taggtactac tgcttcatta cagtatatga aaaatgtttt taaagagaaa 960
tatctcctat ctgaagatac atctggaaaa ttttcggtag ataaattaaa atttgataag 1020
```

ttatacaaaa tgttaacaga gatttacaca gaggataatt ttgttaagtt ttttaaagta 1080
cttaacagaa aaacatattt gaattttgat aaagccgtat ttaagataaa tatagtacct 1140
aaggtaaatt acacaatata tgatggattt aatttaagaa atacaaattt agcagcaaac 1200
tttaatggtc aaaatacaga aattaataat atgaatttta ctaaactaaa aatttttact 1260
ggattgtttg aattttataa gttgctatgt gtaagaggga taataactto taaaactaaa 1320
tcattagata aaggatacaa taaggcatta aatgatttat gtatcaaagt taataattgg 1380
gacttgtttt ttagtccttc agaagataat tttctaatg atctaaataa aggagaagaa 1440
attacatctg atactaatat agaagcagca gaagaaaata ttagtttaga tttaatacaa 1500
caatattatt taaccttaa ttttgataat gaacctgaaa atatttcaat agaaaatctt 1560
tcaagtgaca ttatagggca attagaactt atgcctaata tagaaagatt tcctaatgga 1620
aaaaagtatg agttagataa atatactatg ttccattatc ttcgtgctca agaatttgaa 1680
catggtaaat ctaggattgc tttaacaaat tctgttaacg aagcattatt aaatcctagt 1740
cgtgtttata catttttttc ttcagactat gtaaagaaag ttaataaagc tacggaggca 1800
gctatgtttt taggctgggt agaacaatta gtatatgatt ttaccgatga aactagcgaa 1860
gtaagtacta cggataaaat tgcggatata actataatta ttccatatat aggacctgct 1920
ttaaatatag gtaatatgtt atataaagat gattttgtag gtgctttaat attttcagga 1980
gctgttattc tgttagaatt tataccagag attgcaatac ctgtattagg tacttttgca 2040
cttgtatcat atattgcgaa taaggttcta acggttcaaa caatagataa tgctttaagt 2100
aaaagaaatg aaaaatggga tgaggtctat aaatatatag taacaaattg gttagcaaag 2160
gttaatacac agattgatct aataagaaaa aaaatgaaag aagctttaga aaatcaagca 2220
gaagcaacaa aggctataat aaactatcag tataatcaat atactgagga agagaaaaat 2280
aatattaatt ttaatattga tgatttaagt tcgaaacttа atgagtctat aaataaagct 2340
atgattaata taaataaatt tttgaatcaa tgctctgttt catatttaat gaattctatg 2400
atocctatg gtgttaaacg gttagaagat tttgatgcta gtcttaaaga tgcattatta 2460
aagtatatat atgataatag aggaacttta attggtcaag tagatagatt aaaagataaa 2520
gttaataata cacttagtac agatatacct tttcagcttt ccaaatacgt agataatcaa 2580
agattattat ctacatttac tgaatatatt aagaatatta ttaatacttc tatattgaat 2640
ttaagatatg aaagtaatca tttaatagac ttatctaggt atgcatcaaa aataaatatt 2700
ggtagtaaag taaattttga tccaatagat aaaaatcaaa ttcaattatt taatttagaa 2760
agtagtaaaa ttgaggtaat tttaaaaaat gctattgtat ataatagtat gtatgaaaat 2820
tttagtacta gcttttggat aagaattcct aagtatttta acagtataag tctaaataat 2880
gaatatacaa taataaattg tatggaaaat aattcaggat ggaaagtatc acttaattat 2940
ggtgaaataa tctggacttt acaggatact caggaaataa aacaaagagt agtttttaaa 3000
tacagtcaaa tgattaatat atcagattat ataaacagat ggatttttgt aactatcact 3060
aataatagat taaataactc taaaatttat ataaatggaa gattaataga tcaaaaacca 3120
atttcaaatt taggtaatat tcatgctagt aataatataa tgtttaaatt agatggttgt 3180
agagatacac atagatatat ttggataaaa tattttaatc tttttgataa ggaattaaat 3240
gaaaaagaaa tcaaagattt atatgataat caatcaaatt caggtatttt aaaagacttt 3300
tggggtgatt atttacaata tgataaacca tactatatgt taaatttata tgatccaaat 3360
aaatatgtcg atgtaaataa tgtaggtatt agaggttata tgtatcttaa agggcctaga 3420
ggtagcgtaa tgactacaaa catttattta aattcaagtt tgtatagggg gacaaaattt 3480
attataaaaa aatatgcttc tggaaataaa gataatattg ttagaaataa tgatcgtgta 3540
tatattaatg tagtagttaa aaataaagaa tataggttag ctactaatgc atcacaggca 3600
ggcgtagaaa aaatactaag tgcattagaa atacctgatg taggaaatct aagtcaagta 3660
gtagtaatga agtcaaaaaa tgatcaagga ataacaaata aatgcaaaat gaatttacaa 3720
gataataatg ggaatgatat aggctttata ggatttcatc agtttaataa tatagctaaa 3780
ctagtagcaa gtaattggta taatagacaa atagaaagat ctagtaggac tttgggttgc 3840
tcatgggaat ttattcctgt agatgatgga tggggagaaa ggccactgta a 3891

<210> 739
<211> 9047
<212> DNA
<213> Artificial Sequence

<220>
<223> Staphylococcus aureus

<400> 739
aagcttcttg tgaaaaaata tcttcaatct tatgaaagat ctccacatta tcgctaactt 60
ttgagacaag tgtttttcca atttcacccg cttccccatt tgcaccacga tacaattgat 120
tattaataat aagcccagca ccaatacctt tatgtatact taaagcaata agattattgt 180

aggataaatt atgattaaaa ttacgttcat ataacgctga aagattcgct tcattttcaa 240
ctacgactgg aacattagta atttctttta ttttcttagc aattgaaatt ccttcagttt 300
catggaatgg taaatatgtc acatgctgct cattatccac aactccatgt atagaaacag 360

acacacctaa tagtccgtta taagtatcaa gttttcctcg aatatcaata tgttttttca 420
ttatgcttaa tatactacta acctttttcat caggtaaatc ataagattca tgcttaatga 480
cattaccatc aaaataattg tacatcacct caacagaact ataagttaaa tccaaagaaa 540
taaaataacc ataaagatga ttaaccttca gaagaatagg ttttctacca ccactcttcg 600
tgctatcacc ctcaccaacc tcattaacaa gagatttata ctttaactta ttcaaaatac 660
tagaaatcgt tgccttatta actcttttaa gatatttgga cgcgaaatat tatgatggta 720
taaatttccc ttagcactct ttttcatta tcatttatat ttatttttcc ataattgcct 780
acccctaaag ttattttgaa tttagtttat agtttatcat gtatttttat accaactatt 840
ttaacataaa ttaaattaaa ccttagaaca acttaaaacc tcacttaggt tatcatcttc 900
gttcttttat ttttttatt atttcaataa attacgtatt tccaatatga cgatttttta 960
tgcaaagtcg ttgtatgttt ttcaaatttt tgacatttat tgcaatctaaa tagccaatta 1020
gggaatttct aacatttttt atttgtttga tattatactt aatgtatctt aaatagaaag 1080
aggtatgcat atggatttca ctggtgttat tacaagcatt attgatttaa tcaagacttg 1140
cattcaggct ttcggttaat tttttcaact aaaaaacaga ggaaatattc aacgacttga 1200
ttgtttcctc tgttttctat gtattgttgt aaacacaaca attttatttt ttattcaata 1260
tatttctcaa ttcttctatt tcatcttgtg atagatcttc tttttctaca aagtttaaga 1320
caagtgaatt gaaacgcct ttgtatactt tattgataaa gtttttagat gttttatatt 1380
ttatatcact ttcttctaca agagagtaat attgaaaaat ttttattgtct tttttacgat 1440
ctataaatcc cttttatac aatctcgtta taagtgtacg aatggttttt ggactccagt 1500
cctttgcat ttgtatttct tctattatat tattcgcact tgcatatttt ttcatccaaa 1560
tgatattcat aacttcccat tctgcagatg atatttcata gtttttatta tccattatat 1620
taattccatt tcttttaaaa tacgctcaga aatttgttgt gcttttcgc cattcgcatt 1680
gtcttcgcct tttaaatgtg tagcaaaata atacgtatta tctttcgttt caacatatacc 1740
tacgaaccat ccatttgctt ctttgtgatt cacgattcct gttccagttt tacctacata 1800
tttataagta tctttttgtt tcaaagtcat actattttca acttttcaa tagcctttatt 1860
atcaaaatgc atgttatgtt gtttcatatt tttcaacaaa ttaacctgtt ctattgcaga 1920
aatttttaat gaagattcat tccaataatt ttcattccct gatatttctt cattaccata 1980
ttcaattaga tctaaataag atttaacctc atcttgtctt aaatgtttgt ttaaatttcc 2040
gtaataccaa tttactgaat atttcattga agaatttaaa ttttgatctt ggttccattc 2100
tttaaatgga tattgatgtt tatcccattg ttgttcagta tgatttaatg agagtaaatt 2160
ttggtcgaat gccattaacg ctaaataaat tttgtaagta gaattaggtg aatatcgttg 2220
tttactttct ggttcattat aaatagaata agcttgctcc cgttcattat aaagcacaaa 2280
acttccatca aatcctttga aatacggagc tagttgattt aatttttat atgatacatt 2340
tgtttcatat ttgtcttgtt gaacatgtgc agatagtaac ggtgcttgta ttaaaagcga 2400
tatactacat acaatatacg caacaatacg cttgtttcga ttaggtttag gcattgaatc 2460
ataaagtgca atatacttaa cacgttcttt aatatttgaa ttaaaacctа gtaaatattg 2520
tgctgccaca ttatttatgt gctgagattt taaaatagag cattttaata tcgattcacc 2580
ataacgtata tgttcatggc gattcaaaat ttttaaaacg tttctatcac atacttttcc 2640
acagtcattg tccatcattg ttttacttat atatagtgca ggattaaacc agaatatcat 2700
tttaaaacca acataaagct ggttgaatat taagtcatga cttttcacat gtgatagttc 2760
atgtagaata atatattcaa tttctttgtc attcatggtt tcgactacga cagttggtag 2820
tacaatttgg gattccacta aaccaaatac catcggatta tcaatgttcg aactataact 2880
aattgttata tgcttttttgt agaactgcat cttactttga catactttaa gtcgttcatt 2940
aagatatgac gattccaatg acgaactttt aataacatca atttgtcgga atgccttaat 3000
catataaaat aagcacaaca aactaccaaa tacccatatc aaaagaatca tatacgttat 3060
atttgaggtc tcaaactgat taacattaat tgctaagtct ttcgtaacag atgattgttg 3120
accatctaac atatgactaa ccgaagaagt cgtgtcagat acatttcgat tcatcatatc 3180
ttttgaaaat gtaaaattcg atattttgta aaatggtatt aatggaatta acgtggagac 3240
gagcactaat aaccaaatct tatgtgacat aatattttga gtatatttta tatagagcat 3300
tctcactaaa aaaattacac atatcgtgag caatgaactg attatactta acattaaaaa 3360
agatgataac accttctaca cctccatatc acaaaaatta taacattatt ttgacataaa 3420
tactacattt gtaatatact acaaatgtag tcttatataa ggaggatatt gatgaaaaag 3480
ataaaaattg ttccacttat tttaatagtt gtagttgtcg ggtttggtat atatttttat 3540
gcttcaaaag atcaagaaat taataatact attgatgcaa ttgaagataa aaatttcaaa 3600
caagtttata aagatagcag ttatatttct aaaagcgata atggtgaagt agaaatgact 3660
gaacgtccga taaaaatata taatagttta ggcgttaaag atataaacat tcaggatcgt 3720
aaaataaaaa aagtatctaa aaataaaaaa cgagtagatg ctcaatataa aattaaaaca 3780

aactacggta acattgatcg caacgttcaa tttaatttcg ttaaagaaga tggtatgtgg 3840
aagttagatt gggatcatag cgtcattatt ccaggaatgc agaaagacca aagcatacat 3900
attgaaaatt taaaatcaga acgtggtaaa attttagacc gaaacaatgt ggaattggcc 3960
aatacaggaa cacatatgag attaggcatc gttccaaaga atgtatctaa aaaagattat 4020
aaagcaatcg ctaaagaact aagtatttct gaagactata tcaacaacaa atggatcaaa 4080
attgggtaca agatgatacc ttcgttccac tttaaaaccg ttaaaaaaat ggatgaatat 4140
ttaagtgatt tcgcaaaaaa atttcatctt acaactaatg aaacagaaag tcgtaactat 4200
cctctagaaa aagcgacttc acatctatta ggttatgttg gtcccattaa ctctgaagaa 4260
ttaaaacaaa aagaatataa aggctataaa gatgatgcag ttattggtaa aaagggactc 4320
gaaaaacttt acgataaaaa gctccaacat gaagatggct atcgtgtcac aatcgttgac 4380
gataatagca atacaatcgc acatacatta atagagaaaa agaaaaaaga tggcaaagat 4440
attcaactaa ctattgatgc taaagttcaa aagagtattt ataacaacat gaaaaatgat 4500
tatggctcag gtactgctat ccaccctcaa acaggtgaat tattagcact tgtaagcaca 4560
ccttcatatg acgtctatcc atttatgtat ggcatgagta acgaagaata taataaatta 4620
accgaagata aaaaagaacc tctgctcaac aagttccaga ttacaacttc accaggttca 4680
actcaaaaaa tattaacagc aatgattggg ttaaataaca aaacattaga cgataaaaca 4740
agttataaaa tcgatggtaa aggttggcaa aaagataaat cttggggtgg ttacaacgtt 4800
acaagatatg aagtggtaaa tggtaatatc gacttaaaac aagcaataga atcatcagat 4860
aacattttct ttgctagagt agcactcgaa ttaggcagta agaaatttga aaaaggcatg 4920
aaaaaactag gtgttggtga agatatacca agtgattatc cattttataa tgctcaaatt 4980
tcaaacaaaa atttagataa tgaaatatta ttagctgatt caggttacgg acaaggtgaa 5040
atactgatta acccagtaca gatcctttca atctatagcg cattagaaaa taatggcaat 5100
attaacgcac ctcacttatt aaaagacacg aaaaacaaag tttggaagaa aaatattatt 5160
tccaaagaaa atatcaatct attaaatgat ggtatgcaac aagtcgtaaa taaaacacat 5220
aaagaagata tttatagatc ttatgcaaac ttaattggca aatccggtac tgcagaactc 5280
aaaatgaaac aaggagaaag tggcagacaa attgggtggt ttatatcata tgataaagat 5340
aatccaaaca tgatgatggc tattaatgtt aaagatgtac aagataaagg aatggctagc 5400
tacaatgcca aaatctcagg taaagtgtat gatgagctat atgagaacgg taataaaaaa 5460
tacgatatag atgaataaca aaacagtgaa gcaatccgta acgatggttg cttcactgtt 5520
ttattatgaa ttattaataa gtgctgttac ttctccctta aatacaattt cttcattttc 5580
attgtatgtt gaaagtgaca ctgtaacgag tccattttct ttttttatgg atttcttatt 5640
tgtaatttca gcgataacgt acaatgtatt acctgggtat acaggtttaa taaatttaac 5700
gttattcatt tgtgttcctg ctacaacttc ttctccgtat ttacctttctt ctacccataa 5760
tttaaatgat attgaaagtg tatgcatgcc agatgcaatg atacctttaa atctacttgg 5820
ttctgctttt tctttatcta tatgcatata ttgaggatca aaagttgttg caaattggat 5880
aatttcttct tctgtaatat gaaggctttt tgttttgaat gtttctccta ctataaaatc 5940
atcgtatttc atatatgtct ctctttctta ttcaaattaa ttttttagta tgtaacatgt 6000
taaaggtaag tctaccgtca ctgaaacgta agactcacct ctaacttttt attgagacaa 6060
atgcaccatt ttatctgcat tgtctgtaaa gataccatca actccccaat tagcaagttg 6120
gtttgcacgt gctggtttgt ttacagtcca tacgttccat tcataacccg cttctttcac 6180
catttttact tttgctttag taagtttggc atcttcagtg tttactattt tagcattaca 6240
gtaatctaaa agtgttctcc agtcttcacg aaacgaagtt gtatggaata taactgctct 6300
gttatattat ggcatgattt cttctgcaag tttaacaagc acaacattaa agcttaaatg 6360
agctctttct gattctgatt taagtttgtt aattgttctt ccacttgctt aaccatactt 6420
ttagaaagtg ctagtccatt cggtccagta atacctttta attctacatt taaattcata 6480
ttatattcat ttgctatttt tactacatca tcgaaagttg gcaaatgttc atctttgaat 6540
ttttcaccaa accaagatcc tgcagaagca tctttaattt catcataatt caattcagtt 6600
atttcccgcg acatatttgt agtccgttct aaataatcat catgaatgat aatcagttgt 6660
tcatcttttg taattgcaac atctaactcc aaccagttta tacctttctac ttctgaagca 6720
gctttaaatg atgcaattgt attttccgga gctttactag gtaatcctct atgtccatat 6780
acagttagca tattacctct ccttgcattt tatttttta attaacgtaa ctgtattatc 6840
acattaatcg cacttttatt tccattaaaa agagatgaat atcataaata aagaagtcga 6900
tagattcgta ttgattatgg agttaatcta cgtctcatct catttttaaa aaatcattta 6960
tgactcccaa gctccatttt gtaatcaagt ctagttttcc tgtacccctt atctgcaatt 7020
ttacttagga ttgcttttaa cttacccctt atcagaattt tactgagaac tgcttttaac 7080
gatcacctct tatctgcaat tttgcctaga actgcttcta acgtacctct tatctgcaat 7140
tttactgaga actgcttcta acttacccct tatcagccaat tttgcatgga attgctttta 7200
acgtacctct tatctgcaat tttactgaga actgcttcta acaaacctct tatctgcaat 7260
tttacttaga actgcttcta agctacctct tatcctgtaa ttttactgag aactgctttt 7320
aacaaacctc ttatctgcaa ttttacttag aactgcttct aacaaacctc ttatctgcaa 7380
ttttacttag aattgctttt actattcctc ttattagtat aatctcagta agaatgcgta 7440

taaaaatgaa aattacaacc gattttgtaa gtctggacgc ctgagggaat agtatgtgcg 7500
agagactaat ggctcgagcc ataccoctag gcaagcatgc acgtacaaaa tcgtaagata 7560
aaaaaataag catatcactg taaactttaa aaaatcagtt tagtgatatg cttatttatt 7620
tcgagttagg atttatgtcc caagctcatc aagcacaatc gcgccactagt ttatttctct 7680
atcttatatg ttctgatatg gtcttctata ctgtataagt atactttgga atatggatct 7740
tgtgtcaatt cacgttcgaa atcaaattct tgattatcaa atgctgttaa agaatgtttc 7800
gtattcttcg actgataatt gctctctaga ttctagcata tttaagtgtt tctctttatc 7860
taatgcttcg tcatatcctt taacgattga accactaaag atttctccta ctgctcctga 7920
accataacta aatagacata cttctcttct ggttggaatg tgtggttctg taataacgaa 7980
attaaactta agtataatga tcctgtataa atgttaccaa catctctatt ccataataca 8040
gttctgttgc aaagttgaat ttatagtata atttaacaa aaaggagtct tctgtatgaa 8100
ctatttcaga tataaacaat ttaacaagga tgttatcact gtagccgttg gctactatct 8160
aagatataca ttgagttatc gtgatatatc tgaaatatta agggaacgtg gtgtaaacgt 8220
tcatcattca acggtctacc gttgggttca agaatatgcc ccaattttgt atcaaatttg 8280
gaagaaaaag catgaaaaag cttattacaa atggcgtatt gatgagacgt acatcaaaat 8340
aaaaggaaaa tggagctatt tatatcgtgc catgatgcga gagggacata cattagatat 8400
ttggttgcgt aagcaacgag ataatcattc agcatatgcg ttttatcaaac gtctcattaa 8460
acaatttggt aaacctcaaa aggtaattac agatcaggca ccttcaacga aggtagcaat 8520
ggctaaagta attaaagctt ttaaacttaa acctgactgt cattgtacat cgaaatatct 8580
gaataacctc attgagcaag atcaccgtca tattaaagta agaaagacaa ggtatcaaag 8640
tatcaataca gcaaagaata ctttaaaagg tattgaatgt atttacgctc tatataaaaa 8700
gaaccgcagg tctcttcaga tctacggatt ttcgccatgc caacgaaatta gcatcatgct 8760
agcaagttaa gcgaacactg acatgataaa ttagtggtta gcttatatttt tttactttgc 8820
aacagaacog aaaataatct cttcaattta ttttatatg aatcctgtga ctcaagattg 8880
taatatctaa agatttcagt tcatcataga caatgttctt ttcaacattt tttatagcaa 8940
attgattaaa taaattctct aatttctccc gtttgatttc actaccatag attatattat 9000
cattgatata gtcaatgaat aatgtacaaa ttatcactca taacagt 9047

<210> 740
<211> 1832
<212> DNA
<213> Artificial Sequence

<220>
<223> Acinetobacter baumanii

<400> 740
cgcgtgtacg taatactggt gaagccccac gtcctaagac gatgtttgag ccaggtgaag 60
aattacttgt tattgacggt ccattcacag actttaaagg tgtggtggaa gaggttcaat 120
acgataagtc acgtttaacg ttgacgatta acgtgtttaa tcgaccaact caggttgaac 180
tcgaatttcg ccaagtcgaa aaaacgattt aatcttaatt ggttgaaaag cgcccgattt 240
tatcgggcat tgttgttgta acagtattgt tacgtagaaa ttggggagcc taacggcgtt 300
tgtacccaga ggtatttaaa atggctaaga agattgacgg ctatatcaag ctgcaagttc 360
cagctggtaa agcaaatcca tctccacoga ttggtcctgc actaggtcaa cgtggtgtaa 420
acatcatggc gttctgtaaa gaattccaaa aacaatttaa agttcctacg gctaaactct 480
taccagactt accaagtttt acgggcggct tggtgggtta ttgggctac gatgctgtcc 540
gctacatcga gccacgttta aagaatgtac ctgcggctga tccgattacg ctgccagatt 600
tatggttgat gctctcaaag acagtcattg ttttgacaa tcttaaagat acgctatttt 660
taattgtgca tgcggataca gagcagagta atgcttatga agacgctcaa caaaaattag 720
atcaattaga acagttgttg gcgactccag ttagtttgca agcgcgacca catacgcctc 780
cgcattttga atcaattact ggtaaagcaa aattcttaga gacggtagag aaggttaaag 840
aatatattcg tgcaggcgat gtgatgcagg ttgtacctgg gcagcgtatg gttctgatt 900
ttgatggaga agctttacag gtttaccgtg cattacgtca ttaaatcca tcacctatc 960
tattcttggt tcaaggacaa acgattactg ataaaaacc attcatatt gttggttcat 1020
cacoggaaat tttatctcgt ttagaaaatg gtattgctac agttcgacct ttggcaggaa 1080
ctagaccgcg cggtaaaact aaagaagaag atatagcatt agaaaaagat ttgctttctg 1140
atgaaaaaga gattgctgaa catttaatgc tgattgatct tggcgcaaac gatgtagggc 1200
gcgtatcaaa aataggtaag gtccaagtta cggatcaaat ggtgatcgag cgctattcac 1260
atgtcatgca tattgtttca aatgtacaag gtgaagtgcg tgatgatatc gatgcacttg 1320

atgtatttaa agccaccttt ccggcaggaa cgttatcagg tgcccaaaaa attcgtgcaa 1380
tggaaattat tgatgaagta gagcctgtga aaagaggagt ttttggcggg gctgttggtt 1440
atttgggatg gcatggtgaa atggatatgt cgattgcaat ccgtacttgt gttatccgtg 1500
acaaaaaggt gtatgtacag gctggtgcag ggctagttgc tgactcaaat ccagaatctg 1560
agtggaatga aacccaaata aaagctcgcg cagtgatcaa agcggttgaa ttatcatcaa 1620
acggattgat tttatgagtt tttagcggtt tttttaaaaa aaccgcttgc atcgtttgga 1680
agttttgcta aactgcacac cgttccgata cgaaacgtac gaaacactaa gaaacgccgg 1740
catagctcag ttggtagagc aactgacttg taatcagtag gtccacagtt cgaatccgtg 1800

tgccggcacc attttaaagt gttaagttaa tt 1832

<210> 741
<211> 382
<212> DNA
<213> Artificial Sequence

<220>
<223> Acinetobacter baumanii

<400> 741
cacaatgaca ttgcaagcaa ttgctcaatg tcaaaaatct ggtggtacat gtgccttcat 60
tgatgctgag cacgccctag accctcaata tgcacgcaag cttggtgtaa atattgataa 120
cctacttgtt tcacaacccg acaatggtga gcaagcactt gaaattgctg acatgcttgt 180
ccgttcaggc gcaattgatt taatcgttgt ggactcggta gctgcactta cccctaaagc 240
agaaatcgaa ggtgagatgg gtgactctca tatgggtcta caagcgcgtc ttatgagcca 300
ggcacttcgt aaaattacgg gtaatgctaa acgttcaaac tgtatggtta tcttcattaa 360
ccagattcgt atgaaaattg gt 382

<210> 742
<211> 344
<212> DNA
<213> Artificial Sequence

<220>
<223> Acinetobacter baumanii

<400> 742
aaatctgccc gtgtcgttgg tgacgtaatc ggtaaatatc acccgcatgg tgactcagct 60
gtttatgaaa ccattgttcg tatggctcaa gactttagct tacgttattt attggttgat 120
ggtcagggta acttcggttc gatcgatggc gatagcgccg cggcaatgcg ttataccgaa 180
gtccgtatga ctaagctggc acatgagctt cttgcagatt tagaaaaaga cacagttgac 240
tgggaagata actacgacgg ttcggaacgt atccctgaag tacttccgac acgtgttcca 300
aacttgttaa tcaacggtgc tgcgggtatc gccgtaggta tggc 344

<210> 743
<211> 909
<212> DNA
<213> Artificial Sequence

<220>
<223> Acinetobacter baumanii

<400> 743
gataatagct ataaagtttc aggtggctta cacggcgtag gtgtttctgt tgttaacgca 60
ctttcaagta aattgcatct aacaatttac cgtgctggtc aaatccatga gcaagaatat 120
catcatggtg atccgcaata tccattgcgt gtgattggtg aaacggataa taccggaaca 180
actgtacgtt tttggccaag tgcagaaaca ttcagtcaaa ccatttttaa tgttgaaatt 240
ctagcacgcc gtttacgtga gctttctttc ttgaatgctg gtgtacgtat cgttttacgt 300
gatgaacgta ttaaccttga gcatgtgtat gactatgaag gcggtttatc tgagtttgta 360
aaatacatca acgaaggtaa aaaccatctc aacgaaatct tccatttcac gagctgatgct 420
gacaacggta ttgctgtaga agttgcattg caatggaacg atagttacca agaaaatgtt 480

cgctgtttca caaacaacat tccacaaaaa gatggtggta cgcacttagc aggttccgc 540
gcagctttaa cacgtggctt aaaccagtat ctggaaaatg aaaatattct caagaaagaa 600
aaagtgaatg tgactggtga tgatgcgcgt gaaggtttaa cagcgattat ttctgttaag 660
gttcctgatc caaaatttct gtctcagaca aaagaaaaat tggtatcaag tgaggtaaaa 720
ccagcggtag agcaagcaat gaacaagag ttctctgctt acttacttga gaatccacaa 780
gctgcaaaat caattgcagg caagattatt gatgctgcac gcgcacgtcg tgctgcacgt 840
aaagcacgtg aaatgacacg ccgtaagagt gcattagata ttgcaggttt gcctggtaaa 900
ttggctgat 909

<210> 744
<211> 1430
<212> DNA
<213> Artificial Sequence

<220>
<223> Acinetobacter baumanii

<400> 744
aacttgctct ttcgtgagtt cagtaaatga cttttcttgt atatggtaga gtttaggtat 60
cgaaactctg ccatttttttt tatctatgtt atattttccg cagttttcga attttgacta 120
tttgaggcaa accgcttggc gaccccattt tggtacaaca ccgcacttca tttattaaaa 180
ccgttttatc gttggcggat aaaaagacgt gcagaaagtc tagaattata tcagcaggaa 240
tgtctggaaa gatttgggcc atttgaagca ccgaagaatg taaaagcgat ctggtttcat 300
gctgtttcag tcggggaaac caatgctgca cagcccttaa ttgaatatta cctaaaactt 360
gggcagccag tcttagtgac caatacccag aaaacaggtc aggctcgtgc caagtcactt 420
tttctaaaag aaccatattt agatttattt caagccgttt atttgcctgt agaccagaag 480
cctcttttaa aaaaattttt tgagttatat cagccaaagc ttttagcaca ctggttgaaact 540
gaactctggc caaatttaat cgatcaagcc aaattacagc atgtacctcg tttgctgctt 600
aatgctcggt tgtcagaaaa atctgcaaaa ggatatggca aagtctcggg tttaaccgca 660
ggtatgttaa aacagctgga ctgggtgtta gctcaagata gtgcaacttcg tcagcgttat 720
gttgagcttg gtttagacga acacaaaagt caggtcgttg gtaatatttaa gtttgatatt 780
catgcgccag aggcttttat taaacaagct gcccaattgc atcagcaatg gtatctggaa 840
aatcggcagg ttgtgacgat tgccagtaca catgcacccg aagaacaaca aattttggaa 900
gcactcgcac cttatttaaa ttcagatcgt gagttggtgt gtattgtggt gcctcgtcat 960
cctgagcgtt tcgatgaagt atttgaaatt tgccaaaatt taaattta at tacgcatcgt 1020
agaagtatgg gccaaagtat tcatgccagc acgcaagttt atctcgctga cagtatgggt 1080
gagctctggt tatggtatgc cttaagtcag gtgtgttttg taggcggttc tttaaatgag 1140
ccgggtgggg ggcataatat tttagaacct atggttttaa atgtacctac tgtagttgga 1200
ccgcgttatt ttaactttca aacgattgtc gatgagttca ttgatgaa aa tgctgtgctt 1260
attgctcaag atgcgcagca ggtcgttgat atctggttag catgtctggc agaacttgag 1320
gcgactgaac agttagtgat acaggcgcat aaagtgttgc aacgtaat ca aggttcctta 1380
caaaaacata tcggggtgat taatcgctat ctggccgaaa aatcatga at 1430

<210> 745
<211> 3609
<212> DNA
<213> Artificial Sequence

<220>
<223> Concatenation of C. jejuni genes

<220>
<221> misc_feature
<222> 478-527, 1005-1054, 1457-1506, 2014-2063, 2562-2611,
3071-3120
<223> n = A,T,C or G

<400> 745
atgataggtg aagatataca aagagtatta gaagctagaa aattgatttt agagatcaat 60
ttgggtggaa ctgctattgg aacaggaatt aattctcatc ctgattatcc gaaggttgta 120
gaaagaaaaa taagagaagt gacaggtttt gaatatactg tggctgagga tttaatcgag 180

gcgactcaag atacgggagc ttatgtacaa atttcaggtg ttttaaaacg tgtntgcaaca 240
aaacttttta aagtatgtaa tgacttaaga cttttaagta gtggtccaaa atgntggtctt 300
aatgagatta atcttccaaa aatgcaacca ggtagttcta tcatgccagg taangqtaaat 360
cctgttattc ctgaagtagt taatcaagtt tgttattttg ttattggagc agancgtaact 420
gtaacttttg cttgtgaggg tggacaatta caacttaatg tttttgaacc agttntgtannn 480
nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnngat cctnttacgg 540
ctgatcctac tatcatagta ttttgtgatg tgtatgatat ttacaaagga caaatgtatg 600
aaaaatgtcc aagaagcata gcaaaaaaag caatagaaca ccttaaaaat agtnggcatag 660
ctgatactgc ttactttgga ccagaaaatg aattctttgt ttttgatagt gtaaaatag 720
ttgatactac tcattgttct aagtatgaag ttgatacnga agaaggagag tggaatgatg 780
atagagaatt taccgatagc tacaatactg gacacaggcc aagaaacaaa ggtnggatatt 840
ttccagttca gccaattgat tctttagtag atattcgttc tgaaatggtt caaancccttg 900
aaaaagtagg tcttaaaact tttgttcatc atcatgaagt tgcacaagga caangctgaaa 960
taggagtaaa ttttggcacg cttgtagaag cagctgacaa tgttnnnnnn nnnnnnnnnn 1020
nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnngaaatg aaaaaacgtt cttntatcca 1080
tgaaggtatg caccgtcttt ttgattcttt ccctgataat gctcatccta tggncagtttt 1140
acaaggtgct gtttcatcgc ttagtgcttt ttatcctgat catttaaaca tganatgtaaa 1200
agaagaatat atggaaatgg cagctagaat agtagctaaa atccctacta tagntggccac 1260
cgcttataga tataaacacg gctttcctat ggcttatcca aatttagatc gtgngttttac 1320
agaaaatttc ttatatatgt taagaaccta tccttacgat catgtagagc ttanacctat 1380
agaagtaaaa gcacttgata cagttttttat gcttcatgca gatcatgagc aaaantgcttc 1440
aacttcaaca gttcgtnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 1500
nnnnnnggcg gacatttaac tcatggtgca aaagtaagtt cttcgggcaa aatngtatgaa 1560
agctgttttt acggcgtaga acttgatgga agaattgatt atgaaaaagt aagngaaatt 1620
gctaaaaaag aaaaaccaaa acttatagtt tgtggagcta gtgcttatgc aagngtgatt 1680
gattttgcta aatttagaga aattgctgat gaaataggtg cctatctttt tgctgatata 1740
gcacatattg caggtcttgt tgtggcaggt gagcatccaa gtcttttcc atancgctcat 1800
gtagtaagct caactacaca taaaactttg cgtggcccaa gaggtggtat tatntatgaca 1860
aatgatgaag agcttgctaa aaaaattaat tctgccattt ttccaggtat tcaanggtggt 1920
cctttgatgc atgtaattgc tgcaaaagca gtaggattta aatttaatct tagncgatgag 1980
tggaaagttt atgcaaaaca agtaagaact aatnnnnnnn nnnnnnnnnn nnnnnnnnnn 2040
nnnnnnnnnn nnnnnnnnnn nnnggactta atatcaatga aaattgtgga gctntacatc 2100
ctgcaaattt agctgctgag gtaaagcgtt tgcgtgcaga tgtgggcttt gctnttgatg 2160
gtgatgcaga tcgtttggtg gttgtagatg aaaaaggcga agtggctaat gggngatagtt 2220
tattgggcgt attggcactt tatcttaaag aacaaggtaa attacaatca agtngttgtgg 2280
ctactataat gagtaatggt gctttaaaag agttttaaa taaacatggt atangaacttg 2340
atacttgtaa tgttggcgat aaatatgtgc ttgaaaaact aaaagccaat ggtnggaaatt 2400
ttggtggaga acaaagtggg catattattt ttagcgatta tgcaaaaact ggangatggtt 2460
tgatagccgc cttgcaattt agtgctttaa tgctttctaa gaaaaaatct gcaangttcta 2520
ttttgggtca agttaaacct tatcctcagc ttttaaccaa tnnnnnnnnn nnnnnnnnnn 2580
nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nttacattta agcggctatg actntaagctt 2640
agaagatctt aaaaatttcc gccaacttca ttctaaacca cctggacacc gtgntcataaa 2700
aactcttgga gtagaaatcg ctacagggcc tttaggacaa ggcgttgcca atgcntgtagg 2760
ctttgctatg gcagcaaaaa aagcacaaaa tttgctaggc agtgatttaa tgantcataa 2820
aatttattgt ctttgcggag atggggattt acaagaaggc atttcttatg aagcnttgttc 2880
tttagcagga cttcacaaac ttgataactt catacttatt tatgatagca acaatatctc 2940
tatagaaggc gatgtaggtt tagccttaa cgaaaatgta aaaatgcgtt ttgnagcaca 3000
aggatttgaa gttttaagta taaatggaca cgattatgaa gaaatcaata aagcnttaga 3060
acaagctaaa nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 3120
gccggtgctt cagatcctgc ggctttacag tacttagctc catatactgg tgtnaccatg 3180
ggtgaatttt ttagagacaa cgcaaaacat gctttaattg tttatgatga tttngagcaag 3240
catgctgtag cttatcgcga aatgtctttg attttacgtc gtcctccagg tcgtgaagct 3300
tatccaggtg atgttttttta ccttcattca agattgcttg aaagagcaag caagctctaaat 3360
gatgaattag gtgctggttc tttgacggca ttgccgataa ttgaaacaca agcnaggagat 3420
gtttctgctt atattccaac taatgttatt tcaattacag atggacaaat tttcttagaa 3480
actgatttat ttaactcagg aattcgtcct gcaattaatg ttggtttatc agtnatctcgt 3540
gtaggtgggg ctgctcaaat taaagctaca aaacaagttt caggcacatt aagancttgac 3600
cttgctcaa 3609

<210> 746
<211> 1214

<212> DNA
<213> Artificial Sequence

<220>
<223> Bordetella pertussis

<400> 746
ttcggatgg gcatgggcgt cgcacacgac gtcgaacacc gtgccggttt cgatccagtgc 60
gggttcctgc tcgaccgtgg ccacgcgcag gcccgaactg cgggcgatgt ccgccgtcgtc 120
gggctgcgtg cggccatcga gcaggcgcag cagcgaagat ttgcccgcgc ccgttgcgccc 180
gatcaggccg atcgctcgc cttcctggat ggcgaaatcg gcgtggtcca gccaaggggtg 240
gtggccgtag gccagttgaa cgtcggtaag cgtaataagg gaagcgaggg ccgatggacag 300
acagagtgat gcgtattggc ctgtattgtc gcaggaacgc gcgggcggg cgagcgcgcgg 360
ccgggagccg gggcgccgac tgtactaaaa tgccgctcgc agggcagatc ggcgcaatcgc 420
gggggatgca aatccttcga ggaaggtccg gactccacag ggcgggatag ccggctaacgg 480
ccgtccgggg acgctggcgg gcttgcccgc cggaaaagcc gaggaacagg gccacagaga 540
cgagtctgtc atgagggcgc gcctggcgcg cacccgcacg gccatctccg tgccgcgccg 600
tccggaaacg ggcggcggca tgacagggtg aaacgcggca acctctatcc ggagcaacat 660
caaataggca tgcgtacggc cgtaaggccg ggaagggcgg ctccgtccaa gccatgcgggt 720
aggtggctgg agcggtccag caatggttcg ccaagaggaa tgattgcccg ccggggaaac 780
ccggcgtaca gaatccggcc tatagatctg ctctgcactg cattttcatg accagccggcc 840
ggaatccggc cggctggctt acggcgccct acgtaaaaca atgaaagcac gccgcccaggc 900
cctacttctg atgaatgaca tttaatagtc ggcgcaagct gctgatttat ccagcaagttt 960
tccgcgcgcc gtttttacaa ttggctctaa gtccttgttg tgattgaaaa aattgcaacc 1020
acggccttga cccatgaagt tgcttcccgt agagtgggaa aaagtaggaa tttgtgcaac 1080
taagtggggc aaacgggtgt tccagggaag cagcgcactc acgttggatg cttaagggcg 1140
gatctcgatt ccgaccccgc atcgtgacgc gctcatggac cgtgccgaag gccggttgac 1200
cctgacccgt catc 1214

<210> 747
<211> 925
<212> DNA
<213> Artificial Sequence

<220>
<223> Burkholderia mallei

<400> 747
gaccgatccg gcaagccgcg gcttcgcgcc gctgccggtg ctgggcgtgc ccggctggtg 60
gccggcgaac gcgtcgccgg ccttctacga cgatccgcag gtgtttcgcc gcggccgccg 120
acgcgcaccg gatgtcctcg cccgtgccgc gtgacggacg acgcttgcct cgcgcgccccc 180
gcgcggcgcc gcgcaccgcc ggtgcgcgct ttcgccgcaag ccgccgccgc ggcaaggggcg 240
tcgcgccgag cggatgccgc tgtacggtgc tagaatcccg ctcgcaaagc agcggctaggca 300
gtcgcggctt tcgcggttcg ccgcgaaggg cgaggaaagt ccggactcca acagggcagg 360
gtgatggcta acggccatcc gtggcgacac gcggaacagg gcaacagaaa gccaaaccgcc 420
gatggccccg cgcaagccgg gatcaggcaa gggtgaaacg gtgcggtaag agcgcaccgc 480
ggctgcggcg acgcagaccg gcacggtaac ctccacccgg agcaattcca agctaggcgga 540
cgcgcatctt cggatgcagg acggtgcccc cgtctcgttc gcgggtagga agcttgagcg 600
cgtcagcaat ggcgcgccta gaggaatggc tgccacgggc cgcgcgcctt ccgggcgtgcg 660
gttcgcacag aatccggctt atcggcccgc tttgccgccc gatgacgaaa ggccggcgccc 720
cgatgcggcg ccggcctttt ttccgtttcg cggtccgcgc gcacggcgcc ttcgacggacg 780
aagcgcgtta cgcggcgacg atttcgaacg aatgcgacag ctcggccgtc ttcggcgatca 840
tgatcgacgc cgaacagtat ttgtcgtgcg acagattgat cgcgcgctcg accggtcgcgg 900
ggttcaggtt gcggcccgtc accgt 925

<210> 748
<211> 713
<212> DNA
<213> Artificial Sequence

<220>

<223> Bacillus subtilis

<400> 748
gttcttaacg ttcgggtaat cgctgcagat cttgaatctg tagaggaaag tccatgctcg 60
cacggtgctg agatgcccgt agtgttcgtg cctagcgaag tcataagcta gggcagtctt 120
tagaggctga cggcaggaaa aaagcctacg tcttcggata tggctgagta tccttgaaag 180
tgccacagtg acgaagtctc actagaaatg gtgagagtgg aacgcggtaa accccgcgag 240
cgagaaaccc aaatttggt aggggaacct tcttaacgga atcaacggga gagaaggaca 300
gaatgctttc tgtagataga tgattgccgc ctgagtacga ggtgatgagc cgtttgcagt 360
acgatggaac aaaacatggc ttacagaacg ttagaccact tacatttaaa atgatgaaaa 420
caagctctcc cgtataagga gagctttat cttgaaaaga gaaaagtttt aaaagcacgg 480
gtgatacgat gaagaagtat acactaattg caacggcgcc gatgggcatt gaagctgttg 540
tcgcaaagga agtacgagat ttaggatacg aatgcaaggt tgataacggg aaagttattt 600
ttgaaggtga tgcacttgcc atctgccgtg cgaacctttg gcttagaaca gccgaccgca 660
taaaggttca ggttgcttct tttaaagcga aaacatttga tgaactgttt gaa 713

<210> 749
<211> 828
<212> DNA
<213> Artificial Sequence

<220>
<223> Clostridium perfringens

<400> 749
aaaacaagtt ctttttcata taatgatgta taagtaatac ttagggtgga gaattatgtg 60
gtccaatttt ggaaatagat ttaatggaga ctgctttaaa gacttaagga gagatttcaa 120
tagattaatg agaaatttta agagaaatgc ttgtaaaaga tgtcttatta ataattgcta 180
tttcagaaat gccttaaagt gggggggctgt aggtggcata ttaaccttcc ttataataag 240
tcaaatagga gttcctttag caattgtttg tattggaata gtagcaatat ttgtgatttg 300
taataaatgg tagaaaaaat aatttgaaaa aaataagtat atatgttaat attaatcttg 360
cgagtaagcc agacaatcgc tgctagtctt agaactagga gaggaaagtc cgagctccat 420
agggcaggat gctggataac gtccagtgga ggtgactcta aggatagtgc aacagaaata 480
aaccgcctag atttatctag gtaagggtgg aaaggtgagg taagagctca ccagggtata 540
ggtgactata ctgctatgta aaccccatct ggagcaagac caaatagga gacatatagg 600

ggctgcccgt cccgtcctcg ggtgtgtcgc ttgagcctat cggcaacggt aggcctagat 660
agatgattgt caaatacaga actcggctta tagacttatc tcgtatttat aaaacactag 720
gttataatac ctaagtgttt ttttatttta caaaaaaata tactgatagt ttctttcctt 780
attaacttta atcttacagt attaatttaa ttttattgga tatatcta 828

<210> 750
<211> 777
<212> DNA
<213> Artificial Sequence

<220>
<223> Escherichia coli

<400> 750
gaagctgacc agacagtcgc cgcttcgtcg tcgtcctctt cgggggagac gggcggaggg 60
gaggaaagtc cgggctccat agggcagggt gccaggtaac gcctgggggg gaaacccacg 120
accagtgcaa cagagagcaa accgccgatg gccgcgcaa gcgggatcag gtaaggtgta 180
aagggtgcgg taagagcgca ccgcgcggct ggtaacagtc cgtggcacgg taaactccac 240
ccggagcaag gccaaatagg ggttcataag gtacggcccg tactgaaccc gggtaggctg 300
cttgagccag tgagcgattg ctggcctaga tgaatgactg tccacgacag aacccggctt 360
atcggtcagt ttcacctgat ttacgtaaaa acccgcttcg gcgggttttt gctttggag 420
gggcagaaag atgaatgact gtccacgacg ctatacccaa aagaaagcgg cttatcggtc 480
agtttcacct ggtttacgta aaaacccgct tcggcgggtt tttgcttttg gaggggcaga 540
aagatgaatg actgtccacg acactatacc caaaagaaag cggcttatcg gtcagtttca 600
cctgttttac gtaaaaaccc gcttcggcgg gtttttactt ttggaggggc agaaagatga 660

atgactgtcc acgacactat acccaaaaga aagcggctta tcggtcagtt ttacctgatg 720
tacgtaataa accgttccgg cgggtttcag attgttgagt gcgctttatt catgccg 777

<210> 751
<211> 834
<212> DNA
<213> Artificial Sequence

<220>
<223> Rickettsia prowazekii

<400> 751
taataaatta atttattcat atcaaagttt gctaatagtg tatatgtttt taagtactac 60
attatttata cattaggaaa aaaatagtag caatgttaaa ttaagatatc tttctttaaa 120
gaattgacat tatggaattt gttattataa ttgtaattat attgtgtgta caattaattac 180
aataaatttt cccctcagaa cctaacaagc taattgaaat tcttttaaca tattattgac 240
taatttaaga aaagctacca taatctaaat ggtcgtgcag ttgcgtgatg ataatcacga 300
ggaaagtccg gactctatag aggtatggtg ccggttaaca tccggcagag tattattact 360
ttaggggctag taccacagaa aatataccgc cgagtatttc ggtaagggtg aaaaggtgtg 420
gtaagagcac accggtaagt tggcaacaag ttacgcatgg ttaaccccac caagagcaag 480
atcaaatagg cattacagaa tttaaatatt tatttaagtt cctgggttac ctcttaatcgg 540
attgtaatgc gggtagatcg cttgaggtaa acggtaacgt ttatcctaga taaataactg 600
caatgaatta atattcatac agaatccggc ttatagacca gatgagcagg tattacatgt 660
gttaatacgg cagagttatt gcgagtaact gaaaaaagta tggcaatcta gaaaaataat 720
cagattctgt ggatttttag tgttccctcg caatgacgaa aataatacac gtatagatta 780
cagcatgaga tgatactaat acttactgta acataattta atgaaaaagt tata 834

<210> 752
<211> 783
<212> DNA
<213> Artificial Sequence

<220>
<223> Staphylococcus aureus

<400> 752
tgatattttg ggtaatcgct atattatata gaggaaagtc catgctcaca cagttctgaga 60
tgattgtagt gttcgtgctt gatgaaacaa taaatcaagg cattaatttg acggcaatga 120
aatatcctaa gtctttcgat atggatagag taatttgaaa gtgccacagt gacgtagctt 180
ttatagaaat ataaaaggtg gaacgcggta aacccctcga gtgagcaatc caaatttggt 240
aggagcactt gtttaacgga attcaacgta taaacgagac acacttcgcg aaatgaagtg 300
gtgtagacag atggttatca cctgagtacc agtgtgacta gtgcacgtga tgagtacgat 360
ggaacagaac atggcttata gaaatatcac tactagttta gctctcctag atgaatggaga 420
gctttttta tgaaaagaac acttaaaatt aacaccttgt cttgatataa tgacactgcc 480
ttgtttttaaa atagtaagcg gatgcgttaa tgtatcagcg attaaatttg ttggaaatgt 540
ataaaaaaca caagctaaga ataaatacc tgtataaaag gagaatcata tatgtttcaa 600
ttacttgcag tttgtccgat gggattagaa gctgttgttg ctagggaaat tcaagaatta 660
ggctatgaaa caaatgttga aaatggtcgt atatttttg aaggagacgc aagtgcaatt 720
gtaaaggcaa atttatggtt gcgcacagca gaccgaatca aaattgttgt tggacgtttt 780
aac 783

<210> 753
<211> 1086
<212> DNA
<213> Artificial Sequence

<220>
<223> Vibrio cholerae

<400> 753

gtgaaatcgg tctggcgatc gagatgggct gtgatgcaga agacatcgca ctgaccattc 60
atgctcaccc aacgatgcat gagtctgtgg gtctggcggc tgaagtattc aagaggcacca 120
tcactgacct gccaaacgcc aaagcgaaaa agaaaaagta atttctgatt cactggtttg 180
gttaaaaagt gtttgattga agaaaccgct gcttgcagcg gttttttttc gcttttgatt 240
cccaattgaa tgcaaagtaa gcagttaaac cgagatttaa cgcgctggcg gattgtttct 300
ggactctgct cacacttctc gctacaatcc gccgcggagt tgactgggta gtcgctgcct 360
tattgacgtc ccttggccta tcgccaggga gactgataag ggggaggaaa gtccgggctc 420
catagagcag ggtgccaggt aacgcctggg gggcgcaagc ctacgacaag tgcaacagag 480
agcaaccgc cgatggcctc tccttcggga tgggatcagg taagggtgaa agggtgcggt 540
aagagcgcac cgtgcgactg gcaacagttc gtagcagggt aaactccacc cggagcaaga 600
ccaaataggc ctccacatag cgttgctcgc gttaggaggc gggtaggttg cttgagccag 660
tgagtgattg ctggcctaga ggaatggcta ctaccgcgca agcggaacag aaccccgctt 720
atacgtcgac tccacctatt gcagacccat catagccttg tgttatggtg ggtttttttgc 780
tttttgctga ctcaggtaac agcaaaacca ttaaacttag cgcaaagtca cgtcctgtat 840
acgcttatgg ctagcggtag tgtctgaaat cggtacacta acccatatga cgggcatgcc 900
cagcacaacg agaaaatcat gactgcttct ttccaacaca tctctgtatt attgaacgaa 960
tcgattgaag gattggcgat caagccggat ggtatctaca tcgatggcac ctttggccgc 1020
ggtggtcaca gtcgcaccat tctcgctcag ttaggcccag aaggtcgtct gtacagcatt 1080
gaccgt 1086

<210> 754
<211> 369
<212> DNA
<213> Artificial Sequence

<220>
<223> Coxiella burnetii

<400> 754
gagttaaccg gagtatccat cgtgacttac caacacatca aagttcccag ccaaggtgaa 60
aaaatcaccg ttaataaagc cgttttagaa gttcctgacc gacccattat tccctttatc 120
gaaggagatg ggattggcat tgatatcgcg cccgtcatga aaaacgtggt cgatgccgcc 180
gtggaaaaat cctacgctgg aaagcgaaaa attgaatgga tggagatcta cgccggagaa 240
aaggctacga aagtgtatgg caaagacaat tggctgcctg atgagacact cgaagccatt 300
aaagaatacc aagtggccat taaaggtccc ttaaccacgc cggtgggggg tggcatacgt 360
tcgctcaat 369

<210> 755
<211> 1317
<212> DNA
<213> Artificial Sequence

<220>
<223> Acinetobacter baumannii

<400> 755
attacgacgg aaattgtaag taattttgtc aataatttac ttgattaaaa ttatcaagca 60
cttggaaagt ctatcaagtg tttgtatgat tcaaatgtga atagcttaaa aataatactg 120
gggtaaaaaa atatctcagg ggccaataaa tttaggctga gcttgaacaa caattgttat 180
ctctggagga tatccatgaa attgagtcgt attgcacttg ctactatgct tgttgctgct 240
ccattagctg ctgctaatgc tggcgtaaca gttactccat tattgcttgg ttacactttc 300
caagacagcc aacacaacaa tggcggtaaa gatggtaact taactaacgg tcctgagtta 360
caagacgatt tattcgttgg cgcagctctt ggtatcgagt taactccatg gttaggtttc 420
gaagctgaat ataaccaagt taaaggcgac gtagacggcg cttctgctgg tgctgaatat 480
aaacaaaaac aaatcaacgg taacttctat gttacttctg atttaattac taaaaactac 540
gacagcaaaa tcaagccgta cgtattatta ggtgctggtc actataaata cgactttgat 600
ggcgtaaacc gtggtacacg tggtacttct gaagaaggta ctttaggtaa cgctggtgtt 660
ggtgctttct ggcgcttaaa cgacgcttta tctcttcgta ctgaagctcg tgctacttat 720
aatgctgatg aagagttctg gaactataca gctcttgctg gcttaaacgt agttcttggt 780
ggtcacttga agcctgctgc tcctgtagta gaagttgctc cagttgaacc aactccagtt 840
gctccacaac cacaagagtt aactgaagac cttaacatgg aacttcgtgt gttctttgat 900

```
actaacaaat caaacatcaa agaccaatac aagccagaaa ttgctaaagt tgctgaaaaa 960
ttatctgaat accctaacgc tactgcacgt atcgaaggtc acacagataa cactggtcca 1020
cgtaagttga acgaacgttt atctttagct cgtgctaact ctgttaaatc agctcttgta 1080
aacgaataca acgttgatgc ttctcgtttg tctactcaag gtttcgcttg ggatcaaccg 1140
attgctgaca acaaaactaa agaaggtcgt gctatgaacc gtcgtgtatt cgccgacaatc 1200
actggtagcc gtactgtagt agttcaacct ggtcaagaag cggcagctcc tgcagcagct 1260
caataatttg agttcttgaa cagtaaaaaa gcgactcgtt agagtcgctt ttttatg    1317

<210> 756
<211> 4932
<212> DNA
<213> Artificial Sequence

<220>
<223> Rickettsia prowazekii

<400> 756
atggctcaaa aaccaaattt tctaaaaaaa ataatttccg caggattggt aactgcttcc 60
acggctacta tagtagctgg tttctctggt gtagcaatgg gtgctgctat gcaatataat 120
aggacaacaa atgcagcagc tacaaccttt gatggtatag gctttgatca agctgctggt 180
gctaatattc ctgtcgctcc aaattcagtt attactgcta atgctaataa tcctattact 240
tttaatactc caaacggtca tttaaatagt ttatttttgg atactgcaaa tgatttagca 300
gtaacaatta atgaggatac taccttagga tttataacaa atattgctca gcaggctaag 360
ttctttaatt ttactgttgc tgctggtaaa attcttaaca taacagggca gggtattact 420
gttcaagaag cttctaatac aataaatgct caaaatgctc ttacaaaagt gcatggtggc 480
gctgctatta acgctaatga tcttagcggg ctaggatcaa taacctttgc tgctgcgcct 540
tctgtattag aatttaattt aataaatcct acaactcaag aagctcctct tacacttggt 600
gctaattcta aaatagttaa tggtggtaat gggacattaa atattactaa tggatttatt 660
caggtttcag ataacacttt tgctggtatt aagaccatta atatcgatga ttgtcaaggt 720
ttaatgttta attctactcc tgatgccgct aatactttaa atttacaagt aggtggtaat 780
actattaatt ttaatggaat agacggtact ggtaaattag tattagtcag taagaatggt 840
gctgctaccg aatttaatgt tacaggaact ttaggtggta atctaaaagg tattattgaa 900
ttgaacactg cagcagtagc tggtaaactt atctctcaag gaggtgctgc taatgcagta 960
ataggtacag ataatggagc aggtagagct gcaggattta ttgttagtgt tgattaatggt 1020
aatgcagcaa caatttctgg acaagtttat gctaaaaaca tggtgataca aagtgctaat 1080
gcaggtggac aagtcactt tgaacacata gttgatgttg gtttaggcgg taccaccaac 1140
tttaaaactg cagattctaa agttataata acagaaaact caaactttgg ttctactaat 1200
tttggtaatc ttgacacaca gattgtagtc cctgatacta agattcttaa aggtaactc 1260
ataggtgatg taaaaaataa cggtaatact gcaggtgtga ttacttttaa tgctaatggt 1320
gctttagtaa gtgctagtac tgatccaaat attgcagtaa caaatattaa tgcaattgaa 1380
gcagaaggag ccggggttgt agaattatca ggaatacata ttgcagaatt acgtttaggg 1440
aatggtggct ctatctttaa acttgctgat ggcacagtaa ttaatggtcc agttaaccaa 1500
aatgctctta tgaataataa tgctcttgca gctggttcta ttcagttaga tgggagtgct 1560
ataattacag gtgatatagg taacggtggt gttaatgctg cgttacaaca cattacttta 1620
gctaacgatg cttcaaaaat attagcactc gatggcgcaa atattatcgg ggctaatgtt 1680
ggtggtgcaa ttcattttca agctaacggt ggtactatta aattaacaaa tactcaaaat 1740
aatattgtag ttaattttga tttagatata actactgata aaacaggtgt tgttgatgca 1800
agtagtttaa caaataatca aactttaact attaatggta gtatcggtac tgttgtagct 1860
aatactaaaa cacttgcaca attaaacatc gggtcaagta aaacaatatt aaatgctggc 1920
gatgtcgcta ttaacgagtt agttatagaa aataatggtt cagtacaact taatcacaat 1980
acttacttaa taacaaaaac tatcaatgct gcaaaccaag gtcaaataat cgttgccgct 2040

gatcctctta atactaatac tactcttgct gatggtacaa atttaggtag tgcagaaaat 2100
ccacttteta ctattcattt tgccactaaa gctgctaatg ctgactctat attaaatgta 2160
ggtaaaggag taaatttata tgctaataat attactacta acgatgctaa tgtaggttct 2220
ttacacttta ggtctggtgg tacaagtata gtaagtggta cagttggtgg acagcaaggt 2280
cataagctta atatttaat attagataat ggtactactg ttaagttttt aggtgataca 2340
acatttaatg gtggtactaa aattgaaggt aaatccaatt tgcaaattag caatcaattat 2400
actactgatc atgttgaatc tgctgataat actggtacat tagaatttgt taacactgat 2460
cctataaccg taacattaaa taaacaaggt gcttattttg gtgttttaaa acaagtaatt 2520
atttctggtc caggtaacat agtatttaat gagataggta atgtaggaat tgtacatggt 2580
```

atagcagcta attcaatttc ttttgaaaat gcaagtttag gtacatcttt attcttacct 2640
agtggtactc cattagatgt tttaacaatt aaaagtaccg taggtaatgg tacagtagat 2700
aattttaatg ctcctattgt agttgtatca ggtattgata gtatgatcaa taacggtcaa 2760
atcatcggtg ataaaaagaa tattatagct ctatcgcttg gaagtgataa cagtattact 2820
gttaatgcta atacattata ttcaggtatc agaactacaa aaaataatca aggtactgtg 2880
acacttagtg gtggtatgcc taataatcct ggtacaattt atggttagg tttagagaat 2940
ggtagtccaa agttaaaaca agtgacattt actacagatt ataacaactt aggtagtatt 3000
attgcaaata atgtaacaat taatgattat gtaactctta ctacaggagg tatagcagag 3060
acagattttg acgctaaaat tactcttgga agtgttaacg gtaacgctaa cgtaaggttt 3120
gttgatagta cattttctga tcctagaagt atgattgttg ctactcaagc taataagggt 3180
actgtaactt atttaggtaa tgcattagtt agtaatatcg gtagtttaga tactcctgta 3240
gcttctgtta gatttacagg taatgatagt ggggcaggat tacaaggcaa tattttatca 3300
caaaatatag attttggtac ttataattta actattctaa attctaatgt cattttaggt 3360
ggtggtacta ctgctattaa tggtgaaatc gatcttctga caaataattt aatatttgca 3420
aatggtactt caacatgggg tgataatact tctattagta caacgttaaa tgtatcaagc 3480
ggtaatatag gtcaagtagt cattgccgaa gatgctcaag ttaacgcaac aactacagga 3540
actacaacca ttaaaataca agataatgct aatgcaaatt tcagtggcac acaagcttat 3600
actttaattc aaggtggtgc tagatttaat ggtactttag gagctcctaa cttgctgtta 3660
acaggaagta atattttcgt aaaatatgaa ctaatacgtg attctaacca ggattatgta 3720
ttaacacgta ctaacgatgt attaaacgta gttacaacag ctgttggaaa tagtgcaatt 3780
gcaaatgcac ctggtgtaag tcagaacatt tctagatgct tagaatcaac aaatacagca 3840
gcttataata atatgctttt agctaaagat ccttctgatg ttgcaacatt tgtaggagct 3900
attgctacag atacaagtgc ggctgtaact acagtaaact taaatgatac acaaaaaact 3960

caagatctac ttagtaatag gctaggtaca cttagatatc taagtaatgc tgaaacttct 4020
gatgttgctg gatctgcaac aggtgcagtg tcttcaggtg atgaagcgga agtatcttat 4080
ggtgtatggg ctaaaccttt ctataacatt gcagaacaag acaaaaaagg tggtatagct 4140
ggttataaag caaaaactac tggggttgta gttggtttag atactcctcgc tagcgataac 4200
ctaatgattg gggcagctat tgggatcact aaaactgata taaaacacca agattataag 4260
aaaggtgata aaactgatat taatggttta tcattctctc tatatggttc ccaacagctt 4320
gttaagaatt tctttgctca aggtaatgca atctttacct taaacaaagt caaaagtaaa 4380
agtcagcgtt acttcttcga gtctaatggt aagatgagca agcaaattgc tgctggtaat 4440
tacgataaca tgacatttgg tggtaattta atatttggtt atgattataa tgcaatgcca 4500
aatgtattag taactccaat ggcaggactt agctacttaa aatcttctaa tgaaattat 4560
aaagaaaccg gtacaacagt tgcaaataag cgcattaata gcaaatttag tgatagatgc 4620
gatttaatag taggggctaa agtagctggt agtactgtga atataactga tattgtgata 4680
tatccggaaa ttcatccttt tgtggtgcac aaagtaaatg gtaaattatc taactctcag 4740
tctatgttag atggacaaac tgctccattt atcagtcaac ctgatagaac tgctaaaacg 4800
tcttataata taggcttaag tgcaaacata aaatctgatg ctaagatgga gtatggtatc 4860
ggttatgatt ttaattctgc aagtaaatat actgcacatc aaggtacttt aaaagtacgt 4920
gtaaacttct aa 4932

<210> 757
<211> 1311
<212> DNA
<213> Artificial Sequence

<220>
<223> Rickettsia prowazekii

<400> 757
atgactaatg gcaataataa taacttagaa tttgcagaat taaaaatttag aggtaaacta 60
tttaagttac ctatacttaa agcaagtatc ggtaaagatg taatcgatat aagtagggta 120
tctgcggaag ccgattactt tacttatgat ccgggttta tgtctactgc ttcttgtcaa 180
tctactatca catatataga cggtgataaa ggcatattat ggtatcgagg atatgatatt 240
aaagacttag ctgagaaaag tgatttttta gaagtggcat atttgatgat ttatggggag 300
ctaccaagta gtgatcagta ttgtaatttt actaaaaagg ttgctcatca ttcaattagtg 360
aatgaaagat tacactattt atttcaaacc ttttgtagtt cttctcatcc tatggctatt 420
atgcttgcag ctgttggttc tctttcagca ttctatcctg atttattaaa tttttaatgaa 480
acagactatg aacttaccgc tattagaatg attgctaaga tacctactat cgcttgcaatg 540

tcttataaat attctatagg gcaaccgttt atttatcctg ataattcatt agattttacc 600

gaaaattttc tacatatgat gtttgcaact ccttgtacta aatataaagt aaatccaata 660
ataaaaaatg ctcttaataa gatatttatc ttacatgcag accatgagca gaatgcttct 720
acttcaacag ttcggattgc tggctcatca ggagctaatc cttttgcatg tattagcact 780
ggtattgcat cactttgggg gcctgctcac ggcgggggcta atgaagcagt gataaaatag 840
cttaaagaaa ttggcagttc tgagaatatt cctaaatatg tagctaaagc taaagataag 900
aatgatccat ttaggttaat gggttttggt catcgagtat ataaaagcta tgacccgcgt 960
gccgcagtac ttaaagaaac ttgtaaagaa gtattaaatg aattaggtca gttagacaat 1020
aatccgctgt tacaaatagc aatagaactt gaagctctcg ctcttaaaga tgaatatttt 1080
attgaaagaa aattatatcc aaatgttgat ttttattcag gcattatcta taaagctatg 1140
ggtataccgt cgcaaatgtt cactgtactt tttgcaatag caagaaccgt aggttggatg 1200
gcacaatgga aagaaatgca cgaagatcct gaacaaaaaa tcagtagacc tagacagctt 1260
tacactggtt atgtacatag agagtataag tgtattgtag aaagaaagtg a 1311

<210> 758
<211> 882
<212> DNA
<213> Artificial Sequence

<220>
<223> Vibrio cholerae

<400> 758
atgttcggat taggacacaa ctcaaaagag atatcgatga gtcatattgg tactaaattc 60
attcttgctg aaaaatttac ctttgatccc ctaagcaata ctctgattga cgaaagaagt 120
agtgaagaga tcattcgatt aggcagcaac gaaagccgaa ttctttggct gcctggcccaa 180
cgtccaaacg aggtgatttc tcgcaatgat ttgcatgact ttgtttggcg agagcaaggt 240
tttgaagtcg atgattccag cttaacccaa gccatttcga ctctgcgcaa aatgctcaaa 300
gattcgacaa agtcccaca atacgtcaaa acggttccga aacgcggtta ccaattgatc 360
gcccgagtgg aaacggttga agaagagatg gctcgcgaaa gcgaagctgc tcatgacatc 420
tctcagccag aatctgtcaa tgaatacgca gagtcaagca gtgtgccttc atcagccact 480
gtagtgaaca caccgcagcc agccaatgtt gtgacgaata aatcggctcc aaacttgggg 540
aatcgactgc ttattctgat agcggtctta cttcccctcg cagtattact gctcactaac 600
ccgagccaaa ccagctttaa acccctaacg gttgtcgatg gcgtagccgt caatatgccg 660
aataaccacc ctgatctttc aaactggcta ccgtcaatcg aactgtgcgt taaaaaatac 720
aatgaaaagc atactggtgg gctcaagccg atagaagtca ttgccacagg tggacaaaat 780
aaccagttaa cgctgaatta cattcacagc cctgaagttt cagggaaaa catataacctta 840
cgcatcgttg ctaaccctaa cgatgccatc aaagtgtgtg ag 882

<210> 759
<211> 1095
<212> DNA
<213> Artificial Sequence

<220>
<223> Francisella tularensis

<400> 759
atgcttaaag ttggttttat tggttggcgc ggaatggtcg gctcagtttt aatgtctcgt 60
atgatcgaat caaaagattt tgattgtatt ttgccaacgt ttttttcgac atctcaggta 120
gggcagctgc caacaggttt tatgcaacaa tatggagcgt tacaagatgc ctatagtatc 180
gaccaactaa gtagtatgga tatacttcta agttgccaag gtggtgaata taccaaagaa 240
atacaccaca aattaagaga agccggctgg caaggtttct ggatagacgc tgcatcgaca 300
ctacgcttag acaaagatag tactctagtt ctagaccctc taaatcacga tcaaatcatt 360
aatgctattg ataatggtaa aaaagatttt atcggtagta attgtactgt tagtctaatg 420
tcactagcta tagctggact actcaaagaa gatcttgttg aatgggttaa ctctagtact 480
tatcaagcaa tttcaggagc gggtgccgca gcaatgcaag aactacttca acaaacaagc 540
cttttaagca aaattgataa tagagatgaa gatattctaa ttagagaaaa aattctcaga 600
gaattatcaa aagactcatc aaaaatccct caacaaaaaa ctgtacaaac ttttggcttat 660
aatctattac cttggataga tgttggtatg cctagtggac aaacaaaaga agagtacaaa 720

gcagctacag aacttaataa aattctagat actaaaaaaa caatccctgt cgatggtata 780
tgtgtcagag taccaagtct aagatcacac tctcaagcat taacagtcaa acttagacag 840
aaattaacaa ttgaagaaat taagcaaaaa atatctcaag gtaatgaatg ggttaaagta 900
atagataata acaaagaaga tactttaaaa tacctaacac ctcaagctaa ttcaggaact 960
cttgatattg ctataggtcg tatcaaatca tcgttattag ctgatgatat atttcattgt 1020
ttcacagtag gtgatcagct attatgggga gctgctgagc cccttagaag agttttaaat 1080
attattaaaa tataa 1095

<210> 760
<211> 1020
<212> DNA
<213> Artificial Sequence

<220>
<223> Francisella tularensis

<400> 760
atgaataaaa aaatcttagt aacaggtggt gtaggctata taggtagtca tacagtggta 60
gaacttcttg atagagatta tcaagttgtg gtggtagata atctttcaaa tagcaaagta 120
tctgtaatag acagggttaa aaaaatcaca aataaagatt ttgattttta tcagctagac 180
cttttaggta aagctaagct aacaaaagtt tttcaagagt atgatattta tgctgtaatt 240
catttgctg gctttaaagc tgtaggtgag agtgttgaaa aaccgttaga gtattatcat 300
aacaatatcc aaggtacact aaacttactt gagctaatgc aagagtataa agtttataat 360
tttgtcttta gttcatcggc gactgtatat gggatgaata ataaaccacc ctttacagaa 420
gatatgcctc taagtacaac taacccatac ggtgcaacta agctaatgtt agaagacatt 480
ttgcgagatt tgcaaaatgc taataataat tttaatatta catgtcttag atattttaat 540
ccagtcggcg cccatagtag tgggatgata ggagaggatc cacagggtat acctaataac 600
ctcatgcctt atgtcgcgca agtaggtgct ggtaaactag ctaaacttag tatctttggt 660
ggtgactatg agactataga tggtacagga gtgagagact atatacatgt tgtagattta 720
gcaataggtc atatattagc gttagaaaaa ttatcacaag ataaagcctag ctggagagct 780
tataatcttg gttctggaaa tggctattct gtattagaga ttgtcaaagc ttatcaaaaa 840
gccctaggta aagagattcc atatcagata gtagctagga gagccggtga tattgcagcg 900
agttttgctg atgttgccaa ggctaaaaga gagttgggtt ttgagacaca aaagactata 960
gatgatattt gtgatgatat gcttaaatgg caaaagtacg caaaagagaa taatatctag 1020

<210> 761
<211> 840
<212> DNA
<213> Artificial Sequence

<220>
<223> Shigella flexneri

<400> 761
cgcccccctgg ctgatgccgt gacagcatgg ttcccggaaa acaaacaatc tgatgtatca 60
cagatatggc atgcttttga acatgaagag cacgccaaca ccttttccgc gttccttgac 120
cgcctttccg ataccgtctc tgcacgcaat acctccggat tccgtgaaca ggtcgctgca 180
tggctggaaa aactcagtgc ctctgcggag cttcgacagc agtctttcgc tgttgctgct 240
gatgccactg agagctgtga ggaccgtgtc gcgctcacat ggaacaatct ccggaaaacc 300
ctcctggtcc atcaggcatc agaaggcctt ttcgataatg ataccggcgc tctgctctcc 360
ctgggcaggg aaatgttccg cctcgaaatt ctggaggaca ttgcccggga taaagtcaga 420
actctccatt ttgtggatga gatagaagtc tacctggcct tccagaccat gctcgcagag 480
aaacttcagc tctccactgc cgtgaaggaa atgcgtttct atggcgtgtc gggagtgaca 540
gcaaatgacc tccgcactgc cgaagccatg gtcagaagcc gtgaagagaa tgaatttacg 600
gactggttct ccctctgggg accatggcat gctgtactga agcgtacgga agctgaccgc 660
tgggcgcagg cagaagagca gaaatatgag atgctggaga atgagtaccc tcagagggtg 720

gctgacggc tgaaagcatc aggtctgagc ggtgatgcgg atgcggagag ggaagccggt 780
gcacaggtga tgcgtgagac tgaacagcag atttaccgtc agctgactga cgaggtactg 840

<210> 762
<211> 503
<212> DNA
<213> Artificial Sequence

<220>
<223> Campylobacter jejuni

<400> 762
aaaaacttaa aaaaagctgt tttttacttg atattgtttt ttaaaatatgc taaaattagg 60
cgtttcaatt aaaacaaagg agctttatg actaaagcag attttcatttc attagttgct 120
caaacagctg ggctaacaaa aaaagacgct actactgcta ctgatgcagt tatttctact 180
attactgatg ttttagctaa aggtgatagc atcagtttta ttggtttttgg tacttttca 240
actcaagaaa gagctgctag agaagctaga gtaccaagca cagggaaaaac aatcaaagtt 300
cctgctacaa gagttgcaaa atttaaggta ggtaaaaacc ttaaagaagc tgttgcaaaa 360
gcaagcggca aaaagaaaaa ataaacttc ggctagataa attctagcct tctttcttaa 420
ttaattcaga tattttgtat cttttattta ctttattttt ttaaaactttt ataaaactat 480
cattattaaa caaaaaagga tat 503

<210> 763
<211> 2118
<212> DNA
<213> Artificial Sequence

<220>
<223> Concatenation of A. baumannii genes

<220>
<221> misc_feature
<222> 447-486, 778-817, 1162-1201, 1495-1534, 1928-1967, 2115-2118
<223> n = A,T,C or G

<400> 763
cgcgcggtaa aactaaagaa gaagatatag cattagaaaa agattttgctg tctgatgaaa 60
aagagattgc tgaacattta atgctgattg atcttgggcg aaacgatgta gggcgtgtat 120
cgaaaatagg taaagtccaa gtcacggatc aaatggtgat cgacgcgttat tcacatgtca 180
tgcatattgt ttcaaatgta caaggtgaag tgcgtgatga tatcgatgca cttgatgtat 240
ttaaagccac ctttccagca ggaacgttat caggtgcccc aaaaattcgt gcaatggaaa 300
ttattgatga agtagaacct gtgaaaaggg gagtttttgg cgggggctgtt ggttatttgg 360
gatggcatgg tgaaatggat atgtcgattg caatccgtac ttgttgttatc cgtgataaaa 420
aggtgtatgt acaggctggt gcagggnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnn 480
nnnnnnggaa tctggcggtt tagtttcaga tgaactcatt atcggtttag taaaagaacg 540
tattgctcaa cctgactgcg tgaatggttg tattttcgac ggcttcccac gcactattcc 600
tcaagcagaa gctttggaaa aagaagggat cagcattgat catgtaattg aaattgatgt 660
acctgatgaa gaaatcgtaa aacgtctttc tggtcgtcgt cagcatcctg cttctggtcg 720
tgtttatcac gttgtataca atccacctaa agtggaaggt aaagatgatg tcacaggnnn 780
nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 840
aaccttaaaa ctggtaaagt tttagaaaaa acttttaaat ctggtgatac tttagaagct 900
gctgacatcg tagaagtaga aatgaactac ctatacaacg atggcgaaat gtggcacttc 960
atggacccag aaagcttcga acaaattgca gctgacaaaa ctgcaatggg tgatgctgct 1020
aaatggttaa aagacgactc aaatgaaaca tgtacaatca tgtttattcaa cggcgttcct 1080
ttaaacgtaa atgcacctaa cttcgttgta ttgaaagttg ttgaaactga tccgggcgta 1140
cgtggtgata cttctggtgg tnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 1200
ntcgtgcccg yaatttgcat aaagctgccg gccttgtagc acagcaaggc aaatttcctg 1260
aaactctaga agaatggatt gcactacccg gcattggtcg ctcgaccgca ggtgcactca 1320
tgtctttagg tttacgtcag tatggcgtga ttatggatgg caacgtgaaa cgcgttttag 1380
cccgtttctt tgccattgaa gatgacttaa gcaaaccaca gcacgaacgt gaaatgtgga 1440
aactggctga agagctttgt cccacccaac gcaatcatga ctacactcaa gcgannnnnn 1500
nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnttaaaa acactagcgg taagcttaaa 1560
caagattgcc aatgatattc gttggttagc aagtggtcca cgttgcggct tcggcgaaat 1620

ccgtattcct gaaaatgaac ctggttcaag tatcatgcca ggtaaagtga acccgactca 1680
aagtgaagcc atgaccatgg ttgttgctca agtacttggc aacgatacca ctattaatgt 1740
cgctggtgct tctggtaact tcgagctcaa tgtatttatg ccaqtgattg cttataactt 1800
actgcaatct attcagttgc ttggtgatgc atgtaatagt tttaatgatc actgtgcagt 1860
agggatcgag ccaaatcgtg agaaaattga tcatttcttg cataattctc ttatgttagt 1920
tacggcannn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnncccc ggttatgtac 1980
caaatacttt gtctgaagat ggtgacccat tagacgtact tgttgtaact ccacatcctg 2040
ttgctgccgg ttctgtaatt cgttgccgcc cagtgggcaa attaaacatg gaagacgacg 2100
gtggtatcga tgccnnnn 2118

<210> 764
<211> 276
<212> DNA
<213> Acinetobacter baumannii

<400> 764
atgagcgagc taggcttaaa aagcagtggc aagccaaaaa aatcagccgcg tacagtgggt 60
gatgtacttg gtaaatacca cccacatggt gactcggcat gttatgaagc catggtactc 120
atggctcagc catttagtta ccgctatcct ttaatcgaag gtcagggcgaa ctgggggttca 180
cctgatgatc ctaaatcttt tgctgcgatg cgttataccg aagccaaact ctcggcttat 240
agtgaattat tgctgagcga attaggtcag ggcact 276

<210> 765
<211> 9610
<212> DNA
<213> Yersinia pestis

<400> 765
tgtaacgaac ggtgcaatag tgatccacac ccaacgcctg aaatcagcatc caggggggtaa 60
tctgctctcc tgattcagga gagtttatgg tcacttttga gacagttatg gaaattaaaa 120
tcctgcacaa gcagggaatg agtagccggg cgattgccag agaactgcggg atctcccgca 180
ataccgttaa acgttatttg caggcaaaat ctgagccgcc aaaatatacg ccgcgacctg 240
ctgttgcttc actcctggat gaatacccgg attatattcg tcaacgcatc gccgatgctc 300
atccttacaa aatcccggca acggtaatcg ctcgcgagat cagagaccag ggatatcgtg 360
gcggaatgac cattctcagg gcattcattc gttctctctc ggttcctcag gagcaggagc 420
ctgccgttcg gttcgaaact gaacccggac gacagatgca ggttgactgg ggcactatgc 480
gtaatggtcg ctcaccgctt cacgtgttcg ttgctgttct cggatacagc cgaatgctgt 540

acatcgaatt cactgacaat atgcgttatg acacgctgga gacctgccat cgtaatgcgt 600
tccgcttctt tggtggtgtg ccgcgcgaag tgttgtatga caatatgaaa actgtggttc 660
tgcaacgtga cgcatatcag accggtcagc accggttcca tccttcgctg tggcagttcg 720
gcaaggagat gggcttctct ccccgactgt gtcgcccctt cagggcacag actaaaggta 780
aggtggaacg gatggtgcag tacaccgtta acagttttta catccacata atgactcgcc 840
tgcgcccgat ggggatcact gtcgatgttg aaacagccaa ccgccacggt ctgcgctggc 900
tgcacgatgt cgctaaccaa cgaaagcatg aaacaatcca ggcccgtccc tgcgatcgct 960
ggctcgaaga gcagcagtcc atgctggcac tgcctccgga gaaaaaagag tatgacgtgc 1020
atcttgatga aaatctggtg aacttcgaca aacacccccct gcatcatcca ctctccatct 1080
acgactcatt ctgcagagga gtggcgtgat gatggaactg caacatcaac gactgatggc 1140
gctcgccggg cagttgcaac tggaaagcct tataagcgca gcgcctgcgc tgtcacaaca 1200
ggcagtagac caggaatgga gttatatgga cttcctggag catctgcttc atgaagaaaa 1260
actggcacgt catcaacgta aacaggcgat gtatacccga atggcagcct tcccggcggt 1320
gaaaacgttc gaagagtatg acttcacatt cgccaccgga gcaccgcaga agcaactcca 1380
gtcgttacgc tcactcagct tcatagaacg taatgaaaat atcgtattac tggggccatc 1440
aggtgtgggg aaaacccatc tggcaatagc gatgggctat gaagcagtcc gtgcaggtat 1500
caaagttcgc ttcacaacag cagcagatct gttacttcag ttatctacgg cacaacgtca 1560
gggccgttat aaaacgacgc ttcagcgtgg agtaatggcc ccccgcctgc tcatcattga 1620
tgaaataggc tatctgccgt tcagtcagga agaagcaaag ctgttctgcc aggtcatcgc 1680
taaacgttac gaaaagagcg caatgatcct gacatccaat ctgccgttcg ggcagtggga 1740
tcaaacgttc gccggtgatg cagcactgac ctcagcgatg ctggaccgta tcttacacca 1800
ctcacatgtc gttcaaatca aaggagaaag ctatcgactc agacagaaac gaaaggccgg 1860
ggttatagca gaagctaatc ctgagtaaaa cggtggatca atattggcgcc gttggtggag 1920

atataagtgg atcacttttc atccgtcgtt gacaccctga tgaattcacg tgttcacgcc 1980
tgaataacaa gaatgccgga gatacgcagt catatttttt acacaattct ctaatcccga 2040
caaggtcgta ggtcgttata ggaaaattct tagcaccatt ccggaacaat cagaacagca 2100
ggccatgaac gactgacaac attacgaata taaaaaacgc acccggggca gacattcccc 2160
ctactgatta aaccagccgg acttgtccac ggaacggtct ttttaaaccg acacacagtc 2220
tgagtacaga tacatgtcac gatgatgcag gattagcgga agagtgtgag cacgtttccg 2280
ggaactgtgg tgaaccatag ctcaatattc gagtgagggc ataccggaaa cgcgctcaga 2340
ttcgttgtaa cgcgattttc cgtaccgggc aatttttcca gttgttcttt cgtttcatgt 2400
cgtcagaaac gttctgagcg cgtttccggc atctgatgct acgcaaacca tccccatggt 2460
cagttgacag ccggaaacac gcgggtgtcg ttttagcgta tcgacgggac ggcgtcgaga 2520
agcacaaaaa acagatgttg tactcagtca gttgttttac agacacgcact gcggcagatt 2580
gaaaaagtac cgtactttca ggaatgtcca gaaaccatgt gtcagacttc gttctccccc 2640
ttccgggtga attttttgt catccgttca ggaatctctt tataacgatt actccatttc 2700
aggatttttt atgtggcgtt tactacaggc aggatattca aaggcaaaaa aatccccgg 2760
aacaggcgga acccggacag ggggagaacg aatcgctaaa taattttcgt agttgtattt 2820
cccatcgttg ctactgcaac gggatgaatt tgccgcagtt tatcctgtaa aacaatcctg 2880
atttactcac actccacata tcactgacgg agcacaacgg aatagtgaac aaacaacaac 2940
aaactgcgct gaatatggcg cgatttatca gaagccagag cctgatactg cttgaaaaac 3000
tggatgctct ggatgccgac gagcaggcgg ccatgtgtga acgactgcac gaactcgcgg 3060
aagaactcca gaacagcatc caggctcgct ttgaagccga aagtgaaaca ggaacataac 3120
gaagctcccg gagacggtca cagcttgtct gtgaacggat gccgggagca gacaagcccg 3180
tcagggcgcg tcagcgggtt ttagcgggtg tcggggcgca gccatgaccc agtcacgtag 3240
cgatagcgga gtgtatactg gcttagtcat gcggcatcag tgcggattgt atgaaaagtg 3300
caccatgtac ggtgtgaaat gccgcacaga tgcgtaagga gaacatgcag atgccgatgc 3360
tcttccgctt cctcgctcac tgactcgctg cgctcggtcg ttcggctgcg gcgagcggtg 3420
tctgctcact caaaagcggt gatactgtta tccacacaat cagggataa cgccggaaag 3480
aacatgtgag caaaaaacga agaccccaga aaaggccgcg ccggagcgcgc tttttccata 3540
ggctccgccc ccctgacgag catcacaaaa atcgacgctc aagtcagagg tggcgaaacc 3600
cgacaggact taaagatacc aggcgtttcc ccccggaagc tccctcgtgc gctctcctgt 3660
tccgaccctg ccgcttaccg gatacctctc cgcctttctc ccttcgggaa gcgtggcgct 3720
ttctcatagc tcacgctgtt ggtatctcag ttcggtgtag gtcgttcgct ccaagctggg 3780
ctgtgtgcac gaaccccccg ttcagcccga ccactgcgcc ttatccggta actatcgtct 3840
tgagtccaac ccggtaagac acgacttcac gccactggca gcagccacatg gtaactgaaa 3900
agtggattta gatacgcaga actcttgaag ccttatcgct atcgccggcta cactgaaagg 3960
acagcatttg gtatctgtgc tccacttaag ccagctacca caggttagaa agcctgagaa 4020
acttctaacc ttcgaaagaa cccacgcctg agaacgtggg tttttcgttt tacaggcagc 4080
agattacgcg cagaaaaaaa ggatctcaag aagatccttt gatcttttct actgaattgc 4140
gctccgatc agttcagcag aagattatga tggggttcta tgggtattgc tgcggtaaca 4200
cccatgttac ttgaggttgt atgtagtctg tgtagaatta tacacataag gcttaaactg 4260
ctctttttt tcaatatgca attggaagtt cattgactac ataaatagat tattccaaat 4320
aatttattta tgtaagaaca ggatgggagg gggaatgatc tcaaagttat tttgcttggc 4380
tctcatattt ttatcatcaa gtggccttgc agaaaaaaac acatatacag caaaagacat 4440
cttgcaaaac ctagaattaa atacctttgg caattcattg tctcatggca tctatgggaa 4500
acagacaacc ttcaagcaaa ccgagtttac aaatattaaa agcaacacca aaaaacacat 4560
tgcacttatc aataaagaca actcatggat gatatcatta aaaatactag gaattaagag 4620
agatgagtat actgtcgttt ttgaagattt ctctctaata agaccgccaa catatgtagc 4680
catacatcct ctacttataa aaaaagtaaa atctggaaac tttatagtag tgaaagaaat 4740
aaagaaatct atcccggttt gcactgtata ttatcattaa tagcaagccc ctcattatta 4800
tgagggctc atggttattt taacaatcca ctatcgatat cttttgcac cagagcgccc 4860
tctcgtttac gtctgtcaga cattccatca acaatattat taaaagcatt tacaaggcca 4920
ttccagtctt ttgcgataac tttattccat actgtgggag cagttcctgga taacttaaac 4980
ccttttgat atccaatcga caccagtgct gtacgggttc tcaacggtaa atcgctgaac 5040
cgaagacgca tattagcgtc attgaaaaga ccttcaatct tatgtgagaa tttatcaata 5100
taaatattag ataagagatg agcttcatta tcagaaagcg tcagagtgtgc tgttctcact 5160
ttatcataag cctccttccc tcgaagcata taataccgat caagtcctatc tgcaatatac 5220
tgagggacac cgtcattcaa taaatcctgt ttgcttcgct gaccaaggtc aaccccggaa 5280
ccgaatgtaa caccggtact gttaaaataa tcgctactag gattagacgg aaaatgactt 5340
gtcggattaa acccttcaaa accattactg gagaaaatat cgtggtcaac aatatttacc 5400
gaacgacgta aaaattcctt cagttgacta atattgtcaa agttaatgac agtgttgtcc 5460
gctaggacga tgcgatttcg gttattatcc agaatgtctt cgttcttctt cttatcgaga 5520
tgttcaatag attcggcaat cgttcgctca agaaccatga cacggttagac tttcacaccg 5580

tctttttcct gacctgtttc aacagttatt ttctgttcgt aagacacggt cccttcagtt 5640
tttgaaattt tactttcctg gcggatctta tttgaatatt cactgtcttt ctccatctcc 5700
gtatcaatcg gaaacccctat aatgtacatc agtttaaaat tactccggcc aggcagatcc 5760
acataatgtg gtaatgcaat tgtaatcgaa ttagcttcaa aatttggtct gtaactgctt 5820
aatgtacttc cggaaaagag aaaagccggg acaccacctg aaccattcac taccattgta 5880
tctgacataa aaattcctct ttaacacata aaaaaacaat aagttaaaaa aaaatactgt 5940
acataaaacc actgttttta tgtacagtaa taaaattacg ccgctttatt ttctctgtca 6000
ataatatgaa atttcatttt tgtgatctga atcactctta taaaatctag gaagggaaga 6060
ttcgcagcag aaaaacagca ccgggttaaca tcagaaaaaa acagagaagga gataacgtga 6120
gcaaaacaaa atctggtcgc caccgactga gcaaaacaga ccaaacgcctg ctggctgcac 6180
ttgtcgttgc cggatacgaa gaacggacag cccgtgacct catccagaaa cacgtttaca 6240
cactgacaca ggccgacctg cgccatctgg tcagtgaaat cagtaacggt gtgggacagt 6300
cacaggccta cgatgcgatt taccaggcga gacgcattcg tcctcgcccgt aaatacctga 6360
gcggaaaaaa accggaaggg gtggaacccc gggaagggca gcgaacgggaa gatttaccat 6420
aactccggtt atcagtacca tcggctcaac gctcgttgtc ggatctgaaa aattcgctca 6480
aaagatcata tttccctgga tattttccac cgtttcttat gtgagcaaag tcacataatt 6540
ctgtcagacg acgagaaaac ggatatcgat tattgtttaa tatttttaca ttattaaaaa 6600
tgaaattaga taatcagata caaataatat gttttcgttc atgcagagag attaagggtg 6660
tctaatgaag aaaagttcta ttgtggcaac cattataact attctgtccg ggagtgctaa 6720
tgcagcatca tctcagttaa taccaaatat atccccgtac agcttttacag ttgcagcctc 6780
caccgggatg ctgagtggaa agtctcatga aatgctttat gacgcagaaa caggaagaaa 6840
gatcagccag ttagactgga agatcaaaaa tgtcgctatc ctgaaaggtg atatatcctg 6900
ggatccatac tcatttctga ccctgaatgc caggggggtgg acgtctctgg cttccgggtc 6960
aggtaatatg gatgactacg actggatgaa tgaaaatcaa tctgagtgga cagatcactc 7020
atctcatcct gctacaaatg ttaatcatgc caatgaatat gacctcaatg tgaaaggctg 7080
gttactccag gatgagaatt ataaagcagg tataacagca ggatatcagg aaacacgttt 7140
cagttggaca gctacaggtg gttcatatag ttataataat ggagcttata ccggaaactt 7200
cccgaaagga gtgcgggtaa taggttataa ccagcggttt tctatgccat atattggact 7260
tgcaggccag tatcgcatta atgattttga gttaaatgca ttatttaaat tcagcgactg 7320
ggttcgggca catgataatg atgagcacta tatgagagat cttactttcc gtgagaagac 7380
atccggctca cgttattatg gtaccgtaat taacgctgga tattatgtca cacctaatgc 7440
caaagtcttt gcggaattta catacagtaa atatgatgag ggcaaaggag gtactcagac 7500
cattgataag aatagtggag attctgtctc tattggcgga gatgctgccg gtatttccaa 7560
taaaaattat actgtgacgg cgggtctgca atatccgttc tgaaaaatac agatcatatc 7620
tctctttca tcctcccta gcggggagga tgtctgtgga aaggaggttg gtgtttgacc 7680
aaccttcaga tgtgtgaaaa atcaccttt tcaccataat gacggggcgc tcattctgtt 7740
gttttgcctt gacattctcc acgtctttca gggcatggag aaggtcaaat tagacatgga 7800
acgctactct ccttcctgta ggaagctcaa catccaagct taatttgcct cccattgctt 7860
caacgtaacg ctttaacgtc gccagcttta aatcatttcc gcgctgctcc agctttgtta 7920
ctgctggctg gcttataccc atcgcctcag caacttgttt ttgtgataac tggagttctt 7980
cacgcatcat ctgcaagccg acctcaagaa tcatctcatc tgccatttct ttaattcgtg 8040
tctggctttc aggtgaacga ctggcaatca cctcatctaa tgttctcatt acttgctctc 8100
cagtgtgttc agatgtgctg taaattcatc ctcagctata cgcaccagtt tttcataaaa 8160
ccgcttatca ttacttttat ctcctgcaca aagaacgata gccccgacgaa tcggatcgaa 8220
cgcataaaag gctcttatcg gacggccaga aaactgaacg cgaagctctt tcatattttt 8280
gtaccgagaa cctttcacgg tatcggcata tggcctggct aactcaggtc cgtaaacctg 8340
tagcttttc aaatcagcca aaaccttttc ctgaagagcg tcttcttgct catttagcca 8400
gtcgtcaaat cgctggctaa aaagtaccat ccacatgctc aaccctataa cctgtagctt 8460
acccactaa caatataacc tacgagttat attttcaaga aaagctggct atttaacata 8520
acggcaattt gtacgcacca ctgaaatgcg ttcagcgcga tcacaggcaac agacaggcaa 8580
aaatagcaac aaacctcccg aaaaaccgcc gcgatcgcgc ctgataaatt ttaaccttat 8640
gcatatctat gcagccaggc gaatcacgaa cgaattgcct gcctgatgta actgaaacgg 8700
gtgtttttc ctgatttggt gggcgtggaa gacggaacat gaacgggaaa acagaattca 8760
tgccagatga gcgcgatctg gcaattaagg caaaacacag caacaaagac acgccagaat 8820
cgcgcccgga tatgttttaa cgcgattttc agactcagac aaattcagca gaatgctact 8880
ccattcaccg ggctgatggt gaatacatgc gtatccagga tgagtacatt tctggctctg 8940
ccacagctct gtctgttggc agctttcgcc tgtccggaaa cctgcttaaa acgctcccga 9000
aaggcctctg aaccagaaag caacaaaaca caggccatta agtaaatcgc gttaaaacac 9060
gtctgatgga ttgctgcaaa aaaaagtccc taatggagca ggggactgtta aacccagtga 9120
atagcgtcta aattaaagta agaatacgac caggtactct tcagaaaaga gattaatcca 9180
ccgcacagaa taatcaacag taaaaacaaa caaccctgat tttttatttt tctttttttc 9240

gataaaaaca aaattaaaga aataattaat cagaacattc ctt aacttca gggcattgcc 9300
tgtgttccat tttgtgatta gtctgaaact tccgaaggtg gat aacaccc ggtatttttt 9360
tgctcacata aagcccctcc ttcaggcaga ggggcttttt ctt tgccacc acataaaaaa 9420
ggccctcaca ggaggtgttc tgtgagggcg tatgataagg act gaatcga tggttaatat 9480
gtctagtcct gacttttgca tctccgaata taaaaccctg ttt aacggca tgcaaaacca 9540
aaaaataaaa atgtgacatc gcaatgccag ataatattga cgc atgaggg aatgcgtacc 9600
ccgaccccctg 9610

<210> 766
<211> 102
<212> DNA
<213> Artificial Sequence

<220>
<223> Calibration Polynucleotide

<400> 766
tttaagtccc gcaacgagcg caacccttga tcttagttgt tta gttgggc actctaaggt 60
gactgccggt gacaaaccgg aggaaggtgg ggatgacgtc aa 102

<210> 767
<211> 94
<212> DNA
<213> Artificial Sequence

<220>
<223> Calibration Polynucleotide

<400> 767
tagaacaccg atggcgaagg cgactttctg gtctgtaact gac actgaga aagcgtgggg 60
agcaaacagg attagatacc ctggtagtcc acga 94

<210> 768
<211> 108
<212> DNA
<213> Artificial Sequence

<220>
<223> Calibration Polynucleotide

<400> 768
tggattagag accctggtag tccacgccgt aaacgatgag tgc taagtgt tagaggcctt 60
tagtgctgaa gttaacgcat taagcactcc gcctggggag tac ggcca 108

<210> 769
<211> 108
<212> DNA
<213> Artificial Sequence

<220>
<223> Calibration Polynucleotide

<400> 769
tttcgatgca acgcgaagaa ccttaccagg tcttgacatc ctc tgacaac cctagcttct 60
ccttcgggag cagagtgaca ggtggtgcat ggctgtcgtc agc tcgta 108

<210> 770
<211> 95

<212> DNA
<213> Artificial Sequence

<220>
<223> Calibration Polynucleotide

<400> 770
tctgacacct gcccggtgct ggaaggttaa ggagaggggt tagcgtaact ctgaactgaa 60
gccccagtaa acggcggccg taactataac ggtca 95

<210> 771
<211> 117
<212> DNA
<213> Artificial Sequence

<220>
<223> Calibration Polynucleotide

<400> 771
tctgttctta gtacgagagg accgggatgg acgcaccggt accagttgtt ctgccaaggg 60
catagctggg tagctatgtg cggaagggat aagtgctgaa agcatctaag cacgaaa 117

<210> 772
<211> 100
<212> DNA
<213> Artificial Sequence

<220>
<223> Calibration Polynucleotide

<400> 772
tgattattgt tatcctgtta tgccatttga gattttctgag tggtattgga gttattgttc 60
caggattaat tgcaaatata attcaaagac aagggctaca 100

<210> 773
<211> 112
<212> DNA
<213> Artificial Sequence

<220>
<223> Calibration Polynucleotide

<400> 773
tcgaagtaca atacaagaca aaagaaggta aaattactgt tttaggggaa aaattcaaga 60
aatatagaag tgatggctaa aaatgtagaa ggggtcttga agccgttaac aa 112

<210> 774
<211> 100
<212> DNA
<213> Artificial Sequence

<220>
<223> Calibration Polynucleotide

<400> 774
ttgctcgtgg tgcacaagta acggatatta caatcattgt tgttgcagct gatgacggcg 60
taataaacag ttgaagcaat taaccatgcg aaagcagcaa 100

<210> 775
<211> 114

<212> DNA
<213> Artificial Sequence

<220>
<223> Calibration Polynucleotide

<400> 775
tagcttttgc atattatatc gagccacagc atcgtgatgt tttacagctt tatgcaccgg 60
aagcttttaa tggataaatt taacgaacaa gaaataaatc tatccttgga agaa 114

<210> 776
<211> 116
<212> DNA
<213> Artificial Sequence

<220>
<223> Calibration Polynucleotide

<400> 776
tgacctacag taagaggttc tgtaatgaac cctaatgacc atccacacgg tggtggtgaa 60
ggtagatctc ctatcggaaa gtccacgtac tccatggggt aaaccagcac ttggaa 116

<210> 777
<211> 70
<212> DNA
<213> Artificial Sequence

<220>
<223> Calibration Polynucleotide

<400> 777
tccacacggt ggtggtgaag gtagatctcc tatcggaaag tccacgtact ccatggggta 60
aaccagcaca 70

<210> 778
<211> 82

<212> DNA
<213> Artificial Sequence

<220>
<223> Calibration Polynucleotide

<400> 778
ttatcgctca ggcgaactcc aacctggatg atgaaggccg cttttagaa ggtgacttgt 60
cgtagcaaag gcgaatccag ca 82

<210> 779
<211> 87
<212> DNA
<213> Artificial Sequence

<220>
<223> Calibration Polynucleotide

<400> 779

tgggcagcgt ttcggcgaaa tggaagtggc tcgaagcgta tggcgcttcg tacgtgctgc 60
aggaaatgtt gaccgtcaag tcggaca 87

<210> 780

<211> 97
<212> DNA
<213> Artificial Sequence

<220>
<223> Calibration Polynucleotide

<400> 780
tcaggagtcg ttcaactcga tctacatgat ggccgaccgc ccggggttcg gcggtgcaga 60
ttcgtcagct ggccggcatg cgtggcctga tggcgta 97

<210> 781
<211> 117
<212> DNA
<213> Artificial Sequence

<220>
<223> Calibration Polynucleotide

<400> 781
tctggcaggt atgcgtggtc tgatggccaa tccatctggt cgtatcatcg aacttccaat 60
caagtttccg tgaaggttta acagtacttg agtacttcat ctcaacccac ggtgcga 117

<210> 782

<211> 98
<212> DNA
<213> Artificial Sequence

<220>
<223> Calibration Polynucleotide

<400> 782
tcaagcaaac gcacaatcag aagctaagaa agcgcaagct tctggaaagc acaaatgcta 60
gttatggtac agaatttgca actgaaacag acgtgcaa 98

<210> 783
<211> 99

<212> DNA
<213> Artificial Sequence

<220>
<223> Calibration Polynucleotide

<400> 783
tccacacgcc gttcttcaac aactaccgtg ttctacttcc gtacgacgga cgtgacgggc 60
tcgatcgagc tgccgaagga caaggaaatg gtgatgcca 99

<210> 784
<211> 111
<212> DNA
<213> Artificial Sequence

<220>
<223> Calibration Sequence

<400> 784
tcgtggcggc gtggttatcg aacccatgct gaccgatcaa tggtacgtgc acaccgcccc 60
ccaaagtcgc gattgaagcc gtagagaacg gcgacatcca gttcgtaccg a 111

<210> 785
<211> 2100
<212> DNA
<213> Artificial Sequence

<220>
<223> Combination Calibration Polynucleotide

<400> 785
gaagtagaga tatggaggaa caccagtggc gaaggcgact ttctggtctg taactgacac 60
tgagaaagcg tggggagcaa acaggattag ataccctggt agtccacgcc gtaaacgatg 120
agtgctaagt gttagaggcc tttagtgctg aagttaacgc attaagcact ccgcctgggg 180
agtacggccg caaggctgaa actcaaagga attgacgggg cacaagcggt ggagcatgtg 240
gtttaattcg aagcaacgcg aagaacctta ccaggtcttg acatcctctg acaaccctag 300
cttctccttc gggagcagag tgacaggtgg tgcatggttg tcgtcagctc gtgtcgtgag 360
atgttgggtt aagtcccgca acgagcgcaa cccttgatct tagttgttta gttgggcact 420
ctaaggtgac tgccggtgac aaaccggagg aaggtgggga tgacgtcaaa tcatcatgcc 480
ccagtaccgt gagggaaagg tgaaaagcac ccggaaggg gagtgaaaga gatcctgaaa 540
ccgtgtgcca tagtcagagc ccgttaacgg gtgatggcgt gccttttgta gaatgaaccg 600
gcgagttata agatccgtag tcaaaaggga aacagccccag accgccagct aaggtcccaa 660
agtgtgtatt gaaaaggatg tggagttgct tagacaacta ggatgttggc ttagaagcag 720
ccaccattta aagagtatag ggggtgacac ctgcccggtg ctggaaggtt aaggagaggg 780
gttagcgtaa ctctgaactg aagccccagt aaacggcggc cgtaactata acggtcctaa 840
ggtagcgaaa gaaatttgag aggagctgtc cttagtacga gaggaccggg atggacgcac 900
cggtaccagt tgttctgcca agggcatagc tgggtagcta tgtgcggaag ggataagtgc 960
tgaaagcatc taagcatgaa gcccccctca agatgagagc agtaaaacaa gcaaacgcac 1020
aatcagaagc taagaaagcg caagcttctg gaaagccacaa atgctagtta tggtacagaa 1080
tttgcaactg aaacagacgt gcatgctgtg aaatttgcga aagcttttgc atattatatc 1140
gagccacagc atcgtgatgt tttacagctt tatgcacccgg aagcttttaa tggataaatt 1200
taacgaacaa gaaataaatc tatccttgga agaacttaaa gatcaacgga tgctggcaag 1260
atatgaaaaa taagataaaa cagcactatc aacactggag cgattcttta tctgaagaag 1320
gaagagcgat gaaaacaacg aagtacaata caagacaaaa gaaggtaaaa ttactgtttt 1380
aggggaaaaa ttcaagaaat atagaagtga tggctaaaaa tgtagaaggg gtcttgaagc 1440
cgttaacagc tgttatggcg accgtggcgg cgtggttatc gaacccatgc tgaccgatca 1500
atggtacgtg cacaccgccc cccaaagtcg cgattgaagc cgtagagaac ggcgagatcc 1560
agttcgtccc taaacagtac ggcaaccttcg ttatcgctca ggcgaactcc aacctggatg 1620
atgaaggccg ctttttagaa ggtgacttgt cgtagcaaag gcgaatcaag cctgtttagc 1680
cacaactatg cgtgctcgtg gtgcacaagt aacggatatt acaatcattg ttgttgcagc 1740
tgatgacggc gtaataaaca gttgaagcga ttaaccatgc gaaagcagca ggagtaccaa 1800
ctttactcag cttgctggta tgcgtggtct gatggccaat ccatctggtc gtatcatcga 1860
acttccaatc aagtttccgt gaaggtttaa cagtacttga gtacttcatc tctacgcatg 1920
gtgcgcgtaa aggtcatggg agtaagacct acagtaagag gttctgtaat gaaccctaat 1980
gaccatccac acggtggtgg tgaaggtaga tctcctatcg gaaagtccac gtactccatg 2040
gggtaaacca gcacttggat acaaaacaag cgcagttcgg cggccagcgc ttcggtgaaa 2100